

Index

The commentary entries in the index are referenced to page number. The legislation entries in the index are referenced to the section numbers of specific acts or regulations.

Where the references are to section numbers of acts or regulations, the following acronyms will appear before the section number:

- Occupational Health and Safety Act, OHSA*
 - Ont. Reg. 632/05 — Confined Spaces, Reg. 632/05
 - Ont. Reg. 213/91 — Construction Projects, Reg. 213/91
 - Ont. Reg. 833 — Control of Exposure to Biological or Chemical Agents, Reg. 833
 - Ont. Reg. 278/05 — Designated Substance — Asbestos on Construction Project and in Buildings and Repair Operations, Reg. 278/05
 - Ont. Reg. 490/09 — Designated Substances, Reg. 490/09
 - Ont. Reg. 629/94 — Diving Operations, Reg. 629/94
 - Ont. Reg. 414/05 — Farming Operations, Reg. 414/05
 - Ont. Reg. 714/94 — Firefighters — Protective Equipment, Reg. 714/94
 - Ont. Reg. 67/93 — Health Care and Residential Facilities, Reg. 67/93
 - Ont. Reg. 851 — Industrial Establishments, Reg. 851
 - Ont. Reg. 385/96 — Joint Health and Safety Committees — Exemption from Requirements, Reg. 385/96
 - Ont. Reg. 474/07 — Needle Safety, Reg. 474/07
 - Ont. Reg. 297/13 — Occupational Health and Safety Awareness and Training, Reg. 297/13
 - Ont. Reg. 33/12 — Offices of the Worker and employer Advisers, Reg. 33/12
 - Ont. Reg. 855 — Oil and Gas — Offshore, Reg. 855
 - Ont. Reg. 856 — Roll-Over Protective Structures, Reg. 856
 - Ont. Reg. 857 — Teachers, Reg. 857
 - Ont. Reg. 859 — Window Cleaning, Reg. 859
 - Ont. Reg. 860 — Workplace Hazardous Materials Information System (WHMIS), Reg. 860
 - Ont. Reg. 861 — X-Ray Safety, Reg. 861
 - Ont. Reg. 1101 — First Aid Requirements, Reg. 1101
 - Ont. Reg. 381/15 — Noise, Reg. 381/15
 - Ont. Reg. 420/21 — Notices and Reports Under Sections 51 to 53.1 of the Act — Fatalities, Critical Injuries, Occupational Illnesses and Other Incidents

For example:

In the entries:

Chief Prevention Officer, functions, 109; OHSA 22.3(1)

109 refers to page 109

OHSA 22.3(1) refers to section 22.3(1) of the *Occupational Health and Safety Act*

Confined spaces, application, Reg. 632/05 2
Reg. 632/05 2 refers to section 2 of Ont. Reg. 632/05

Index

A

Accident investigation

- compliance checklist, 11
- ILO guidelines, related references in, 11
- overview, 9
- due diligence considerations, 9
- no specific duty on employer, 9
- steps taken to prevent recurrence, 9
- requirements in Act and regulations, 10-11

Accident reporting

- compliance checklist, 13
- ILO guidelines, related references in, 13
- MOL guidelines, 13
- overview, 12
- death or critical injury, 12
- reporting to WSIB, additional to, 12
- requirements in Reg. 420/21, 12-13

Acrylonitrile. *See Designated substances*

Administration

- advisory committees, OHSA 21(1)
- annual summary to be furnished, OHSA 12
- Director to provide information, OHSA 12(3)
- Chief Prevention Officer, 121, OHSA 7.1-7.4
- civil proceedings, testimony in, OHSA 20(1)
- consultation on industrial hygiene testing, OHSA 11
- delegation of powers, OHSA 5
- duties of Minister, OHSA 4.1(1)
- federal legislation, powers under, OHSA 22.1
- health and safety representative, OHSA 8

- entitlement to time from work, OHSA 8(15)
- inspections, OHSA 8(6)
- mandatory selection of, OHSA 8(1)
- notice of accident, OHSA 8(14)-(14.1)
- order appointing, OHSA 8(2)
- powers, OHSA 8(11), 8(16)
- response to recommendations, OHSA 8(12)
- training, OHSA 8(5.1)-(5.3)
- industrial hygiene testing, OHSA 11
- attendance at testing, OHSA 11(3)
- consultation by constructor or employer, OHSA 11(1)
- inspectors and Directors, appointment of, OHSA 6(1)
- certificate of appointment, OHSA 7(1)
- joint health and safety committee, OHSA 9(2)
- certification requirement, OHSA 9(12)
- certified members, OHSA (12)
- designation of, OHSA 9(14), (15)
- replacement of, OHSA 9(17)
- co-chaired, OHSA 9(11)
- composition of committee, OHSA 9(6)
- dispute resolution, OHSA 9(39)
- entitlement to time off work and to be paid, OHSA 9(34), 9(35)
- establishment of committee, OHSA 9(4)
- information reported to committee, OHSA 9(30)
- inspections, OHSA 9(23), 9(29)
- meetings, OHSA 9(33)
- Minister's order, OHSA 9(3)

Index

- • • considerations, OHSA 9(5)
- • • worker designated, OHSA (18)
- • minutes of proceedings, OHSA 9(22)
- • notice of accident, inspection by committee member, OHSA 9(31), (31.1)
- • posting of names and work locations, OHSA 9(32)
- • powers of committee, OHSA 9(18)
- • • additional powers, OHSA 9(19)
- • • co-chairs, OHSA 9(19.1)
- • • recommendations and responses, OHSA 9(20)
- • selection of members, OHSA 9(8)
- offices of occupational health and safety and resources, 787
- non-disclosure, OHSA 20(2)
- powers of Minister, OHSA 4.1(2)
- WSIB, contribution to, OHSA 22
- worker trades committee, OHSA 10(1)
- • entitlement to time from work and to be paid, OHSA 10(5)
- • function, OHSA 10(4)
- • membership, OHSA 10(2)
- Addresses and resources**, 787
- Application of Act**
 - application of other acts, OHSA 2(2)
 - application to Crown, OHSA 2(1)
 - application to private residences, OHSA 3(1)
 - farming operations, OHSA 3(2)
 - self-employed persons, OHSA 4
 - teachers and teaching assistants, OHSA 3(2)
- Arsenic.** *See Designated substances*
- Asbestos.** *See Designated substances*
- Asbestos on construction projects, buildings, and repair operations**
- Asbestos Workers Register, Reg. 278/05 22
- asbestos work report, Reg. 278/05 21
- adoption of standard, Reg. 278/05 3
- advance notice re Type 3 and certain Type 2 operations, Reg. 278/05 11
- application, Reg. 278/05 1(1)
- definitions, Reg. 278/05 1(1)
- demolition, Reg. 278/05 6
- equivalent measures or procedure, use of, Reg. 278/05 23
- glove bag operations, Reg. 278/05 17
- information required for workers, Reg. 278/05 5
- instruction and training, Reg. 278/05 19
- • Asbestos Abatement Worker Training Program, Reg. 278/05 20
- management in buildings after November 1, 2007, Reg. 278/05 8
- notice to inspector, Reg. 278/05 24
- respirators, Reg. 278/05 13
- responsibility of employer (other than owner), Reg. 278/05 9
- responsibility of owner, Reg. 278/05 10
- restrictions re sprayed material, insulation, sealants, Reg. 278/05 4
- Tables
 - • Table 1, bulk material samples, Reg. 278/05 26
 - • Table 2, respirators, Reg. 278/05 26
 - • Table 3, air samples, Reg. 278/05 26
 - training programs, Reg. 278/05 19, 20
- Type 1, Type 2, Type 3 operations, Reg. 278/05 12
- • Type 1 operations, Reg. 278/05 14
- • Type 2 operations, Reg. 278/05 15, 16

Index

- • Type 3 operations, Reg. 278/05 15, 18

B

Benzene. *See Designated substances*

Biological or chemical agents

- control of exposure to, Reg. 833 1-8
- • airborne measurement and calculation of exposure, Reg. 833 Sch. 1
- • application, Reg. 833 2
- • definitions, Reg. 833 1
- • Ontario table of Occupational Exposure limits, Reg. 833 Sch.
- • protective measures, Reg. 833 3-4, 7.2
- • where worker exposed, Reg. 833 8
- respiratory protection program, Reg. 833 9-13

C

Chief Prevention Officer

- accreditation of HSMS, OHSA 7.6.1, 7.6.2
- annual report, OHSA 22.3(8), 22.3(10)
- appointment, OHSA 22.3(2)
- collection and use of training information, OHSA 7.5
- consultation with Prevention Council, OHSA 22.3(4), 22.3(9)
- functions, 121, 139, OHSA 22.3(1)
- standards for training programs, OHSA 7.1-7.4
- term, OHSA 22.3(2)
- written strategy for occupational health and safety to Minister, OHSA 22.3(3)

Codes and standards

- approved codes and standards in regulations, 15-27
- • construction work, 15-17
- • designated substances, 20-21
- • diving, 21-24

- • exposure limits, 19-20
 - • firefighters, 24
 - • personal protective equipment, 17-19
 - • premises, facilities, equipment, electricity, 24-27
 - codes of practice, OHSA 32.1-32.4
 - • approval of, OHSA 32.2(1), 32.4
 - • effect of approval, OHSA 32.4
 - • judicial notice, OHSA 32.3(3)
 - • publication of approval, OHSA 32.3(1)
 - compliance checklist, 27
 - ILO guidelines, related references in, 27
 - overview, 14
 - • Canadian Standards Association, 14
 - • Codes of Practice, 14
 - • “standards”, meaning of, 14
- Coke oven emissions.** *See Designated substances*
- Competency**
- compliance checklist, 42-43
 - ILO guidelines, related references in, 42
 - overview, 28
 - • “competent” defined, 28
 - • required to be competent, 28
 - requirements in Act and regulations, 29-42
 - • confined spaces, 29
 - • construction projects, 29-37
 - • designated substances, 38
 - • diving operations, 38-39
 - • firefighters: protective equipment, 39
 - • health care and residential facilities, 39-40
 - • industrial establishments, 40

Index

- • oil and gas offshore, 40-41
- • window cleaning, 41-42
- • X-ray safety, 42
- Compressed air work**
 - air compressors, Reg. 213/91 359-363
 - air locks and work chambers, Reg. 213/91 364-385
 - air pressure mechanism, Reg. 213/91 369
 - air supply, Reg. 213/91 368
 - ancillary air lock, Reg. 213/91 367
 - automatic compression and decompression, Reg. 213/91 369, 372
 - automatic recording gauge, Reg. 213/91 373
 - bulkheads, Reg. 213/91 382
 - design, Reg. 213/91 365
 - doors between, Reg. 213/91 377
 - pressure gauges, Reg. 213/91 370, 374, 376
 - smoke line, Reg. 213/91 381
 - temperature, Reg. 213/91 384
 - valves, Reg. 213/91 371
 - water on floor, Reg. 213/91 385
 - windows, Reg. 213/91 378
 - work chamber requirements, Reg. 213/91 369, 374
 - communications, Reg. 213/91 340-341
 - decompression procedures, Reg. 213/91 395-397
 - decompression sickness, Reg. 213/91 396
 - report, Reg. 213/91 397
 - tables, Reg. 213/91 399
 - definitions, Reg. 213/91 332
 - fire prevention, Reg. 213/91 342-345
 - general requirements, Reg. 213/91 334-339
 - appointment of superintendent, Reg. 213/91 336
 - Form 1 reports, Reg. 213/91 338
 - identification badges, Reg. 213/91 339
 - lock tender, Reg. 213/91 337
 - notice, Reg. 213/91 334-335
 - prior to work, Reg. 213/91 335
 - records kept at project, Reg. 213/91 338
 - lighting and electrical supply, Reg. 213/91 346-349
 - lock tenders, Reg. 213/91 389-394
 - air pressure, Reg. 213/91 392
 - decompression sickness, Reg. 213/91 393
 - records, Reg. 213/91 394
 - medical locks, Reg. 213/91 355-358
 - first aid room, Reg. 213/91 355
 - medical requirements, Reg. 213/91 351-354
 - conditions for working, Reg. 213/91 352
 - project physician, Reg. 213/91 351
 - worker not feeling well, Reg. 213/91 353
 - rest periods, Reg. 213/91 386-388
 - sanitation, Reg. 213/91 350
 - work periods, Reg. 213/91 386-388
- Confined spaces.** *See also Safe working practices/procedures*
 - application, Reg. 632/05 2
 - assessment, Reg. 632/05 6
 - atmospheric testing, Reg. 632/05 8
 - attendant, Reg. 632/05 15
 - communication, Reg. 632/05 12
 - control of materials, Reg. 632/05 14
 - definitions, Reg. 632/05 1
 - entering and exiting, Reg. 632/05 16

Index

Ontario Occupational Health and Safety: Quick Reference

- entry permits, Reg. 632/05 10
- exceptions, Reg. 632/05 3
- • emergency work, Reg. 632/05 3
- • underwater work, Reg. 632/05 3
- explosives and flammable substances, Reg. 632/05 19
- • atmospheric hazards, Reg. 632/05 19
- general training, Reg. 632/05 8
- hazard recognition, Reg. 632/05 8
- isolation of energy, Reg. 632/05 14
- multi-employer involvement, Reg. 632/05 4
- • co-ordination document, Reg. 632/05 4(2)-(4)
- on-site rescue, Reg. 632/05 11
- personal protective equipment, Reg. 632/05 13
- plan, Reg. 632/05 7
- • provisions, Reg. 632/05 7(3)
- • review of plan, Reg. 632/05 7(5)
- plan-specific training, Reg. 632/05 9
- program, Reg. 632/05 5
- records, Reg. 632/05 21
- rescue equipment, Reg. 632/05 12
- safe working practices/procedures, 142-147
- training, projects, Reg. 632/05 8-9.1
- unauthorized entry, Reg. 632/05 17
- ventilation and purging, Reg. 632/05 20
- • atmospheric levels, Reg. 632/05 20(2)
- • warning system, Reg. 632/05 20(3)
- Construction projects. See also Excavations and Tunnels, shafts, caissons and cofferdams**
- access at heights, Reg. 213/91 125
- access to and egress from work areas, Reg. 213/91 70-72
- cables, slings, rigging, Reg. 213/91 168-180
- • chains, Reg. 213/91 176
- • containers or slings, Reg. 213/91 172
- • hoisting hook, Reg. 213/91 173
- • requirements, Reg. 213/91 168-169
- • visual inspections, Reg. 213/91 170
- confined spaces. *See Confined Spaces*
- cranes, hoisting and rigging, Reg. 213/91 150-156
- • assembly, extension and dismantling, Reg. 213/91 151
- • certification of worker, Reg. 213/91 150
- • design of, Reg. 213/91 153
- • drawings of, Reg. 213/91 153
- • fall arrest system, Reg. 213/91 153
- • load-carrying capacity, Reg. 213/91 151
- • log book and records of inspections, repairs and maintenance, Reg. 213/91 152
- • lowering and raising of workers, Reg. 213/91 153
- • modifications and repairs, Reg. 213/91 152
- • outrigger or stabilizing device, Reg. 213/91 156
- • platform design, Reg. 213/91 151, 153
- • training of worker in use of, Reg. 213/91 150
- • turntables, Reg. 213/91 155
- cranes, tower, Reg. 213/91 157-165
- • automatic limit switches and overload limit devices, Reg. 213/91 160
- • design, Reg. 213/91 157
- • erection, Reg. 213/91 151
- • inspection and testing, Reg. 213/91 158, 159, 161
- • operator's cabin, Reg. 213/91 163

Index

- • rail-mounted tower crane, Reg. 213/91 165
- • unattended tower crane, Reg. 213/91 162
- definitions, Reg. 213/91 1(1)
- demolition and damaged structures, Reg. 213/91 212-221
- derricks, stiff-leg derricks and similar hoisting devices, Reg. 213/91 166-167
- designation of project, Reg. 213/91 4
- dust control, Reg. 213/91 59
- electrical hazards, Reg. 213/91 181-195.3
- elevating work platforms, Reg. 213/91 143-149
- • maintenance, Reg. 213/91 145
- • maintenance and inspection record tag, Reg. 213/91 146
- • operating procedures, Reg. 213/91 148
- • record of inspections, tests, and maintenance, Reg. 213/91 145, 146
- • requirements, Reg. 213/91 143-144
- • training of worker in use of, Reg. 213/91 147
- equipment, Reg. 213/91 93-116
- • access to operator's station, Reg. 213/91 98
- • blocking, Reg. 213/91 108
- • chain saws, Reg. 213/91 112
- • dump truck, Reg. 213/91 105
- • fall arrest system, Reg. 213/91 26.6, 26.9
- • fall protection system, Reg. 213/91 26.2
- • guardrail system, Reg. 213/91 116(9)
- • hoses, Reg. 213/91 114
- • inspections of, Reg. 213/91 94
- • lifting jacks, Reg. 213/91 111
- • maintenance, Reg. 213/91 93
- • multi-tiered loads, Reg. 213/91 103.1
- • permanent anchor system, Reg. 213/91 26.7
- • replacement parts, Reg. 213/91 95
- • reversing systems, Reg. 213/91 104, 105
- • safety chains, Reg. 213/91 110
- • safety net, Reg. 213/91 26.8
- • signallers, Reg. 213/91 106
- • stilts and leg extensions forbidden, Reg. 213/91 116
- • towing, Reg. 213/91 100
- • travel restraint system, Reg. 213/91 26.4
- explosive actuated fastening tool, Reg. 213/91 117-121
- explosives, Reg. 213/91 196-205
- • blasting caps, Reg. 213/91 202
- • blasting mats, Reg. 213/91 201
- • designated worker in charge of, Reg. 213/91 196
- • drill holes, Reg. 213/91 204
- • precaution prior to blasting, Reg. 213/91 203
- fire safety, Reg. 213/91 52-58
- • fire extinguishers, Reg. 213/91 52-55
- • fire pumps, Reg. 213/91 56
- • flammable liquid, Reg. 213/91 58
- • standpipe, permanent or temporary, Reg. 213/91 57
- flooring, temporary, Reg. 213/91 32(2)
- forms, formwork, falsework and re-shoring, Reg. 213/91 87-92
- general requirements, Reg. 213/91 13-19, 31-34
- heat, temporary, Reg. 213/91 49-51
- • fuel-fired heating device, Reg. 213/91 49

Index

Ontario Occupational Health and Safety: Quick Reference

- • fuel supply line, Reg. 213/91 50
- • temporary steam-piping, Reg. 213/91 51
- hot tar or bitumen roadtankers, Reg. 213/91 211
- housekeeping, Reg. 213/91 35-48
- alteration of drum, tank, pipeline or container, Reg. 213/91 48
- • blocking, support chains, metal bands, wire rope and rigging components, Reg. 213/91 38
- • internal combustion engine, Reg. 213/91 47
- • lighting system, Reg. 213/91 45
- • moving and storage of material or equipment, Reg. 213/91 37
- • protruding objects, Reg. 213/91 36
- • storing of material or equipment, Reg. 213/91 39, 40
- • • combustible, corrosive or toxic substance, Reg. 213/91 41
- • • compressed gas cylinder, Reg. 213/91 42
- • • flammable liquids, Reg. 213/91 43
- • • storage near edges, openings and excavation, Reg. 213/91 40
- • ventilation, Reg. 213/91 46
- • warning signs, Reg. 213/91 44
- • waste and debris removal, Reg. 213/91 35
- • • chutes, Reg. 213/91 35(4), (5)
- hygiene, Reg. 213/91 28-30
- • clean-up facility, Reg. 213/91 29.2
- • drinking water, Reg. 213/91 28
- • non-sewered flush toilet facilities, Reg. 213/91 29.1
- • sewerated toilet facilities, Reg. 213/91 29.1
- ladders, Reg. 213/91 78-84
- platforms, runways and ramps, Reg. 213/91 73-74
- protective clothing, equipment and devices, Reg. 213/91 21-27
- • drowning, Reg. 213/91 27
- • eye protection, Reg. 213/91 24
- • fall arrest system, Reg. 213/91 26.6, 26.9
- • fall protection system, Reg. 213/91 26.2
- • fall restricting system, Reg. 213/91 26.5
- • foot protection, Reg. 213/91 23
- • full body harness, Reg. 213/91 26.4
- • guardrail system, Reg. 213/91 26.1, 26.3
- • head protection, Reg. 213/91 22
- • permanent anchor system, Reg. 213/91 26.7
- • protection against hazards, Reg. 213/91 21
- • • training, Reg. 213/91 26.2
- • safety net, Reg. 213/91 26.8
- • skin protection, Reg. 213/91 25
- • travel restraint system, Reg. 213/91 26.4, 26.9
- public way protection, Reg. 213/91 64-66
- registration and notices, Reg. 213/91 5
- roadtankers, Reg. 213/91 211
- roofing, Reg. 213/91 207-210
- rotary foundation drill rigs, Reg. 213/91 156.1-156.9
- scaffolds and work platforms, Reg. 213/91 126-136
- • castor or wheel mountings, Reg. 213/91 129
- • erection, alteration or dismantling, Reg. 213/91 131

Index

- • load and force requirements, Reg. 213/91 126
 - • masonry units, Reg. 213/91 136
 - • outrigger bracket platform, Reg. 213/91 136
 - • requirements, Reg. 213/91 128
 - stairs and landings, Reg. 213/91 75-77
 - suspended platforms and scaffolds and boatswain's chairs, Reg. 213/91 136.1-142.06
 - • design, Reg. 213/91 137-137.3
 - • equipment, Reg. 213/91 140
 - • requirements, pre-use, Reg. 213/91 141-141.8
 - • requirement, project-specific use, Reg. 213/91 142-142.06
 - • testing, Reg. 213/91 139-139.1
 - • training, Reg. 213/91 138-138.1
 - suspended scaffolds, multi-pointed, Reg. 213/91 142.1-142.8
 - • competent worker, Reg. 213/91 142.5
 - • • instruction, Reg. 213/91 142.5
 - • design, Reg. 213/91 142.2
 - • erecting or dismantling, Reg. 213/91 142.3, 142.5
 - • inspection, Reg. 213/91 142.3
 - • load requirements, Reg. 213/91 142.6
 - • minimum safety factors, Reg. 213/91 142.2
 - • records, Reg. 213/91 142.8
 - traffic control, Reg. 213/91 67-69.1
 - • definitions, Reg. 213/91 67(1)
 - • directing traffic, Reg. 213/91 69
 - • • garment worn, Reg. 213/91 69.1
 - • protecting worker from traffic in workplace, Reg. 213/91 67-69.1
 - • • traffic protection plan, Reg. 213/91 67(4), (5)
 - • sign used in directing traffic, Reg. 213/91 68
 - welding and cutting, Reg. 213/91 122-124
- COVID-19.** *See Infection Control—Epidemic/Pandemic*
- D**
- Definitions**
- “10 millimetres gap”, Reg. 213/91 238(1)
 - “absorbed dose”, Reg. 861 1
 - “acceptable atmospheric levels”, Reg. 632/05 1
 - “ACGIH”, Reg. 833 1
 - “ACGIH Table”, Reg. 833 1
 - “adequate”, Reg. 632/05 1, Reg. 213/91 1(1), Reg. 629/94 1, Reg. 67/93 1, Reg. 851 1, Reg. 855 1, Reg. 859 1
 - “adequately”, Reg. 632/05 1, Reg. 67/93 1, Reg. 851 1, Reg. 855 1
 - “air kerma”, Reg. 861 1
 - “airline respirator”, Reg. 490/09 1
 - “air lock”, Reg. 213/91 332
 - “air-purifying respirator”, Reg. 490/09 1
 - “allowable suspended load”, Reg. 213/91 136.1
 - “allowable unit stress”, Reg. 213/91 1(1), Reg. 859 1
 - “anchorage connector”, Reg. 213/91 136.1
 - “apparatus”, Reg. 851 7(1)
 - “approved”, Reg. 213/91 1(1)
 - “aquarium exhibit diver”, Reg. 629/94 1
 - “architect”, Reg. 851 1
 - “arsenic”, Reg. 490/09 1
 - “asbestos”, Reg. 278/05 1(1), Reg. 490/09 1

Index

Ontario Occupational Health and Safety: Quick Reference

- “asbestos-containing material”, Reg. 278/05 1(1)
- “assessment”, Reg. 632/05 1
- “assigned protection factor”, Reg. 490/09 1
- “atmospheric diving”, Reg. 629/94 1
- “atmospheric diving system”, Reg. 629/94 1
- “atmospheric hazards”, Reg. 632/05 1
- “attenuation”, Reg. 381/15 1(1)
- “bail-out system”, Reg. 629/94 1
- “barricade”, Reg. 213/91 67(1)
- “barrier”, Reg. 213/91 67(1)
- “blocker truck”, Reg. 213/91 1(1)
- “Board”, OHSA 1(1)
- “boom”, Reg. 213/91 1(1), Reg. 851 1, Reg. 855 1
- “bottom time”, Reg. 629/94 1
- “breathing mixture”, Reg. 629/94 1
- “bucking”, Reg. 851 103
- “building”, Reg. 278/05 1(1)
- “Building Code”, OHSA 1(1), Reg. 851 1
- “bulk shipment”, Reg. 860 1(1)
- “caisson”, Reg. 213/91 1(1)
- “carry out”, Reg. 297/13 5(2)
- “CAS registry number”, Reg. 860 1(1)
- “cathead”, Reg. 855 1
- “ceiling limit” (or C limit), Reg. 833 1, Reg. 490/09 1
- “certified member”, OHSA 1(1)
- “chassis mounted aerial device”, Reg. 714/94 6(1)
- “chemical agent”, Reg. 833 1
- “chicot”, Reg. 851 103
- “Chief Prevention Officer”, OHSA 1(1)
- “cleat”, Reg. 213/91 238(1)
- “code for medical surveillance”, Reg. 490/09 1
- “cofferdam”, Reg. 213/91 1(1)
- “coke oven emissions”, Reg. 490/09 1
- “cold work”, Reg. 632/05 1
- “committee”, OHSA 1(1)
- “competent person”, OHSA 1(1)
- “competent worker”, Reg. 213/91 1(1), Reg. 278/05 1(1)
- “compressed air”, Reg. 213/91 332
- “conduit”, Reg. 213/91 1(1)
- “confined space”, Reg. 632/05 1
- “construction”, OHSA 1(1)
- “constructor”, OHSA 1(1)
- “container”, Reg. 860 1(1)
- “contaminant”, Reg. 629/94 57
- “controlled product”, Reg. 860 1(1)
- “Controlled Products Regulations (Canada)”, Reg. 860 1(1)
- “crash truck”, Reg. 213/91 1(1)
- “critical weld”, Reg. 213/91 1(1)
- “critically injured”, Reg. 834 1
- “CSA Standard Z271-10”, Reg. 213/91 136.1
- “CSA Standard”, Reg. 629/94 1
- “dangerous circumstances”, OHSA 44(1)
- “dBA”, Reg. 381/15 1(1)
- “decibel”, Reg. 381/15 1(1)
- “decompression”, Reg. 629/94 1
- “decompression sickness”, Reg. 213/91 332
- “deep diving”, Reg. 629/94 2
- “demolition”, Reg. 278/05 1(1)
- “Deputy Minister”, OHSA 1(1)
- “designated substance”, OHSA 1(1)
- “Director”, OHSA 1(1); Reg. 861 1

Index

- “direct-reading instrument”, Reg. 490/09 1
- “dive site”, Reg. 629/94 1
- “diver”, Reg. 629/94 1
- “diver’s tender”, Reg. 629/94 1
- “diving operation”, Reg. 629/94 1
- “dose equivalent”, Reg. 861 1
- “drawworks”, Reg. 855 1
- “emergency work”, Reg. 632/05 1
- “employer”, OHSA 1(1)
- “employer associated with a diving operation”, Reg. 629/94 1
- “engineer”, OHSA 1(1)
- “engineered support system”, Reg. 213/91 222
- “entertainment and advertising industry”, Reg. 851 4(4)
- “examine”, Reg. 278/05 1(1)
- “excavation”, Reg. 213/91 1(1)
- “excavation depth”, Reg. 213/91 1(1)
- “excavation width”, Reg. 213/91 1(1)
- “exposure”, Reg. 833 1, Reg. 490/09 1
- “extension trestle ladder”, Reg. 213/91 78
- “facilities”, Reg. 213/91 29(1)
- “factory”, OHSA 1(1)
- “failsafe design”, Reg. 861 1
- “fall arrest body harness”, Reg. 859 1
- “fall arrest system”, Reg. 213/91 1(1)
- “fall restricting system”, Reg. 859 1
- “falsework”, Reg. 213/91 1(1)
- “felling area”, Reg. 851 103
- “Fire Code”, Reg. 851 123(3)
- “firefighter”, Reg. 714/94 1
- “fire-resistance rating”, Reg. 851 1
- “first transition period”, Reg. 860 25(3)
- “fixed support”, Reg. 213/91 1(1)
- “flammable liquid”, Reg. 213/91 1(1), Reg. 851 1, Reg. 855 1
- “form”, Reg. 213/91 1(1)
- “formwork”, Reg. 213/91 1(1)
- “foundry”, Reg. 851 1
- “freeway”, Reg. 213/91 1(1)
- “ friable material”, Reg. 278/05 1(1)
- “ fugitive emission”, Reg. 860 1(1)
- “ full body harness”, Reg. 213/91 1(1)
- “ gangway”, Reg. 851 1
- “ generic installation drawing”, Reg. 213/91 1(1)
- “ gray”, Reg. 861 1
- “ guardrail system”, Reg. 213/91 1(1)
- “ hang up”, Reg. 851 103
- “ haul road”, Reg. 851 103
- “ hazard information”, Reg. 860 1(1)
- “ hazardous material”, OHSA 1(1)
- “ hazardous product”, Reg. 860 1(1)
- “ hazardous room”, Reg. 851 121
- “ hazardous physical agent”, OHSA 1(1)
- “ hazardous waste”, Reg. 860 1(1)
- “ health and safety representative”, OHSA 1(1)
- “ HEPA filter”, Reg. 278/05 1(1), Reg. 490/09 1
- “ highway”, Reg. 213/91 1(1)
- “ homework”, OHSA 1(1)
- “ hot work”, Reg. 632/05 1
- “ homogeneous material”, Reg. 278/05 1(1)
- “ hyperbaric chamber”, Reg. 629/94 1
- “ hydraulic support system”, Reg. 213/91 222
- “IDLH atmosphere”, Reg. 490/09 1
- “ industrial establishment”, OHSA 1(1)
- “ isocyanates”, Reg. 490/09 1

Index

Ontario Occupational Health and Safety: Quick Reference

- “inspector”, OHSA 1(1)
- “joint health and safety committee”, Reg. 278/05 1(1), Reg. 490/09 1
- “kelly”, Reg. 855 1
- “kilopascals”, Reg. 213/91 332
- “label”, Reg. 860 1(1)
- “laboratory sample”, Reg. 860 1(1)
- “labour relations officer”, OHSA 1(1)
- “landing area”, Reg. 851 103
- “lead”, Reg. 490/09 1
- “lead employer”, Reg. 632/05 1
- “legal requirement”, OHSA 32.1
- “licensee”, OHSA 1(1)
- “lifeline”, Reg. 629/94 1
- “lifting device”, Reg. 851, Reg. 855
- “limbing”, Reg. 851 103
- “liveboating”, Reg. 629/94 1
- “lock-out”, Reg. 629/94 1
- “log”, Reg. 851 1
- “logger”, Reg. 851 103
- “logging”, OHSA 1(1)
- “longitudinal buffer area”, Reg. 213/91 1(1)
- “machine”, Reg. 856 1
- “magazine”, Reg. 213/91 1(1)
- “man basket”, Reg. 629/94 1
- “manufactured article”, Reg. 860 1(1)
- “maximum air pressure”, Reg. 213/91 332
- “maximum use concentration”, Reg. 490/09 1
- “medical lock”, Reg. 213/91 332
- “medical professional”, Reg. 860 1(1)
- “mercury”, Reg. 490/09 1
- “metallurgical coke ovens”, Reg. 490/09 1
- “mine”, OHSA 1(1)
- “mining plant”, OHSA 1(1)
- “Minister”, OHSA 1(1)
- “Ministry”, OHSA 1(1)
- “mixed gas”, Reg. 629/94 1
- “mobile operation”, Reg. 213/91 67(1)
- “move”, Reg. 213/91 103.1(1)
- “multi-point suspended work platform”, Reg. 213/91 1(1)
- “multi-tiered load”, Reg. 213/91 103.1(1)
- “multi-tiered load hoisting operation”, Reg. 213/91 103.1(1)
- “non-destructive test”, Reg. 213/91 1(1)
- “non-saturation diving”, Reg. 629/94 1
- “non-sewered flush toilet facilities”, Reg. 213/91 29.01
- “o/c”, Reg. 213/91 238(1)
- “occupational illness”, OHSA 1(1)
- “occupier”, Reg. 278/05 1(1)
- “Office of the Employer Adviser”, OHSA 1(1)
- “Office of the Worker Adviser”, OHSA 1(1)
- “Ontario Table”, Reg. 833 1
- “open (wet) bell”, Reg. 629/94 1
- “ordinary worker”, Reg. 385/96 1
- “owner”, OHSA 1(1)
- “patient or resident”, Reg. 67/93 1
- “performance”, Reg. 851 4(4)
- “plan”, Reg. 632/05 1
- “platform ladder”, Reg. 213/91 78
- “post”, Reg. 213/91 238(1)
- “pouring aisle”, Reg. 851 1
- “prefabricated support system”, Reg. 213/91 222
- “prescribed”, OHSA 1(1)
- “pressure”, Reg. 213/91 222
- “prime mover”, Reg. 851 1, Reg. 855 1

Index

- “procedures”, Reg. 213/91 103.1(1)
- “product identifier”, Reg. 860 1(1)
- “professional engineer of the Ministry”, OHSA 1(1)
- “program”, Reg. 632/05 1
- “project”, Reg. 632/05 1
- “protective element”, Reg. 851 7(1)
- “Provincial Physician”, Reg. 490/09 1
- “public way”, Reg. 213/91 1(1)
- “purging”, Reg. 632/05 1
- “rated platform capacity”, Reg. 213/91 1(1)
- “redundant”, Reg. 861 10
- “registered”, Reg. 851 104(2)
- “regulations”, OHSA 1(1)
- “related work”, Reg. 632/05 1
- “research and development”, Reg. 860 1(1)
- “restraining device”, Reg. 856 1
- “restricted space”, Reg. 67/93 42(1)
- “rig”, Reg. 855 1
- “roadway”, Reg. 213/91 1(1)
- “roll-over protective structure”, Reg. 856 1
- “rotary foundation drill rig”, Reg. 213/91 1(1)
- “ROV”, Reg. 629/94 52.1
- “safety belt”, Reg. 629/94 52.1
- “safety-engineered needle”, Reg. 474/07 1
- “safety factor”, Reg. 213/91 1(1)
- “safety net”, Reg. 213/91 1(1)
- “sample”, Reg. 632/05 18(7)
- “saturation chamber”, Reg. 629/94 1
- “saturation diving”, Reg. 629/94 1
- “scientific diving”, Reg. 629/94 1
- “S.C.U.B.A.”, Reg. 629/94 1
- “second transition period”, Reg. 860 25(3)
- “service”, Reg. 213/91 29(1)
- “service room”, Reg. 851 1
- “service shaft”, Reg. 213/91 1(1)
- “sewered toilet facilities”, Reg. 213/91 29.1
- “shaft”, Reg. 213/91 1(1)
- “sheathing”, Reg. 213/91 1(1)
- “shield” or “shielding”, Reg. 861 1
- “shop”, OHSA 1(1)
- “significant new data”, Reg. 860 1(1)
- “sievert”, Reg. 861 1
- “sign truck”, Reg. 213/91 1(1)
- “silica”, Reg. 490/09 1
- “sill work”, Reg. 859 1
- “single ladder”, Reg. 213/91 78
- “site-specific installation drawing”, Reg. 213/91 1(1)
- “skidding”, Reg. 851 103
- “sledding”, Reg. 629/94 1
- “snag”, Reg. 851 103
- “spillage”, Reg. 851 87.3
- “spray booth”, Reg. 851 7(1)
- “spring pole”, Reg. 851 103
- “stage”, Reg. 629/94 1
- “stake”, Reg. 851 103
- “standard”, Reg. 629/94 4.1(1)
- “standby diver”, Reg. 629/94 1
- “STEL” or “short-term exposure limit”, Reg. 833 1, Reg. 490/09 1
- “step-ladder”, Reg. 213/91 78
- “step stool”, Reg. 213/91 78
- “strut”, Reg. 213/91 1(1)
- “submersible compression chamber”, Reg. 629/94 1
- “surface-supplied diving”, Reg. 629/94 1

Index

Ontario Occupational Health and Safety: Quick Reference

- “suitable”, Reg. 213/91 1(1), Reg 859 1
- “superintendent”, Reg. 213/91 332
- “supervisor”, OHSA 1(1)
- “supplier label”, Reg. 860 1(1)
- “supplier safety data sheet”, Reg. 860 1(1)
- “suspended work platform system”, Reg. 213/91 1(1)
- “test”, Reg. 632/05 18(7)
- “trade union”, OHSA 1(1)
- “top step”, Reg. 213/91 78
- “tower crane”, Reg. 213/91 1(1)
- “transmission equipment”, Reg. 851 1, Reg. 855 1
- “travel restraint system”, Reg. 213/91 1(1)
- “traverse”, Reg. 213/91 1(1)
- “tree”, Reg. 851 103
- “trench”, Reg. 213/91 1(1)
- “trestle ladder”, Reg. 213/91 78
- “tunnel”, Reg. 213/91 1(1)
- “TWA” or “time-weighted average limit”, Reg. 833 1, Reg. 490/09 1
- “Type 1 operation”, “Type 2 operation”, “Type 3 operation”, Reg. 278/05 1(1)
- “umbilical bundle”, Reg. 629/94 1
- “underground”, Reg. 213/91 1(1)
- “underwater work site”, Reg. 629/94 1
- “UXO” diving operation, Reg. 629/94 1
- “vehicle”, Reg. 213/91 1(1)
- “volunteer worker”, Reg. 385/96 1
- “wale”, Reg. 213/91 1(1)
- “water control structure”, Reg. 629/94 1
- “window”, Reg. 859 1
- “window cleaning”, Reg. 859 1
- “work belt”, Reg. 213/91 1(1)
- “work chamber”, Reg. 213/91 332
- “work platform”, Reg. 213/91 136.1
- “work surface”, Reg. 67/93 1
- “worker”, OHSA 1(1)
- “working space”, Reg. 851 1
- “workplace”, OHSA 1(1)
- “workplace harassment”, OHSA 1(1)
- “workplace label”, Reg. 860 1(1)
- “workplace sexual harassment”, OHSA 1(1)
- “workplace violence”, OHSA 1(1)
- “X-ray machine”, Reg. 861 1
- “X-ray source”, Reg. 861 1
- “X-ray worker”, Reg. 861 1
- “X-rays”, Reg. 861 1

Designated entities

- administrator, appointment of, OHSA 22.8
- • powers, OHSA 22.8(3)
- by Minister, OHSA 22.5(2)
- delegation, OHSA 22.9
- effect of designation, OHSA 22.6
- eligible for grant, OHSA 22.5(1)
- standards, OHSA 22.5(3)-(9)
- compliance and monitoring, OHSA 22.7

Designated substances

- application, Reg. 490/09 3-14
- • acrylonitrile, Reg. 490/09 3
- • arsenic, Reg. 490/09 4
- • asbestos, Reg. 490/09 5
- • benzene, Reg. 490/09 6
- • construction exception, Reg. 490/09 14
- • coke oven emissions, Reg. 490/09 7
- • ethylene oxide, Reg. 490/09 8
- • isocyanates, Reg. 490/09 9
- • lead, Reg. 490/09 10

Index

- • mercury, Reg. 490/09 11
- • silica, Reg. 490/09 12
- • vinyl chloride, Reg. 490/09 13
- assessment and control programs, Reg. 490/09 19-26
- • assessment, Reg. 490/09 19
- • change requiring further assessment, Reg. 490/09 22
- • control program, Reg. 490/09 20
- • disputes, Reg. 490/09 23
- • ethylene oxide, emergency program, Reg. 490/09 21
- • measuring airborne concentrations, Reg. 490/09 24
- • posting of monitoring results, Reg. 490/09 25
- • worker's duty re control program, Reg. 490/09 26
- definitions, Reg. 490/09 1
- employer duties, Reg. 490/09 15-18
- • re other isocyanates, Reg. 490/09 17
- • to limit airborne exposure, Reg. 490/09 16
- • to third party workers, Reg. 490/09 15
- • when respirator permitted, Reg. 490/09 18
- exposure limits Table & Schedules, Reg. 490/09 34, Sch 1, 2
- medical examinations and clinical tests, Reg. 490/09 27-31
- • medical examination after exposure to acrylonitrile, arsenic, ethylene oxide or vinyl chloride, Reg. 490/09 28
- • physician to receive records, Reg. 490/09 27
- • results of examinations and tests, Reg. 490/09 29
- • retention, Reg. 490/09 30-31
- • • personal exposure records, Reg. 490/09 30
- • • records of medical examinations, Reg. 490/09 31
- respiratory protection program, Reg. 490/09 26.1-26.5
- • care and maintenance of respirators, Reg. 490/09 26.5
- • employer duties, Reg. 490/09 26.1
- • requirements of respirators, Reg. 490/09 26.2-26.4

Diving operations

- application, Reg. 629/94 1
- atmospheric diving systems, Reg. 629/94 46
- • back-up, Reg. 629/94 51
- breathing mixtures, Reg. 629/94 25-31
- • compressor requirements, Reg. 629/94 30
- • emergency reserve and bail-out systems, Reg. 629/94 27
- • general requirements, Reg. 629/94 25
- • nitrogen, containing, Reg. 629/94 28
- • oxygen supply systems, Reg. 629/94 31
- • purity of, Reg. 629/94 29
- • quantities of primary and secondary supplies, Reg. 629/94 26
- contaminated environments, Reg. 629/94 57-62
- • application, Reg. 629/94 58
- • definition, Reg. 629/94 57
- • equipment generally, Reg. 629/94 60
- • identification and precautions, Reg. 629/94 59
- • surface supplied diving, Reg. 629/94 61
- • work zones, Reg. 629/94 62
- deep diving, Reg. 629/94 42-43

Index

Ontario Occupational Health and Safety: Quick Reference

- • exposure limits and rest periods, Reg. 629/94 43
- • general requirements, Reg. 629/94 42
- definitions, Reg. 629/94 1
- • constructors, employers, and owners, Reg. 629/94 5
- • • contingency plan, Reg. 629/94 7
- • • diver's tenders, Reg. 629/94 14
- • • inspection, available for, Reg. 629/94 8
- • • notice of diving operation, Reg. 629/94 6-8
- • divers and standby divers, Reg. 629/94 13
- • diving supervisors, Reg. 629/94 12
- • supervising diver's tenders, Reg. 629/94 12
- • • supervising diving operation, Reg. 629/94 12
- • • supervising standby divers, Reg. 629/94 12
- equipment, Reg. 629/94 15-24
- • communication, Reg. 629/94 19
- • cranes and hoisting devices, Reg. 629/94 20
- • diving equipment generally, Reg. 629/94 16
- • fall arrest systems, Reg. 629/94 21
- • gauges and metering equipment, Reg. 629/94 24
- • hyperbaric chambers, Reg. 629/94 23
- • lifelines, Reg. 629/94 18
- • personal diving equipment, Reg. 629/94 16-17
- • stages and open (wet) bells, Reg. 629/94 22
- equivalency, Reg. 629/94 4
- hazards, special, Reg. 629/94 53-56.1
- • floating equipment, Reg. 629/94 55.1
- • hazardous mechanisms, Reg. 629/94 55
- • liveboating, Reg. 629/94 53
- • sledding, Reg. 629/94 53.1
- • use of explosives, Reg. 629/94 56
- • UXO operations, Reg. 629/94 56.1
- • water flow hazards, Reg. 629/94 54
- medical procedures, Reg. 629/94 32-35
- • decompression procedures and tables, Reg. 629/94 35
- • emergency training, Reg. 629/94 33
- • medical assistance, Reg. 629/94 34
- • medical examinations, Reg. 629/94 32
- notice to Ministry, method of giving, Reg. 629/94 3
- records of diving, Reg. 629/94 63-64
- • daily record, Reg. 629/94 64
- • diver's logbook, Reg. 629/94 63
- remotely-operated (underwater) vehicles, Reg. 629/94 52.1
- saturation chambers, Reg. 629/94 45
- S.C.U.B.A. diving, Reg. 629/94 36-38
- • minimum crew, Reg. 629/94 37
- • prohibitions on S.C.U.B.A. use, Reg. 629/94 36
- • S.C.U.B.A. diving equipment, Reg. 629/94 38
- submersible compression chambers, Reg. 629/94 44
- • back-up atmospheric diving system, Reg. 629/94 51
- • construction and equipment, Reg. 629/94 44
- • emergency rescue, Reg. 629/94 51.1
- • minimum crew, Reg. 629/94 52
- • remotely-operated (underwater) vehicles, Reg. 629/94 52.1

Index

- surface-supplied diving, Reg. 629/94 39-41
- • breathing mixture supply lines, Reg. 629/94 40
- • helmets, masks and hookah, Reg. 629/94 41
- • minimum crew, Reg. 629/94 39
- Duties of employers**
 - compliance checklist, 49-50
 - ILO guidelines, related references in, 49
 - MOL guidelines, 50
 - overview, 44-45
 - • criminal negligence, 45
 - • general duties, 44, OHSA 25, 25.1, 26
 - • “as prescribed”, 44
 - • tickets, 45
 - requirements in Act, 45-49, OHSA 25, 25.1, 26
 - • information to workers, providing, 47-49, OHSA 25, 26
- Duties of owners and others**
 - compliance checklist, 53-54
 - ILO guidelines, related references in, 53
 - MOL guidelines, 54
 - overview, 51
 - requirements under Act, 51-53; OHSA 29
 - • architects and engineers, 53, OHSA 31(2)
 - • constructor, 52, OHSA 23(1), 30(4)
 - • directors and officers, 53; OHSA 32
 - • everyone in workplace, 51-52
 - • licensees, 52-53; OHSA 24(1)
 - • owners, 52; OHSA 30(1)
 - • • mine plans, OHSA 29(1)
 - • • plans of workplaces, OHSA 29(3)
 - • • project owners, OHSA 30(1)
 - • self-employed person, 52
- • suppliers, 53; OHSA 31(1)
- • washroom access, OHSA 29.1
- Duties of supervisors and workers**
 - compliance checklist, 57
 - duties under Act, 55-57
 - • supervisors, 55-56; OHSA 27
 - • workers, 56-57; OHSA 28
 - ILO guidelines, related references in, 57
 - MOL guidelines, 58
 - overview, 55
 - • criminal negligence, 55
 - • duty to report hazards, 55
 - • failure to comply with legal duty, 55
 - • “strict liability” modified, 55

E

Emergency facilities and equipment

- compliance checklist, 63-64
- ILO guidelines, related references to, 63
- overview, 59
- • due diligence considerations, 59
- • first aid and/or transport to medical aid, 59
- • workplaces and/or work activities, 59
- • written emergencies procedures, 59
- requirements in regulations, 60-63

Employers' duties. *See Duties of employers*

Enforcement. *See Inspector*

Enforcement, offences and penalties. *See also Offences, prosecutions and penalties*

- compliance checklist, 72
- ILO guidelines related references in, 71
- MOL guidelines, 72
- overview, 65-66

Index

- • powers of inspectors, 65; OHSA 54(1)
- • publication powers, 66
- requirements in Act, 67-71
- • appealing orders, 71; OHSA 61
- • immunity, 68
- • inspections, 69-70
- • offences, 67-68
- • orders, 70-71
- • penalties, 71
- • powers of inspectors, 68-70; OHSA 54(1)
- • warrants, 70; OHSA 56(1)

Ethylene oxide. *See Designated substances*

Excavations

- adjacent structures, protection of, Reg. 213/91 229
- definitions, Reg. 213/91 222, 233
- entry and working alone, Reg. 213/91 224-225
- general requirements, Reg. 213/91 230-233
- precautions concerning services, Reg. 213/91 228
- soil types, Reg. 213/91 226-227
- support systems, Reg. 213/91 234-242
- • application, Reg. 213/91 234
- • design, Reg. 213/91 235-237
- • extension above walls, Reg. 213/91 241
- • ladder for access or egress, Reg. 213/91 240
- • metal trench-jack or trench-brace, Reg. 213/91 242
- • prefabricated and hydraulic systems, Reg. 213/91 237
- • timbering, shoring, sheathing, struts and wales, Reg. 213/91 238

F

Farming operations

- application, certain regulations, Reg. 414/05 4
- • exception, Reg. 414/05 2
- limitations, joint health and safety committees, Reg. 414/05 3
- • farm types, Reg. 414/05 3(2)

Firefighters' protective equipment

- application, Reg. 714/94 2
- chassis mounted aerial device, Reg. 714/94 6
- • employer's obligation if hazard, Reg. 714/94 6(6)
- • non-destructive tests, Reg. 714/94 6(5)
- • service records for, Reg. 714/94 6(7)
- • standard for testing, Reg. 714/94 6(4)
- • visually inspected, Reg. 714/94 6(2), 6(5)
- definition, Reg. 714/94 1
- head protection, Reg. 714/94 4
- protective garments, Reg. 714/94 5
- traveling, Reg. 714/94 8
- variation from regulation, Reg. 714/94 3

First aid requirements

- first aid box, Reg. 1101 2
- • contents, Reg. 1101 2
- • • between five and fifteen workers, Reg. 1101 9
- • • between fifteen and 200 workers, Reg. 1101 10
- • • five workers or less, Reg. 1101 8
- first aid room, Reg. 1101 11
- • 200 or more workers, Reg. 1101 11
- first aid station, Reg. 1101 1
- • worker in charge, Reg. 1101 1(2)

Index

- • • between five and fifteen workers, Reg. 1101 9
- • • between fifteen and 200 workers, Reg. 1101 10
- • • five workers or less, Reg. 1101 8
- transportation, construction, farm and bush sites, Reg. 1101 13-16
- • bus route, Reg. 1101 16(5)
- • bush workers or farm workers, Reg. 1101 16
- • construction, repair or demolition of building, Reg. 1101 14, 15
- • heavy construction equipment, Reg. 1101 16(4)
- • railways, Reg. 1101 16(6)
- • transporting goods, Reg. 1101 16(3)
- • vehicle used to transport workers, Reg. 1101 16(2)

H

Harassment. *See Workplace violence and harassment*

- Hazardous/Toxic substances, hazardous materials, and physical agents.** *See also Workplace Hazardous Materials Information System (WHMIS)*
- compliance checklist, 79
 - ILO guidelines, related references to, 78
 - MOL guidelines, 79-80
 - overview, 73-75
 - • control of exposure to biological and chemical agents, 74
 - • designated substance regulation, 74
 - • “hazardous”, meaning of, 73
 - • hazardous products regulation, 73
 - • health care regulation, 73
 - • needle safety regulation, 74
 - • noise, 74
 - • WHMIS and GHS, 73
 - • • “right to know” regulation, 73

- • • “WHMIS 15”, 74
- requirements in Act and regulations, 75-78
- • designated substance regulations, 78
- • general requirements re hazardous materials, 75-76
- • noise, 78
- • other requirements re hazardous materials and agents, 76-78

Health care and residential facilities

- anaesthetic gases, Reg. 67/93 96
- antineoplastic drugs, Reg. 67/93 97
- application, Reg. 67/93 2-3
- compressed gas cylinders, Reg. 67/93 74
- definitions, Reg. 67/93 1
- electrical equipment, Reg. 67/93 62-73
- • certification, Reg. 67/93 68
- • clearance, Reg. 67/93 73
- • equipment no longer in use, Reg. 67/93 71
- • exposed live parts, Reg. 67/93 73
- • grounding, Reg. 67/93 66
- • lock out and tagging, Reg. 67/93 66
- • operation near live power, Reg. 67/93 68
- • portable electric tools, Reg. 67/93 70
- • warning for exposed live parts, Reg. 67/93 73
- equipment, Reg. 67/93 44-61
- • autoclave or sterilization machine, Reg. 67/93 60
- • centrifuge, Reg. 67/93 59
- • clearances, Reg. 67/93 51
- • emergency stop control, Reg. 67/93 48
- • gas lines, steam lines, pipelines, Reg. 67/93 52
- • glassware, Reg. 67/93 56

Index

Ontario Occupational Health and Safety: Quick Reference

- • grinding wheels, Reg. 67/93 57
 - • operating control acting as safety guard, Reg. 67/93 49
 - • repairs, maintenance or adjustments, Reg. 67/93 50, 52
 - • safety guards, Reg. 67/93 49
 - explosive hazards, Reg. 67/93 95
 - flammable liquids, Reg. 67/93 98-102
 - • containers for, Reg. 67/93 100
 - • dispensing with, Reg. 67/93 99
 - • handling, Reg. 67/93 99
 - • internal combustion engine, Reg. 67/93 102
 - • prevention of explosion or fire, Reg. 67/93 99
 - • storage, Reg. 67/93 101
 - heating, Reg. 67/93 21
 - housekeeping and waste, Reg. 67/93 111-116
 - • containers, Reg. 67/93 115
 - • needles, Reg. 67/93 114
 - hygiene facilities, Reg. 67/93 28-32
 - ladders, Reg. 67/93 80-84
 - lighting, Reg. 67/93 22-27
 - material handling, Reg. 67/93 103-110
 - • bottles and test tubes, Reg. 67/93 107
 - • fume hoods, Reg. 67/93 108
 - • incubators, refrigerators and freezers, Reg. 67/93 105
 - • laboratories, Reg. 67/93 109
 - • piping system containing hazardous substance, Reg. 67/93 110
 - material handling equipment, Reg. 67/93 75-79
 - • controls, Reg. 67/93 76, 79
 - • lifting equipment, Reg. 67/93 79
 - • lifting personnel, Reg. 67/93 76
 - • maximum load, Reg. 67/93 78-79
 - • operation of equipment, Reg. 67/93 77
 - measures and procedures, general duty to establish, Reg. 67/93 8-9
 - personal protective equipment, Reg. 67/93 10-15
 - • fall arrest system, Reg. 67/93 13
 - • flotation device, Reg. 67/93 14
 - premises, Reg. 67/93 16-18
 - • “hazardous room” defined, Reg. 67/93 18(5)
 - restricted spaces, Reg. 67/93 42
 - retention of reports and records, Reg. 67/93 4
 - scaffolds, Reg. 67/93 85-90
 - • construction of, Reg. 67/93 88
 - • design, Reg. 67/93 88, 89
 - • erecting, altering or dismantling, Reg. 67/93 86
 - • maximum load, Reg. 67/93 87
 - • working platforms, Reg. 67/93 90
 - suspended scaffolds, Reg. 67/93 91-94
 - • application, Reg. 67/93 91
 - • boatswain’s chair, Reg. 67/93 92
 - • movable working platform, Reg. 67/93 94
 - • outrigger beams, Reg. 67/93 93
 - ventilation, Reg. 67/93 19-20
 - work surfaces, Reg. 67/93 33-41
 - • fixed access ladder, Reg. 67/93 40
 - • guardrail, Reg. 67/93 36
 - • wet processes used, Reg. 67/93 35
- Housekeeping and storage**
- compliance checklist, 83-84
 - ILO guidelines, related references to, 83
 - overview, 81
 - • hazardous substances and materials, 81

Index

- • purpose of requirements, 81
- • safety data sheet information, 81
- health care facilities, 82
- requirements in regulations, 81-83

Hygiene facilities

- compliance checklist, 87
- ILO guidelines, related references to, 87
- industrial hygiene, Reg. 851 124-138
- overview, 85
- • control programs for toxic substances, 85
- • eating area, 85
- • emergency hygiene facilities, 85
- • health care and residential facilities, Reg. 67/93 28-32
- requirements in regulations, 85-86

I

Industrial establishments

- age, minimum, Reg. 851 4
- application, Reg. 851 3
- buildings, Reg. 851 120-123
- definitions, Reg. 851 1
- equivalency, Reg. 851 2
- fees and forms, Reg. 851 9-10
- fire prevention protection, Reg. 851 22-23
- hygiene, Reg. 851 124-138
- • hot and cold water, Reg. 851 133
- • mechanical or natural ventilation, Reg. 851 127
- • place for eating purposes, Reg. 851 136
- • potable drinking water, Reg. 851 132
- • potential hazard of eye or skin injury, Reg. 851 124-125
- • replacement air, Reg. 851 128
- • room provided for privacy, Reg. 851 135

- • shower rooms, Reg. 851 134
- • temperature, Reg. 851 129
- • training for exposure to biological, chemical or physical agent, Reg. 851 130
- lighting, Reg. 851 21
- logging, Reg. 851 103-119
- • canopy for vehicles except truck, Reg. 851 114
- • definitions, Reg. 851 103
- • felling area kept clear, Reg. 851 107
- • hang up occurring, Reg. 851 110
- • haul road, Reg. 851 117
- • • bridge, Reg. 851 118
- • landing area, Reg. 851 108
- • loading and unloading, log, Reg. 851 113
- • skidding, Reg. 851 112
- • spring pole, Reg. 851 111
- • training programs, Reg. 851 105
- • training requirements for employees, Reg. 851 106-106.2
- • tree felling, Reg. 851 109
- • truck requirements, Reg. 851 115, 116, 119
- • vehicle used for hauling, Reg. 851 116
- • vehicle used to transport loggers, Reg. 851 119
- machine guarding
- • centrifugal extractor, Reg. 851 31
- • chain saw, Reg. 851 39
- • conveyors, Reg. 851 33, 34
- • electrical equipment, Reg. 851 40
- • • cord-connected, Reg. 851 44
- • • transmission systems, Reg. 851 42.2
- • emergency stop control, Reg. 851 27

Index

Ontario Occupational Health and Safety: Quick Reference

- • explosive actuated fastening device, Reg. 851 36
 - • • explosive load, Reg. 851 37
 - • grinding wheel, Reg. 851 29-30
 - • nailing gun, Reg. 851 38
 - • operating control, Reg. 851 28
 - • overhead protection, Reg. 851 35
 - • power supply to electrical installations, Reg. 851 42
 - • • locking out, Reg. 851 42(3)-(4)
 - • • tag, Reg. 851 42(6)
 - • tumbling mill, Reg. 851 32
 - maintenance and repairs, Reg. 851 72-78
 - • drum, tank, pipeline, Reg. 851 78
 - • elevated machinery, Reg. 851 74
 - • motion of machinery stopped, Reg. 851 75
 - • portable ladder, Reg. 851 73
 - • structure damaged, Reg. 851 72
 - • switches locked out, Reg. 851 76
 - material handling, Reg. 851 45-66
 - • barrels, drums or kegs, Reg. 851 48
 - • compressed air not used, Reg. 851 66
 - • crane, lift truck, Reg. 851 52
 - • crane, traveling, Reg. 851 53
 - • cylindrical objects, Reg. 851 47
 - • dust, Reg. 851 64
 - • gas or vapour process, Reg. 851 63
 - • gasoline engines, Reg. 851 61
 - • lifting device, Reg. 851 51
 - • mobile equipment, Reg. 851 54
 - • piping system, Reg. 851 62
 - • silo, bin, Reg. 851 50
 - • storage cylinder for compressed gas, Reg. 851 49
 - molten material, Reg. 851 87-102
 - • boots, Reg. 851 93
 - • clear space, Reg. 851 88
 - • cupola, Reg. 851 95-96
 - • egress, means of, Reg. 851 87.4-87.5
 - • gallery, Reg. 851 102
 - • gangways, Reg. 851 89-90
 - • ladle or crucible, Reg. 851 91, 94
 - • measures and procedures for prevention, Reg. 851 87.1-87.2
 - • metal castings, Reg. 851 99
 - • pouring aisle, Reg. 851 92
 - • spillage, Reg. 851 87.3
 - premises, Reg. 851 11-20
 - • access ladder, Reg. 851 18
 - • barriers, Reg. 851 20
 - • clearances, Reg. 851 12
 - • cover, Reg. 851 15
 - • door, Reg. 851 16
 - • floor, Reg. 851 11
 - • guardrail, Reg. 851 13-14
 - pre-start health and safety reviews, Reg. 851 7
 - • definitions, Reg. 851 7(1)
 - • reports, Reg. 851 7(4)
 - • where not required, Reg. 851 7(5)-(9)
 - • where required, Reg. 851 7(2)
 - • table, Reg. 851 7
 - protective equipment, Reg. 851 79-86
- Infection control — Epidemic/Pandemic**
- compliance checklist, 94-95
 - MOL guidelines and resources, 95-96
 - overview, 88-90
 - • COVID-19 and OHS Act, 88-89
 - • developing workplace safety plan, 89
 - • emergency leave, 90
 - • general duties on employers, 88
 - • refusal to work and stop work, 90

Index

- • return to work and vaccination status, 89
- • working from home, 89-90
- requirements in Act, 90-94
- Information**
 - access by employer to health records, OHSA 63(2)
 - compellability of inspector in civil suit, OHSA 63(3)
 - confidentiality of, OHSA 63(1)
 - • medical emergencies, OHSA 63(5)
 - reports, copies of, OHSA 64
 - toxic substances, OHSA 40.1
 - • information privileged, OHSA 40.1(1)
 - • • conditions, OHSA 40.1(3)
 - • • exception, OHSA 40.1(2)
 - • • non-disclosure prevailing, OHSA 40.1(4)
 - WHMIS
 - • claim for exemption from disclosure, Reg. 860 19(1)
 - • confidential business information, Reg. 860 19-21
- Inspections. See also Safety inspections**
 - appeals from order of inspector, 71; OHSA 61
 - • decision of Board being final, OHSA 61(6)
 - • entry of premises by board, OHSA 61(3.13)
 - • expedited appeals, OHSA 61(3.8)
 - • • effective date of rules, OHSA 61(3.9)
 - • hearings, OHSA 61(3.3)
 - • inquiry by labour relations officer, OHSA 61(3)
 - • • report to Board, OHSA 61(3.2)
 - • “order”, extended meaning of, OHSA 61(3.2)
 - • parties, OHSA 61(2)
 - • powers of Board, OHSA 61(4)
 - • practice and procedure, OHSA 61(3.6)
 - • • rules of practice, OHSA 61(3.7)
 - • • rules not regulations, OHSA 61(3.11)
 - • quorum, OHSA 61(3.12)
 - • reconsideration, OHSA 61(8)
 - • Statutory Powers Procedure Act, conflict with, OHSA 61(3.10)
 - assistance to inspector, OHSA 62(2)
 - compellability of inspector in civil suit, OHSA 63(3)
 - immunity, 66; OHSA 65(1)
 - information confidential, OHSA 63(1)
 - monitoring devices, OHSA 62(4)
 - no hearing required prior to making order, OHSA 57(11)
 - notice, posting of, OHSA 57(9)
 - obstruction of committee, OHSA 62(5)
 - obstruction of inspector, OHSA 62(1)
 - • compliance achieved, OHSA 59(4)
 - orders by inspectors, OHSA 55-55.4
 - • inspections, OHSA 55
 - • • workplace harassment investigation, OHSA 55.3
 - • • written assessment, OHSA 55.2
 - • • written notices to Director under s. 52(1), OHSA 55.4
 - • • written policies, OHSA 55.1
 - orders by inspectors where worker endangered, OHSA 57(6)
 - • additional orders, OHSA 57(8)
 - • compliance achieved, OHSA 59(4)
 - • entry into barricaded area, OHSA 58

Index

Ontario Occupational Health and Safety: Quick Reference

- • notice of compliance, OHSA 59(1)
- • resumption of work pending inspection, OHSA 57(7)
- powers of inspector, 68-70; OHSA 54(1)
- • power to seize, OHSA 56.1(1)
- warrantless searches in exigent circumstances, OHSA 56.1(2)
- • report to justice etc., OHSA 56.1(3)
- warrants, 70; OHSA 56(1)
- • duration, OHSA 56(1.3)
- • expert help, OHSA 56(1.1)
- • further warrants, OHSA 56(1.5)
- • investigative techniques, OHSA 56(1)
- • possession of thing seized, OHSA 56(2)
- • • notice of receipt, OHSA 56(3)
- • • procedure, OHSA 56(5)
- • • report to justice, OHSA 56(4)
- • terms and conditions, OHSA 56(1.2), (1.4)
- • internal responsibility system, 104
- • new voluntary standards, 104
- • powers of, 104-105
- • • co-chairs, 105; OHSA 9(11)
- • recommendations, powers to make, 104-105
- • responsibilities for worker members, 105
- requirements in Act and regulations, 106-112
- • committee establishment and organization, 106; OHSA 9(4)
- • employer responsibilities to JHSCs, 106-110
- • rights and responsibilities of JHSCs, 110-112
- safe working practices, 154-156
- • consultation with JHSCs, 154
- training requirements, 161-162
- • consultation with JHSC, 161

L

Lead. *See Designated substances*

Liability

- immunity of persons carrying out duties, OHSA 65(1)
- liability of Crown, OHSA 65(2)

Logging. *See Industrial Establishments*

M

Machine guarding

- compliance checklist, 119-120
- ILO guidelines, related references to, 119
- industrial establishments, *See Industrial establishments*
- MOL guidelines, 120
- overview, 114
- • changes to machinery or equipment, 114

Index

- • general and specific provisions, 114
- • protective devices, 114
- • types of guards, 114
- requirements in regulations, 115-119
- • general provisions, 115-117
- • specific equipment/machinery guarding provisions, 117-119
- Mercury.** *See Designated substances*
- N**
- Needle safety**
 - application, Reg. 474/07 2
 - emergencies, Reg. 474/07 5
 - risk of harm, Reg. 474/07 5
 - safety-engineered needle
 - hollow-bore needle, Reg. 474/07 4(2)
 - needleless device, Reg. 474/07 1
 - provision of, Reg. 474/07 3
 - use of, Reg. 474/07 4
 - training, Reg. 474/07 4(4)
- Noise**
 - definitions, Reg. 381/15 1(1)
 - equivalent sound exposure level, Reg. 381/15 1(2)-(3)
 - hearing protection devices, Reg. 381/15 2(6)
 - protective measures, Reg. 381/15 2
 - sound levels exceeding 85 dBA, Reg. 381/15 2(7)
- Notices**
 - accidents, explosions etc. at project site or mine, OHSA 53
 - fatalities, critical injuries, occupational illnesses and other incidents, Reg. 420/21
 - notice of accident, explosion fire or violence causing injury, OHSA 52(1)
 - notice of compliance, OHSA 59(1)
 - notice of death or injury, OHSA 51(1)
 - preservation of wreckage, OHSA 51(2)
 - notice of occupational illness, OHSA 52(2)
- O**
- OH&S legislation**
 - common terms, 3
 - flowcharts, 6-8
 - how organized, 1-2
 - how Quick Reference organized, 4-5
 - organization of regulations, 3-4
 - significance of “as prescribed”, 3
 - understanding how legislation works, 1
- Occupational Health and Safety management systems (OHSMS) and accreditation**
 - MOL criteria for accreditation and recognition, 123
 - overview, 121-122
 - • 2017 amendment to OHS Act, 121
 - • benefits of accreditation, 122
 - • Chief Prevention Officer (CPO) accreditation of organizations, 121-122
 - • standards for accreditation to be released, 121
 - provisions in the OHS Act, 123
- Offences, prosecutions and penalties.** *See also Enforcement, offences and penalties*
 - accused liable for acts or neglect of managers, agents etc., OHSA 66(4)
 - additional orders, OHSA 66(5)
 - aggravating factors, OHSA 66(2.2)
 - certified copies of documents as evidence, OHSA 67(1)
 - defence, OHSA 66(3)
 - generally, 67-68
 - internet publication, OHSA 68.1(2)

Index

Ontario Occupational Health and Safety: Quick Reference

- limitation on prosecutions, OHSA 69
- penalties, 71; OHSA 66(1)
- place of trial, OHSA 68(1)
- publication re convictions, OHSA 68.1
- provincial judge required, OHSA 68(2)
- service of orders and decisions, OHSA 67(2)

Offices of the Worker and Employer Advisers

- functions of, OHSA 50.1; Reg. 33/12 1-2

OHS Management Systems and Accreditation. See *Occupational Health and Safety Management Systems (OHSMS) and accreditation*

Oil and gas: offshore

- age, minimum, Reg. 855 4
- application, Reg. 855 2-3
- auxiliary means of escape, Reg. 855 91
- competent person in charge of explosives, Reg. 855 96
- definitions, Reg. 855 1
- derrick floor, Reg. 855 83
- emergency plan, Reg. 855 6
- general requirements, Reg. 855 21-53
- barrels, drums or kegs, Reg. 855 32
- containers for corrosive or hazardous materials, Reg. 855 39
- crane or lift truck, Reg. 855 51
- • • signaller, Reg. 855 35
- • • crane or material handling equipment, Reg. 855 35, 36
- • cylindrical objects, Reg. 855 31
- • emergency stop control, Reg. 855 44
- • grinding wheel, Reg. 855 46, 47
- • guardrail, Reg. 855 52
- • hoisting controls, Reg. 855 49
- • lifting device, Reg. 855 48, 50

- • materials, articles or things required to be lifted or carried, Reg. 855 29
- • operating control, Reg. 855 45
- • protective clothing, equipment or device, Reg. 855 21
- • • hazard of falling, Reg. 855 27
- • • hazard of head, eye or foot injury, Reg. 855 22, 23, 24
- • • hazard of skin injury, Reg. 855 26
- • in-running nip hazard, Reg. 855 43
- • silo, bin, Reg. 855 34
- • storage cylinder for compressed gas, Reg. 855 33
- • training for exposure to biological, chemical or physical agent, Reg. 855 37
- • transmission equipment moving part, Reg. 855 42
- preparation, Reg. 855 12-20
- • fire and other drills, Reg. 855 20
- • inspections, Reg. 855 15
- • • derrick or mast, Reg. 855 16
- • • firefighting and life saving equipment, Reg. 855 17
- • • lifting device, Reg. 855 18
- • • rig and equipment, Reg. 855 15
- • • written reports, Reg. 855 19
- • muster list, Reg. 855 13
- rigs, Reg. 855 54-100
- • alcoholic beverages or drugs, under influence of, Reg. 855 64
- • artificial lighting, Reg. 855 54
- • clear of obstruction, Reg. 855 57-58
- • diesel or gas powered engine, Reg. 855 61
- • equipment
- • • blow-out prevention system, Reg. 855 100
- • • breathing apparatus, Reg. 855 68

Index

- • • cathead, Reg. 855 81
 - • • drawworks, Reg. 855 94
 - • • drilling equipment, Reg. 855 85
 - • • drilling fluid system, Reg. 855 99
 - • • electrical equipment, Reg. 855 97
 - • • explosives and detonators, Reg. 855 95, 96
 - • • fire protection and detection equipment, Reg. 855 70
 - • • general alarm system, Reg. 855 71, 72
 - • • helicopter and deck, Reg. 855 75, 76
 - • • hoisting rope, Reg. 855 87, 88
 - • • ladder platforms, Reg. 855 90
 - • • life buoy, Reg. 855 67
 - • • life rafts, Reg. 855 66
 - • • living quarters, Reg. 855 78
 - • • make-up or breakout tool, Reg. 855 84
 - • • personnel transfer basket, Reg. 855 77
 - • • pipe rack, Reg. 855 93
 - • • radio communication system, Reg. 855 73
 - • • stairways, Reg. 855 89
 - • • survival suits, Reg. 855 69
 - • • travelling block, Reg. 855 82
 - • • well stimulation, Reg. 855 98
 - • emergency lighting, Reg. 855 56
 - • emergency storage batteries, Reg. 855 55
 - • exits, Reg. 855 59, 60
 - • eyewash and deluge showers, Reg. 855 40
 - • smoking, Reg. 855 62
 - • welding or flame-cutting, Reg. 855 63
- Owners' duties.** *See Duties of owners and others*

P

Pandemic. *See Infection Control—Epidemic/Pandemic*

Personal protective equipment (PPE)

- compliance checklist, 129-130
- ILO guidelines, related references to, 129
- MOL guidelines, 130
- overview, 124
- • duty on workers to use or wear, 124
- • general duties of employer to provide, 124
- • PPE used as last resort, 124
- • special PPE requirements, 124
- • who pays for PPE, 124
- requirements in Act and regulations, 125-129
- • confined space entry, 126
- • general requirements, 125-126
- • hazardous exposures, 126
- • noise exposure, 128
- • particular hazards, 126-129

Pre-start health and safety reviews

- general requirements, 154
- Regulation, Reg. 851 7

Prevention council. *See also Chief Prevention Officer*

- composition, OHSA 22.2(2)
- functions, OHSA 22.2(7)
- remuneration and expenses, OHSA 22.2(9)

Prevention officer. *See Chief Prevention Officer*

Prevention services funding and delivery

- changes in, OHSA 22.4
- prevention council endorsement, OHSA 22.4(4)

Index

Protective equipment. *See Personal protective equipment (PPE)*

Publication re convictions, OHSA 68.1

R

Record keeping

- compliance checklist, 138
- ILO guidelines, related references to, 138
- overview, 131
- availability of records to Ministry of Labour, 131
- due diligence reasons, 131
- length of time that records kept, 131
- inspections or tests of hazardous equipment or work activities, 131
- requirements in Act and regulations, 132-137
- general (industrial establishments and other workplaces), 132-133
- specific types of workplaces or work, 133-137

Regulations generally, OHSA 70-71

Regulatory prevention structure

- overview, 139
- Chief Prevention Officer and Council, 139
- diagram of structure, 140
- responsibility, 139
- training and designation of JHSC members, 139
- requirements in Act, 141-142
- certified members, 141
- designated entities, 142
- designated substances, 142
- health and safety representatives, 141
- JHSC recommendations, 141
- Minister of Labour, 141
- practice, codes of, 142

- prevention council, 142
- reprisals, 141
- training, 141

Reprisals by employer prohibited

- complaint by worker, OHSA 50(2)
- arbitration, OHSA 50(2)
- inquiry by Board, OHSA 50(3)
- jurisdiction when complaint by public servant, OHSA 50(6)
- onus of proof, OHSA 50(5)
- penalty substituted by Board, OHSA 50(7)
- no discipline, dismissal by employer, OHSA 50(1)

Right to refuse work

- application of section, OHSA 43
- compliance checklist, 147-148
- dangerous circumstances, OHSA 44(1)
- bilateral work stoppage, OHSA 45(1)
- direction following investigation, OHSA 45(4)
- cancellation of direction, OHSA 45(7)
- complaint re direction to stop work, OHSA 49(1)
- board procedure, OHSA 46(4)
- complaint re direction to stop work, OHSA 49(1)
- criteria, OHSA 46(6)
- decision final, OHSA 46(7), 49(5)
- declaration and recommendation, OHSA 46(5)
- declaration against constructor, OHSA 46(1)
- constructor's or employer's duties, OHSA 45(5)
- costs of inspector, OHSA 46(8)
- definition, OHSA 44(1)

Index

- • delegation by certified member, OHSA 45(9)
- • entitlement to investigate and to be paid, OHSA 48(1), (2)
- • investigation by inspector, OHSA 45(6)
- • investigation by second certified member, OHSA 45(2)
- • non-application of provisions, OHSA 44(2)
- • unilateral work stoppage, OHSA 47(1)
 - • • direction re work stoppage, OHSA 47(2)
 - • • cancellation of direction, OHSA 47(6)
 - • • complaint re direction to stop work, OHSA 49(1)
 - • • determination of complaint, OHSA 49(4)
- duty to advise other workers, OHSA 43(11)
- entitlement to be paid, OHSA 43(13)
- MOL guidelines, 148
- overview, 143
- • eligible workers, 143
- • no discipline for refusal, 143
- • process diagram, 144
- • who can refuse unsafe work, 143
- requirements in Act, 145-147
- • duty to advise other workers, 147
- • entitlement to pay, 146
- • no discipline, 147
- • report and investigation, 146
- • when to refuse, 145
- • who can refuse, 145
- • worker continues to refuse, 146
- • worker remains available, 146
- • worker returns to work, 147

Rights of workers. *See Workers' rights; Right to refuse work*

Roll-over protective structures

- application, Reg. 856 2
- custom built, Reg. 856 5(1)
- definitions, Reg. 856 1
- repairs, Reg. 856 5(3)
- requirements, Reg. 856 3, 5, 6
- restraining device, Reg. 856 6

S

Safe working practices/procedures

- compliance checklist, 159
- ILO guidelines, related references to, 159
- MOL guidelines, 159-160
- overview, 154-156
- • confined spaces, 155-156
- • • defined, 155
- • • generic regulation on confined space procedures, 155
- • • written procedures, 155
- • consultation with JHSCs, 154
- • due diligence considerations, 154
- • general duties on employers and supervisors, 154
- • pre-start health and safety reviews, 154-155
- • violence and harassment, 156
- requirements in Act and regulations, 156-159

Safety inspections

- compliance checklist, 102-103
- ILO guidelines, related references to, 102
- MOL guidelines, 103
- overview, 97
- • due diligence considerations, 97

Index

Ontario Occupational Health and Safety: Quick Reference

- • general requirements for designated worker members of JHSC, 97
 - • inspection by competent person, 97
 - • particular requirements for certain equipment or machinery, 97
 - requirements in Act and regulations, 98-102
 - • general workplace inspections, 98
 - • particular machinery or equipment, 98-102
- Silica.** *See Designated substances*
- Standards.** *See Codes and standards*
- Supervisors' and workers' duties.** *See Duties of supervisors and workers*
- T**
- application, Reg. 857 1
 - conditions and limitations, Reg. 857 3

- Toxic substances.** *See also Hazardous/Toxic substances, hazardous materials, and physical agents*
- confidential business information, OHSA 40(1)
 - • claim for exemption, OHSA 40(3)
 - • • appeals, OHSA 40(4)
 - • • effect of claim, OHSA 40(6)
 - designation of substances, OHSA 35
 - Director's orders, OHSA 33
 - • appeal to Minister, OHSA 33(4)
 - • matters considered, OHSA 33(8)
 - • suspension of order, OHSA 33(9)
 - hazardous material
 - • assessment for, OHSA 39(1)
 - • identification and safety data sheets, OHSA 37(1)
 - • • copy to be made available, OHSA 38(1)

- • • notice to Director if unable to obtain, OHSA 37(4)
- • • public access, OHSA 38(2)
- • prohibition, OHSA 37(2)
- hazardous physical agents, OHSA 41(1)
- • duty of employer, OHSA 41(2)
- • notices, OHSA 41(3)
- information privileged, OHSA 40.1(1)
- • conditions, OHSA 40.1(3)
- • exception, OHSA 40.1(2)
- • non-disclosure prevailing, OHSA 40.1(4)
- instruction and training, OHSA 42(1)
- • consultation, OHSA 42(2)
- • review, OHSA 42(3), (4)

Training requirements

- basic occupational health and safety, Reg. 297/13 1-2
- • record of training, Reg. 297/13 4
- • supervisors, Reg. 297/13 2
- • workers, Reg. 297/13 1
- certification training, Reg. 297/13 5
- compliance checklist, 169
- exemptions to, Reg. 297/13 3
- ILO guidelines, related references to, 168
- MOL guidelines, 169-170
- overview, 161-162
- • due diligence considerations, 161
- • evaluation of training and potential hazards, 161
- • general and specific requirements, 161
- • training for working at heights, 162
- • OHS awareness training, 162
- records, Reg. 297/13 10

Index

- requirements in Act and regulations, 162-168
 - general requirements, 162-163
 - training requirements relating to emergency procedures, 167-168
 - training requirements relating to specific workers, tasks, hazards, 163-166
- standards and Chief Prevention Officer, OHSA 7.1, 7.2, 7.3
- training programs, Reg. 297/13 1-9
- Tunnels, shafts, caissons and cofferdams**
 - application, Reg. 213/91 243
 - communications, Reg. 213/91 269-273
 - conveyance of person by hoist, Reg. 213/91 273
 - hoistways, Reg. 213/91 273
 - shafts, Reg. 213/91 271-272
 - telephones, Reg. 213/91 269-270
 - explosives, Reg. 213/91 317-328
 - drilling and charging operations, Reg. 213/91 322
 - firing explosives, Reg. 213/91 323-327
 - flashlights, Reg. 213/91 321
 - transporting explosives, Reg. 213/91 319-320
 - work in adjacent areas, Reg. 213/91 317
 - facilities for workers, Reg. 213/91 260
 - fire protection, Reg. 213/91 248-259
 - first aid, Reg. 213/91 261-263
 - hoistways, Reg. 213/91 288-305
 - communication signals, Reg. 213/91 293
 - flanges, Reg. 213/91 289
 - hoist operator's duties, Reg. 213/91 290
 - log book for inspections, Reg. 213/91 292
 - maximum speed, Reg. 213/91 294
 - placement for convenient inspection, Reg. 213/91 289
 - requirements, Reg. 213/91 288
 - service shaft requirements, Reg. 213/91 300
 - shaft attendants, Reg. 213/91 295
 - transporting worker, Reg. 213/91 301-303, 305
 - worker directing materials movement, Reg. 213/91 297
 - land requirements, Reg. 213/91 244
 - lighting and electrical supply, Reg. 213/91 274-276
 - notice filed with Director, Reg. 213/91 245
 - rescue of workers, Reg. 213/91 264-268
 - shafts, Reg. 213/91 278-287
 - tunnel equipment, Reg. 213/91 309-316
 - tunnels generally, Reg. 213/91 306-308
 - ventilation, Reg. 213/91 329-331
 - working alone and entry, Reg. 213/91 246-247

V

Vinyl chloride. *See Designated substances*

Violence. *See Workplace violence and harassment*

W

Warning signs

- compliance checklist, 173
- ILO guidelines, related references to, 173
- overview, 171
- requirements in Act and regulations, 171-173

Warrants. *See also Inspector*

Index

Ontario Occupational Health and Safety: Quick Reference

- warrantless searches in exigent circumstances, OHSA 56.1(2)
- • report to justice etc., OHSA 56.1(3)
- warrants, 70; OHSA 56-56.1
- • duration, OHSA 56(1.3)
- • expert help, OHSA 56(1.1)
- • further warrants, OHSA 56(1.5)
- • investigative techniques, OHSA 56(1)
- • possession of thing seized, OHSA 56(2)
- • • notice of receipt, OHSA 56(3)
- • • procedure, OHSA 56(5)
- • • report to justice, OHSA 56(4)
- • terms and conditions, OHSA 56(1.2), (1.4)
- Window cleaning**
 - alternative methods and materials, Reg. 859 3
 - application, Reg. 859 2
 - boatswain's chair, Reg. 859 27(2), 28
 - definitions, Reg. 859 1
 - descent control, Reg. 859 27(3)
 - duties of employers, supervisors and workers, Reg. 859 42-45
 - • defects, informing owner of, Reg. 859 43
 - • safety training program, Reg. 859 45
 - • supervisor, Reg. 859 44
 - • work plan, Reg. 859 42
 - duties of owner of building, Reg. 859 39-41
 - • inspection, maintenance and repair
 - • • anchor points, Reg. 859 41(1)
 - • • permanently-installed suspended scaffold, Reg. 859 41(2)
 - • • records, Reg. 859 41(5)
 - • sketch of anchor points, providing, Reg. 859 39, 40
- • • suspended scaffold or boatswain's chair, Reg. 859 39
- electrical hazards, Reg. 859 32-35
- ladders and related equipment, Reg. 859 17-20
- miscellaneous equipment, Reg. 859 36-38
- outrigger beam, Reg. 859 30
- registration reporting and notice requirements, Reg. 859 4, 7
- • notice to Ministry of Labour where suspended equipment used, Reg. 859 7
- safety precautions and requirements, Reg. 859 8-16
- • access and egress, Reg. 859 14
- • age requirement, Reg. 859 1
- • barriers, Reg. 859 11
- • container for combustible or toxic substance, Reg. 859 15
- • fall arrest system, Reg. 859 10
- • • body harness, Reg. 859 10(4)
- • • lifeline, Reg. 859 10(6)
- • • lanyard, Reg. 859 10(5)
- • personal protective equipment, Reg. 859 9
- • warning signs, Reg. 859 11
- scaffolds, Reg. 859 21-31
- • castors or wheels, Reg. 859 23
- • maximum load, Reg. 859 22
- • working platform, Reg. 859 24
- static or horizontal line, Reg. 859 29
- suspended scaffold, Reg. 859 31
- suspension line and lifeline, primary, Reg. 859 27

Workers' rights. *See also Right to refuse work*

- compliance checklist, 152-153

Index

- ILO guidelines, related references to, 152
- MOL guidelines, 153
- overview, 149-150
 - • duties of employers, 149
 - • right to know, 149
 - • right to participate, 149
 - • right to refuse, 149
 - • “worker” defined, 149
- requirements in Act, 150-152
- • rights of all workers, 150-151
- • rights of JHSC members, 151-152
- • investigation by inspector, OHSA 43(7)
 - • • decision of inspector, OHSA 43(8)
 - • refusal to work, OHSA 43(3)
 - • • following investigation, OHSA 43(6)
 - • report of refusal, OHSA 43(4)
 - • worker to remain at safe place, OHSA 43(5)
 - • worker to remain near work station, OHSA (5)
- Workplace Hazardous Materials Information System (WHMIS 2015)**
 - application, Reg. 860 4
 - assessment of biological and chemical agents, Reg. 860 3
 - confidential business information, Reg. 860 19, 23
 - • claim for exemption from disclosure, Reg. 860 20-21
 - definitions, Reg. 860 1(1)
 - designation of hazardous materials, Reg. 860 2
 - disclosure of information in medical emergencies, Reg. 860 24
 - disclosure of source of toxicological data, Reg. 860 25
 - exemptions, Reg. 860 5
 - implementation of WHMIS 2015, 70-71
 - • transition period, 76
 - labels, Reg. 860 8-16
 - • hazardous product in piping systems and vessels, identification of, Reg. 860 11
 - • laboratory samples, Reg. 860 14-16
 - • • supplier label not required, Reg. 860 14
 - • • workplace label not required, Reg. 860 16
 - • placard identifiers, Reg. 860 12
 - • supplier labels, Reg. 860 8
 - • workplace labels for decanted products, Reg. 860 10
 - • workplace labels for employer-produced products, Reg. 860 9
 - safety data sheets, Reg. 860 17
 - • employer safety data sheets, Reg. 860 17(3), Reg. 860 18
 - • supplier safety data sheets, Reg. 860 17(1)
 - transition, Reg. 860 25.1
 - worker education, Reg. 860 6-7
- Workplace violence and harassment**
 - assessment of risks of violence, OHSA 32.0.3
 - definitions
 - • workplace harassment, OHSA 1(1)
 - • workplace sexual harassment, OHSA 1(1)
 - • workplace violence, OHSA 1(1)
 - domestic violence, OHSA 32.0.4
 - duties re harassment, OHSA 32.0.7(1)
 - duties re violence, OHSA 32.0.5
 - information and instruction, OHSA 32.0.5(2)

Index

Ontario Occupational Health and Safety: Quick Reference

- • harassment, OHSA 32.0.8(1)
- • written assessments or reassessments, OHSA 32.0.3(1), (4)
- • written policies, OHSA 32.0.1(2)
- policies, OHSA 32.0.1(1)
- • written and posted, OHSA 32.0.1(2)
- programs, OHSA 32.0.2, 32.0.6
- • harassment, OHSA 32.0.6(1)
- • violence, OHSA 32.0.2(1)
- refusal to work, OHSA 44(1)
- • worker to remain in safe place and available for investigation, OHSA 43(5)
- rights of workers, 143
- safe working practices, 149

X

X-ray safety

- application for review of permanent X-ray location, Reg. 861 6
 - • form, Reg. 861 6(3)
 - • plan location drawings, Reg. 861 6(4)
 - application of regulation, Reg. 861 2
- competent person, designation of, Reg. 861 8
 - definitions, Reg. 861 1
 - determination of structure of sample of material, Reg. 861 18
 - diagnostic examination of animals, Reg. 861 16
 - enclosure in cabinet, Reg. 861 17
 - industrial radiology requirements, Reg. 861 15, 16
 - measures and procedures required, Reg. 861 11
 - notice to Director of portable X-ray source, Reg. 861 6
 - registration, Reg. 861 5
 - • application for registration, Reg. 861 5(2)
 - X-ray worker
 - • dose equivalent received, Reg. 861 10
 - • informing of limits imposed, Reg. 861 9(1)
 - • personal dosimeter, Reg. 861 12