

INDEX

- Adequate, defined, s. 1, **p. H1**
- Anaesthetic gases, s. 96, **p. H25**
- Antineoplastic drugs, s. 97, **pp. H25–H26**
- Application of Reg., ss. 2, 3, **pp. H1–H2, H2**
- Commencement of act, s. 117, **p. H30**
- Compressed gas cylinders, s. 74, **pp. H16–H17**
- Conflict with OHSA, s. 2(2), **p. H2**
- Definitions, s. 1, **p. H1**
- Electrical equipment, ss. 62–73, **pp. H13–H16**
 - certification, s. 62, **p. H13**
 - clearance, s. 72, **p. H16**
 - equipment not used, s. 71, **p. H15**
 - exposed live parts, s. 64, **p. H14**
 - grounding, s. 69, **p. H15**
 - live power lines, s. 73, **p. H16**
 - lock out and tagging, ss. 66, 67, **p. H14**
 - maintenance, s. 62, **p. H13**
 - operation of, s. 62, **p. H13**
 - portable electrical tools, s. 70, **p. H15**
 - repair to live equipment, s. 68, **p. H15**
 - safety requirements, s. 67, **p. H14**
 - tools, s. 63, **p. H14**
 - warnings, s. 65, **p. H14**
- Equipment, ss. 44–61, **pp. H10–H13**
 - autoclave, s. 60, **p. H13**
 - centrifuge, s. 59, **pp. H12–H13**
 - clearances, s. 51, **p. H11**
 - compressed gas storage cylinders, s. 74, **pp. H16–H17**
 - drum tank, s. 52, **p. H12**
 - emergency stop control, s. 48, **p. H11**
 - gas lines/pipelines, s. 52, **p. H12**
 - glassware, s. 56, **p. H12**
 - grinding wheels, ss. 57, 58, **p. H12**
 - operating control as safety guard, s. 49, **p. H11**
 - repairs and maintenance, s. 44, **p. H10**
 - safety guards, ss. 45–47, 49, **p. H11**
 - sterilization machine, ss. 60, 61, **p. H13**
 - temporarily elevated equipment, s. 54, **p. H12**
 - work rest, s. 58, **p. H12**
- Explosive hazards, s. 95, **pp. H24–P25**
- Flammable liquids, ss. 98–102, **pp. H26–H27**
 - containers, s. 100, **pp. H26–H27**
 - dispensing with, s. 99(3), **p. H26**
 - handling, s. 99, **p. H26**
 - internal combustion engine, s. 102, **p. H28**
 - prevention of explosion/fire, s. 99, **p. H26**
 - storage, s. 101, **p. H27**
- Heating, s. 21, **pp. H6–H7**

- Housekeeping, ss. 111–116, **p. H29**
 - containers for hazardous waste, s. 115, **p. H29**
 - housekeeping, s. 111, **p. H29**
 - measures and procedures, s. 116, **pp. H29–H30**
 - puncture-resistant containers, s. 113, **p. H29**
 - recapping used needles, s. 114, **p. H29**
 - removal of waste, s. 112, **p. H29**
 - sharp objects, ss. 113, 114, **p. H29**
 - used needles, ss. 113, 114, **p. H29**
 - worker education, s. 116(3), **p. H30**
- Hygiene facilities, ss. 28–32, **pp. H7–H8**
 - drinking water, s. 29, **pp. H7–H8**
 - personal hygiene supplies, s. 28, **p. H7**
 - privacy room, s. 30, **p. H8**
 - refrigeration, s. 31, **p. H8**
 - storage, s. 32, **p. H8**
 - toilets and washbasins, s. 28, **p. H7**
- Ladders, ss. 80–84, **pp. H19–H20**
 - length, s. 81, **p. H19**
 - loose objects, s. 80, **p. H18**
 - maximum length, s. 81, **p. H19**
 - pail shelves, s. 84(2), **p. H20**
 - requirements, s. 82, **p. H19**
 - step-ladders, s. 84, **p. H19**
 - use of, s. 83, **p. H19**
 - wooden ladders, s. 82(2), **p. H19**
- Lighting, ss. 22–27, **p. H7**
 - brightness, etc., s. 22(2), **p. H7**
 - fluorescent tube disposal, s. 25, **p. H7**
 - glare, s. 22(3), **p. H7**
 - maintenance, s. 27, **p. H7**
 - minimum requirement, s. 22(1), **p. H7**
 - replacements, s. 26, **p. H7**
 - video display, s. 24, **p. H7**
- Material handling, ss. 103–110, **p. H28**
 - bottles and test tubes, s. 107, **p. H28**
 - fume hoods, s. 108, **p. H28**
 - hazard material containers, s. 104, **p. H28**
 - hazardous material potential spills, s. 109(2), **p. H28**
 - incubators, etc., ss. 105, 106, **p. H28**
 - laboratories, s. 109, **p. H28**
 - pipng system, s. 110, **p. H28**
 - storage, s. 103(2), **p. H28**
 - transport, s. 103(2), **p. H28**
 - workplace, s. 108, **p. H28**
- Material handling equipment, ss. 75–79, **pp. H17–H18**
 - definitions, s. 75, **p. H17**
 - lifting equipment, s. 79, **pp. H18–H19**
 - maximum load, ss. 78, 79, **p. H18**
 - operation of equipment, s. 77, **p. H18**

Index

- overhead protection, s. 77, **p. H18**
- protective clothing, s. 77, **p. H18**
- raised position, s. 79(6), **p. H19**
- record-keeping, s. 79(2), **p. H18**
- worker, moving, s. 76, **pp. H17–H18**
- Measures and procedures, general duty to establish, ss. 8, 9, **pp. H2–H3**
- Patient or resident, defined, s. 1, **p. H1**
- Personal protective equipment, ss. 10–15, **pp. H3–H5**
 - education, s. 10(1), **pp. H3–H4**
 - exposure, s. 11, **p. H4**
 - falling protection, s. 13, **p. H4**
 - flotation devices, s. 14, **pp. H4–H5**
 - hair, jewellery, etc., s. 12, **p. H4**
 - rescue equipment, s. 14, **pp. H4–H5**
 - X-ray equipment, s. 15, **p. H5**
- Premises, safety measures, ss. 16–18, **p. H5**
 - doors, etc., s. 16, 17, **p. H5**
 - hazardous rooms, s. 18, **p. H5**
 - warning signs, s. 16, **p. H5**
- Protective equipment, personal, ss. 10–15, **pp. H3–H5**
- Records and reports, retention of, s. 4, **p. H2**
- Restricted spaces, s. 42, **p. H10**
- Scaffolds, ss. 85–90, **pp. H20–H21**
 - castor/wheel mountings, s. 89, **p. H20**
 - construction of, s. 88, **p. H20**
 - design, s. 88(2), **p. H20**
 - erecting/dismantling, s. 86, **p. H20**
 - maximum load, s. 87, **pp. H20–H21**
 - provision of, s. 85, **p. H20**
 - support capabilities, s. 87, **pp. H20–H21**
 - suspended scaffolds, ss. 91–94, **pp. H21–H25**
 - application, s. 91, **pp. H21–H22**
 - boatswain's chair, s. 92, **pp. H22–H23**
 - movable working platform, s. 94, **pp. H24–H25**
 - static/horizontal lines, s. 93, **p. H23**
 - working platforms, s. 90, **p. H21**
- Ventilation, ss. 19, 20, **pp. H5–H6, H6**
- Waste. *See* Housekeeping
- Work surface, defined, s. 1, **p. H1**
- Work surfaces, ss. 33–41, **pp. H8–H10**
 - condition of, s. 33(1), **p. H8**
 - covering, s. 39, **p. H9**
 - defined, s. 1, **p. H1**
 - fixed access ladder, s. 40, **p. H9**
 - guardrail requirements, ss. 36–38, **pp. H8–H9**
 - hole in work surface, ss. 36, 38, **pp. H8–H9, H9**
 - non-compliance reporting, s. 33, **p. H8**
 - permanent platforms, ss. 40, 41, **pp. H9, H9–H10**
 - slippery surfaces, ss. 34, 35, **p. H8**
 - warning sign requirements, ss. 34, 35, **p. H8**