

Index

abdominal

adhesions, **2019-16B.1, 2019-33.3**
 blunt trauma, **2005-6.341**
 burn, third degree, **2007-53A.3**
 duodenum trauma, **2015-33.4**
 erroneous prescription causing duodenal ulcer, **2019-33.3**
 haematoma, **2009-6.37**
 injury, **2013-26.82**
 muscles, strained, **2010-26.10, 2010-53B.5**
 pain, severe, **2020-33.1**
 scar, medical negligence, **2012-16B.7, 2019-16B.1**
 scarring, **2006-53A.15, 2010-6.17, 2015-16B.6, 2015-33.3**
 surgery, emergency, **2005-53.100**
 surgery, unnecessary, **2009-52.38, 2009-53.23**
 wall, crush injury, **2005-53.90**

abuse, physical and emotional,
2009-52.69, 2022-53.93, 2022-53.94

abuse of live-in domestic worker,
2021-53.65

Achilles tendon

strain, **2008-6.28, 2008-52.29, 2008-53B.16**
 tendonitis, **2006-53.12, 2006-56.5**

adjustment disorder, 2013-45.6,
2014-26.78, 2014-53.55, 2014-53B.3,
2015-6.14, 2015-52.29, 2015-53.5,
2015-53.26, 2015-53.38, 2015-53A.18,
2016-23.2, 2016-53.1, 2017-53A.16,
2020-8.8, 2020-53B.24, 2020-53B.30,
2021-6.7, 2021-8.21, 2021-23.3,
2021-26.71, 2021-26.148, 2021-52.45,
2021-53.20, 2021-53.41, 2021-53.63,
2022-8.4, 2022-8.9, 2022-19.2,
2022-26.14, 2022-53.46, 2023-6.4,
2023-8.8, 2023-53.17
 depressed mood, with, **2019-53A.35,**
2020-53A.14, 2020-53A.24, 2020-
53A.35, 2021-26.14, 2021-26.137,

adjustment disorder, 2013-45.6,
2014-26.78, 2014-53.55, 2014-53B.3,
2015-6.14, 2015-52.29, 2015-53.5,
2015-53.26, 2015-53.38, 2015-53A.18,
2016-23.2, 2016-53.1, 2017-53A.16,
2020-8.8, 2020-53B.24, 2020-53B.30,
2021-6.7, 2021-8.21, 2021-23.3,
2021-26.71, 2021-26.148, 2021-52.45,
2021-53.20, 2021-53.41, 2021-53.63,
2022-8.4, 2022-8.9, 2022-19.2,
2022-26.14, 2022-53.46, 2023-6.4,
2023-8.8, 2023-53.17—Cont'd
2021-48.1, 2021-51.1, 2022-8.21,
2022-26.8, 2022-28.8, 2022-53.2,
2023-8.9, 2023-26.24, 2023-27.1,
2023-53.25, 2023-53A.5
 pre-existing, aggravated, **2018-52.23,**
2019-52.3

adult respiratory distress syndrome,
2009-52.38, 2009-53.23

agoraphobia, pre-existing, 2009-52.82,
2009-53A.20, 2020-52.13

alcohol abuse problems

pre-existing, **2007-52.13, 2018-52.17,**
2021-53.55

alcoholism

general, **2008-53.28, 2013-20.2, 2021-**
69.5
 pre-existing, **2013-52.5**

allergic reaction, 2011-53.82

allergic reaction, severe, **2014-55.4**

amnesia, post-traumatic, 2005-6.327,
2007-6.14, 2007-53.17, 2019-8.32,
2020-8.11

anal region, weeping fistula aggravated,
requiring surgery, 2019-6.12,
2019-8.14, 2019-33.2, 2019-52.17

anger, uncontrollable, 2010-7.8, 2010-8.14

ankle

bursitis, **2010-50.1, 2010-53A.9**
 chip, osteochondral, **2005-6.332**

ankle—Cont'd

fracture,
 arthrofibrosis, **2011-48.2**
 disfiguring scar, and, **2011-48.6, 2013-48.2, 2014-48.2**
 displaced, **2015-48.6**
 general, **2009-52.16, 2012-42.2, 2012-48.8, 2012-53A.8, 2015-48.4, 2015-48.5, 2015-48.7, 2019-48.1**
 malleolus, **2005-6.335, 2006-6.13, 2020-48.3**
 medical negligence in not finding, later not informing patient, **2010-48.9**
 not treated, medical negligence, **2010-53.58**
 ongoing pain, **2022-48.1**
 open, **2015-48.3**
 permanent disability, **2010-54A.1, 2011-39.1, 2015-48.2**
 pilon, surgery required, **2005-52.335, 2018-48.7**
 post-surgical scarring, **2016-16B.3**
 post-traumatic osteoarthritis, **2019-6.17, 2021-6.7, 2021-8.21, 2021-53.42**
 surgery required, **2006-53A.17, 2006-53B.18, 2008-53.22, 2010-48.7, 2011-6.18, 2011-47.2, 2012-48.5, 2013-6.6, 2013-48.3, 2013-52.46, 2016-48.1, 2016-48.2, 2018-48.2, 2018-48.3, 2018-48.5, 2018-48.6, 2019-48.3, 2019-48.4, 2020-48.2, 2021-48.1, 2021-48.2, 2021-51.1**
 trimalleolar, **2009-53B.26, 2010-48.1, 2010-48.6, 2020-48.1**
 undisplaced, **2014-6.14, 2014-31.3**
 vertigo-induced fall, **2008-52.11**
 with ruptured deltoid ligament, **2019-48.5**
 fusion required, **2007-6.23, 2010-49.1**
 injury requiring air cast boot, **2015-10.1**
 ligament, partial tear, **2010-49.5, 2010-53A.9**
 ongoing pain, **2010-26.11, 2010-28A.19, 2011-26.46, 2011-48.9, 2013-46.1**
 post-traumatic osteoarthritis, **2021-48.1, 2021-51.1**
 pre-existing injury aggravated, **2021-26.108, 2021-52.32**
 pre-existing symptomatic injury, **2015-56.1, 2019-52.52**
 severed artery and laceration, **2007-52.32**

ankle—Cont'd

severe pain, **2011-27.1, 2011-47.3**
 soft tissue injury, **2012-40.9, 2012-52.4, 2012-56.6, 2018-48.4, 2019-48.2**
 sprain, **2011-48.7, 2012-28.4, 2015-48.8**
 tear leading to chronic tendonitis, **2008-53B.5**
 tendonitis, chronic, **2008-6.13**
 tibial plafond fracture, dislocation, **2022-48.2**

ankylosis

anger, uncontrollable, **2005-6.335, 2010-53.86, 2011-24.14**

antisocial personality disorder,

2006-53.19, 2006-53A.6, 2010-53A.4, 2021-53.47, 2021-53A.23, 2021-69.3

anxiety

attacks, **2008-6.29, 2009-52.72, 2013-6.4, 2013-53.7, 2023-53.28**

chronic, **2011-6.7, 2011-6.26, 2011-6.29, 2011-6.48, 2011-53.58, 2011-53A.16, 2012-6.24, 2013-8.5, 2014-6.25, 2014-28A.7, 2022-6.3, 2022-53.45, 2023-24.7**

disorder, **2005-52.335, 2005-53.87, 2007-52.39, 2008-53.28, 2009-52.4, 2009-52.59, 2009-53.2, 2009-53.5, 2010-6.4, 2010-6.43, 2010-48.9, 2010-53.10, 2010-53B.4, 2010-53B.38, 2010-69.2, 2014-26.71, 2014-53.44, 2015-6.11, 2020-6.13, 2020-8.13, 2020-8.19, 2020-26.67, 2020-26.83, 2020-26.103, 2020-26.125, 2020-26.128, 2020-52.21, 2021-7.4, 2021-8.12, 2021-25.4, 2021-25.5, 2021-26.8, 2021-26.24, 2021-26.43, 2021-26.47, 2021-26.93, 2021-53.31, 2021-53.34, 2021-53.36, 2021-53A.12, 2021-53A.14, 2021-53A.16, 2021-53A.18, 2021-53A.40, 2021-53B.10, 2022-26.34, 2022-26.35, 2022-26.95, 2022-53.51, 2022-53.71, 2022-53.80, 2022-53.85, 2022-53.90, 2023-26.6, 2023-53.8**

disorder with panic attacks, **2021-53.23, 2022-53.52**

driving, **2022-6.5, 2022-6.7, 2022-7.7, 2022-8.3, 2022-8.11, 2022-8.22, 2022-24.11, 2022-25.5, 2022-26.35, 2022-26.48, 2022-26.50, 2022-26.57, 2022-26.72, 2022-26.75, 2022-26.80,**

INDEX

anxiety—Cont'd

2022-26.88, 2022-26.97, 2022-27.8,
2022-27.11, 2022-53.52, 2022-53.58,
2022-53.92, 2023-6.5, 2023-7.7,
2023-8.11, 2023-24.5, 2023-24.7,
2023-26.3, 2023-26.26, 2023-26.28,
2023-27.4, 2023-28.3, 2023-28A.9,
2023-28A.10, 2023-53.10, 2023-
53.27, 2023-53.28, 2023-53.30

embarrassment, mental anguish, and,
2006-52.5, 2006-52.29, 2007-52.16,
2007-52.23, 2007-52.39

extreme, 2011-55.5, 2021-16A.5, 2021-
25.9, 2021-53.58, 2021-53.76, 2021-
53A.29

general, 2010-53A.3, 2012-69.3, 2013-
53.34, 2013-53.78, 2013-69.1, 2013-
69.2, 2013-69.7, 2014-53.3, 2014-
53.4, 2014-53.32, 2014-53.40, 2014-
53.48, 2014-53A.20, 2015-6.19,
2015-6.20, 2015-53.31, 2016-53.4,
2016-53.11, 2016-53.12, 2016-53.14,
2021-6.5, 2021-8.2, 2021-26.78,
2021-26.123, 2021-26.162, 2021-
53.53, 2021-53B.19, 2021-53B.20,
2022-26.50, 2022-53.65, 2022-53.69,
2022-53.75, 2023-53.15, 2023-53.18,
2023-53.20, 2023-53.30, 2023-53.34

mishandled, 2010-52.68

personal injury claim causing, 2010-52.68

pre-existing, 2008-52.16, 2008-52.41,
2009-52.11, 2010-52.62, 2011-52.34,
2011-52.48, 2022-52.76

pre-existing, aggravated, 2013-26.116,
2013-52.5, 2014-26.78, 2014-26.89,
2014-53.55, 2014-53.65, 2015-26.6,
2015-26.8, 2015-26.28, 2015-53.27,
2016-53.13, 2017-52.9, 2018-52.27,
2019-52.51, 2020-7.2, 2020-52.10,
2021-16A.4, 2021-26.148, 2021-
49.2, 2021-50.1, 2021-52.6, 2021-
52.8, 2021-52.22, 2021-52.38, 2021-
53.21, 2021-53.73, 2021-53A.37,
2022-52.6, 2022-52.35, 2022-52.40,
2022-52.51, 2022-52.57, 2022-52.72,
2022-52.74, 2022-53.41, 2022-53.47,
2022-53.60, 2022-53.66, 2022-53.79,
2022-53.86, 2022-53.89, 2023-6.6,
2023-52.7, 2023-52.10, 2023-53.7,
2023-53.22, 2023-53A.16

psychological shock caused by medical
negligence, 2007-52.33

appendix rupturing during surgery,
2006-53B.6, 2006-55.10, 2013-33.7,
2013-52.43

arms

abrasions, 2020-16B.1

biceps ruptured, permanent deformity,
2006-6.40, 2010-37.2

biceps ruptured, weakness, reduced range
of motion, 2010-52.49

bruising, burns and abrasions from airbag,
significant, 2009-53B.7, 2011-52.37,
2011-52.50, 2011-53.4, 2011-56.6,
2014-46.6, 2014-53.32

burning sensation and tingling, 2013-8.7,
2013-32.4

burns, 2nd degree, scarring from tattoo,
2019-16B.4

complex regional pain syndrome, 2014-
6.2

cuts and abrasions, 2010-56.3

deep slash wounds from machete, causing
loss of use of arms and hands, 2005-
53.83

distal radius, intra-articular fracture,
2007-6.2

dog bite requiring surgical repair, 2014-
39.1

forearms

badly injured and torn, 2011-8.1, 2011-
12.1, 2011-19.1, 2012-6.2

bruising, 2013-52.32

degloving injury, 2012-5.1, 2012-6.15

fractured, 2006-6.23, 2006-55.6, 2009-
52.24, 2019-6.6, 2019-36.1, 2021-
39.1, 2022-16B.2, 2022-26.36

fracture requiring surgery, 2013-40.4,
2013-52.49, 2019-39.1, 2020-39.1,
2022-39.2

numbness, 2010-9.4, 2013-6.34

pain radiating down arm, 2012-6.21

radius, micro-fracture, 2022-40.1

shattered, 2007-53.12

ulna, comminuted fracture, 2005-6.332

ulna, radius, compound fracture, 2005-
6.341, 2007-6.2

ulna, styloid fracture, 2021-38.2

fracture, 2015-36.1, 2022-39.1

displaced comminuted requiring 2
surgeries, 2022-37.1, 2022-52.33

arms—Cont'd

fracture requiring surgery, **2014-6.33, 2014-8.14, 2020-37.1, 2021-26.130, 2021-27.9**

fracture requiring surgical repair, post-operative infection, **2011-53A.20, 2011-53B.34**

loss of use, **2005-53.83, 2011-52.42**

loss of use, significant, **2011-6.39, 2011-8.22**

loss of use arising from surgical negligence, **2009-53B.30**

numbness, **2007-53.34, 2008-6.42, 2009-52.63, 2009-53A.21, 2009-53B.21, 2010-26.24, 2010-26.28, 2010-52.50, 2011-26.15, 2011-52.24m, 2012-26.10, 2012-26.25, 2012-26.36, 2012-52.7, 2013-26.3, 2013-26.24, 2013-53.77, 2014-26.1, 2014-26.52, 2014-52.37, 2015-6.24, 2015-26.12, 2021-26.125, 2021-52.21, 2021-53.24, 2022-26.51**

pain and weakness, **2013-26.112, 2013-53A.11, 2013-53B.22**

paralysis arising from medical negligence during birth, **2014-52.39**

paresthesia, **2008-6.42, 2021-53.37, 2021-53A.17, 2023-6.2, 2023-8.7, 2023-16A.1**

permanent, debilitating injury arising from surgical negligence, **2009-52.26, 2009-53A.11**

permanent partial disability, chronic pain and, **2010-52.35**

pre-existing pain aggravated, **2023-52.3**

pre-existing reduced function exacerbated, **2022-52.70**

scarring, dog bite causing, **2005-53.84, 2018-16A.2, 2019-16B.2**

scarring, permanent, **2012-8.2, 2012-16B.8, 2012-19.1, 2014-16B.4, 2015-16B.4, 2020-16B.3, 2022-16B.2, 2022-26.36**

skin graft, **2007-6.2**

spiral fracture requiring surgery, **2013-36.2**

tingling and pain, **2008-53.18, 2009-52.14, 2010-52.41, 2012-26.9, 2021-26.132**

traumatic nerve injury, **2007-52.15, 2009-52.26**

arthritis

asymptomatic, pre-existing condition aggravated, **2006-52.25, 2009-52.14, 2009-53B.4, 2018-52.14, 2018-52.28**

degenerative, pre-existing, **2018-52.24**

osteoarthritis, **2005-52.335, 2006-52.16, 2011-51.1, 2011-53A.19, 2011-53B.27**

osteoarthritis, post-traumatic, **2019-51.1, 2019-51.2**

osteoarthritis, pre-existing, **2006-6.60, 2008-52.30, 2011-6.20, 2011-26.34, 2011-28A.9, 2011-31.3, 2011-53B.18, 2013-52.6**

pre-existing, aggravated, **2019-52.58, 2021-52.7, 2021-52.13, 2023-26.20**

psoriatic, pre-existing, **2009-53.44, 2012-52.10, 2012-53.13**

rheumatoid, **2010-52.9**

rheumatoid, caused by accident, **2010-26.9**

rheumatoid, pre-existing, **2017-52.7**

septic, **2011-51.1**

significant and debilitating, arising from negligent treatment, **2010-27.3, 2010-53.23**

assault

bound, struck with baseball bat, electric shocks, injected with drugs, **2023-6.2, 2023-8.7, 2023-16A.1**

embarrassment, insult to personal integrity, **2021-8.28, 2021-53.52, 2022-8.3, 2022-8.6, 2022-16A.3, 2022-53.33**

general, **2006-52.15, 2006-53.10, 2007-52.19, 2007-52.43, 2010-27.3, 2010-53.23, 2010-56.12, 2010-56.17, 2010-56.18, 2011-56.5, 2012-56.8, 2013-56.4, 2014-56.2, 2014-56.5, 2021-56.1, 2022-56.8, 2023-56.1**

associative disorder, 2011-69.3**attention deficit hyperactivity disorder, 2011-5.1, 2011-53.110, 2011-53.111****axonal injury**

diffuse, **2005-6.332, 2011-6.11, 2016-8.8, 2019-8.39, 2020-6.2, 2020-7.1**

shear injury, **2011-6.1**

back pain, general

acute pain, **2011-26.48**

back pain, general—Cont'd

bruising, 2009-52.36
 chronic mechanical pain, 2010-52.65, 2023-26.9
 chronic myofascial pain, 2021-26.152, 2022-24.16, 2022-26.26, 2023-26.9
 chronic pain, 2010-28.9, 2010-31.2, 2010-53B.23, 2010-53B.36, 2011-53A.3, 2012-26.52, 2012-28A.22, 2012-48.6, 2013-28A.5, 2014-8.4, 2015-6.18, 2015-28A.2, 2017-53B.4, 2019-52.21, 2021-6.18, 2021-26.95, 2021-26.126, 2021-26.141, 2021-26.151, 2021-27.12, 2021-28.1, 2021-28.2, 2021-28.3, 2021-52.31, 2021-52.50, 2021-53.32, 2021-53.59, 2021-53.74, 2021-53A.14, 2021-53A.15, 2021-53B.12, 2022-25.9, 2022-26.17, 2022-26.60, 2022-26.80, 2022-26.84, 2022-28.2, 2022-28.3, 2022-28.6, 2022-28.7, 2022-28.8, 2022-28.9, 2022-28.10, 2022-28A.8, 2022-28A.25, 2022-31.4, 2022-33.2, 2022-34.1, 2022-52.30, 2022-53B.7, 2022-53B.21, 2022-53B.26, 2022-53B.27, 2022-53B.31, 2023-24.5, 2023-28.1, 2023-28.3
 chronic pain and paraplegia, 2013-2.2, 2013-6.24
 chronic pain developing after negligent surgery, 2005-52.326
 contusions and abrasions, 2010-36.4, 2012-26.43
 hyperextension, 2005-52.330
 mid-back injury, 2008-52.28, 2008-52.46, 2009-52.32, 2022-32.3, 2023-24.4
 ongoing pain, 8, 2010-6.3, 2010-6.25, 2010-6.33, 2010-6.40, 2010-7.3, 2011-6.34, 2011-6.45, 2011-24.5, 2011-26.18, 2011-26.25, 2011-31.4, 2011-46.9, 2012-6.2, 2012-8.10, 2012-26.16, 2012-26.51, 2012-28A.7, 2013-6.19, 2013-10.1, 2013-26.20, 2013-26.30, 2013-52.37, 2014-6.6, 2014-6.22, 2014-26.55, 2014-26.88, 2015-28A.1, 2015-53B.5, 2015-53B.6, 2019-28.1, 2019-28.4, 2019-52.4, 2020-28.1, 2021-24.11, 2021-26.98, 2021-26.155, 2021-26.162, 2021-26.163, 2021-27.14, 2021-28A.16, 2021-53B.20, 2022-26.15, 2022-26.25, 2022-53.40

back pain, general—Cont'd

ongoing pain and limitation, 2011-46.6, 2012-46.12, 2019-28.3, 2020-28.2
 pain radiating into arm, 2010-26.26, 2011-26.56, 2012-26.75
 pain radiating into leg, 2011-26.28, 2013-25.8, 2013-53.70, 2014-28A.5, 2014-28A.6, 2014-28A.12, 2014-52.45, 2015-6.18, 2022-26.37, 2023-26.26
 pre-existing condition rendered symptomatic, 2010-6.12, 2012-6.22, 2012-46.9, 2020-52.2
 pre-existing lower back problems aggravated, 2010-6.23, 2011-47.8, 2012-6.26, 2012-26.14, 2012-26.22, 2012-28.6, 2013-28.1, 2013-28.2, 2013-28A.6, 2017-52.8, 2018-52.30, 2018-52.32
 pre-existing pain aggravated, 2010-56.7, 2018-52.25, 2019-52.9, 2019-52.47, 2019-52.48, 2019-52.58, 2019-52.60, 2020-52.25, 2020-52.28, 2020-52.36, 2020-52.47, 2020-52.49, 2020-52.50, 2021-26.100, 2021-26.118, 2021-52.4, 2021-52.5, 2022-26.1, 2022-27.2, 2022-28A.5, 2022-52.51, 2023-52.6
 sharp pain in back and hip, 2008-52.36
 soft tissue injury, 2010-52.20, 2010-52.21, 2011-42.2, 2011-52.6, 2011-52.19, 2011-52.20, 2012-52.32, 2014-52.27, 2014-56.1, 2015-52.17, 2018-28.1, 2018-28.2, 2019-28.2, 2019-28.5, 2019-28.6, 2021-27.14, 2021-52.23, 2022-26.16, 2022-26.38, 2022-28.7
 spasms, pre-existing pain, 2005-52.331
 surgery, negligence, 2005-52.326, 2010-36.2, 2010-41.1
 tightening of muscles, pain, 2005-52.348
 upper back injury, 2009-52.32, 2009-52.51, 2010-6.12, 2010-26.2, 2010-26.5, 2010-26.13, 2010-26.68, 2010-26.77, 2010-52.51, 2010-53A.18, 2011-6.37, 2011-6.44, 2011-26.8, 2011-26.11, 2011-26.13, 2011-26.54, 2011-26.60, 2011-26.67, 2011-52.12, 2011-56.2, 2012-26.42, 2012-26.55, 2012-26.65, 2012-26.88, 2012-52.56, 2012-53A.2, 2013-26.5, 2013-26.6, 2013-26.7, 2013-26.8, 2013-26.23, 2013-26.55, 2013-53B.16, 2013-53B.17, 2014-23.5, 2014-26.9, 2014-

back pain, general—Cont'd 26.65, 2014-26.72, 2014-52.16, 2021-24.13, 2021-26.111, 2021- 27.16, 2022-24.1, 2022-24.3, 2022- 25.4, 2022-26.12, 2022-26.20, 2022- 26.21, 2022-28.6, 2022-28A.7, 2023- 9.1, 2023-26.2	bowel incontinence resulting from surgery, 2018-55.2
balance, 2020-23.3, 2020-23.4, 2020-23.5, 2020-23.6, 2020-23.7, 2021-8.14, 2021-8.33, 2021-19.2, 2021-19.3, 2021-23.2	bowel obstruction, death resulting from failure to diagnose, 2010-33.3
behaviour, difficulty modulating, 2008-53.18	brachial plexus, injury, 2006-6.10, 2010-36.1, 2011-6.23, 2011-8.13, 2011-30.3, 2011-31.5, 2011-40.1, 2011-47.5, 2012-16B.1, 2012-27.1, 2012-33.1, 2022-8.23, 2022-25.3, 2022-25.8, 2022-27.9, 2022-29.1
bile duct, negligently cut during surgery, 2010-33.6	brain disorder, medical negligence in treatment, 2013-8.6
binge eating disorder, 2022-53.84	brain injury
bipolar disorder negligently treated as depression for 5 years, 2011-53.12 obsessive-compulsive personality disorder, and, 2006-52.7, 2006-53.18 pre-existing, 2010-52.4, 2010-53.2, 2011- 6.19, 2011-52.18, 2011-52.25, 2011- 52.60, 2011-53A.11, 2011-53B.27, 2014-6.20, 2014-26.34, 2022-52.37 pre-existing, aggravated, 2020-6.15, 2020-52.37, 2022-52.58, 2022-52.73, 2022-52.75, 2022-53.73	axonal injury diffuse, 2005-6.332, 2007-6.16, 2011- 6.11, 2011-30.2, 2011-32.2 shear injury, 2011-6.1, 2011-8.1, 2011- 12.1, 2012-6.2, 2014-8.15 brain stem injury, failure to diagnose, 2010-5.1, 2010-6.9, 2010-52.15, 2010-55.5 cerebral atrophy, 2012-5.1, 2012-44.4 concussion-like symptoms, 2022-8.30, 2022-26.98 contusions and swelling of brain, 2019- 8.5 corpus callosum haemorrhage, 2022-8.4, 2022-45.2, 2022-53.38 cranial nerve injury, 2007-6.16 cranial trauma, 2005-53A.9, 2010-5.5, 2010-6.41, 2010-8.2, 2010-23.2, 2013-5.2, 2013-33.4, 2013-53.33, 2016-8.4, 2019-8.24 cranial trauma with concussion, 2007- 53.34, 2007-53A.31 craniotomy, frontoparietal, 2005-6.308 damage, permanent, 2006-6.37, 2006- 6.39, 2008-5.3, 2009-5.1, 2010- 53.60, 2011-53.67, 2015-8.7 damage, severe, 2019-55.4 frontal and parietal haemorrhaging and bruising, 2011-53.6 frontal lobe injury, 2006-6.54, 2006- 53.43, 2010-5.2, 2010-8.8, 2014- 16A.1, 2015-8.10, 2022-8.4, 2022- 45.2, 2022-53.38 generalized edema, 2016-8.8 haemorrhage, 2011-30.2, 2015-6.22, 2015-8.10, 2016-8.4 haemorrhages, 2011-6.11
bladder incontinence, 2022-33.1, 2022-33.2, 2022-34.1, 2022-52.2, 2022-53A.2 medical negligence, tape from surgery left in bladder, 2014-33.1 medical negligence during surgery, 2011- 34.3 perforation, 2016-33.1 previous difficulties aggravated, 2022- 28A.5	
bladder and bowel control, 2007-52.9, 2007-55.6, 2010-5.1, 2010-6.9, 2010-6.13, 2010-8.7, 2010-25.5, 2010-28A.11, 2010-52.7, 2010-52.15, 2010-52.26, 2010-53.26, 2010-55.5, 2012-25.11, 2012-25.12, 2015-6.17, 2015-33.2, 2017-52.11	
bladder surgery, negligence, leading to dysfunction, 2011-52.46	

brain injury—Cont'd

injury and associated frontal lobe function impairment, **2018-8.10**
 intracranial injury, **2013-8.11, 2013-19.2, 2013-52.69, 2013-53.79, 2016-8.8**
 irreparable, **2007-6.36**
 labyrinthine concussion, **2019-7.3, 2023-6.7, 2023-8.10, 2023-23.2**
 lesions and oedema, **2010-5.5, 2010-6.41, 2010-53.49**
 lesions caused by undiagnosed tuberculosis, **2020-8.3**
 loss of white brain matter, negligence during birth, **2019-3.5**
 mild traumatic, **2005-53.88, 2005-53.89, 2006-6.3, 2006-6.10, 2007-53A.18, 2007-53B.12, 2007-53B.18, 2008-53A.12, 2008-53B.1, 2008-53B.17, 2008-53B.24, 2009-52.67, 2009-52.79, 2009-53.15, 2009-53.44, 2009-53A.16, 2009-53B.18, 2009-53B.23, 2009-53B.29, 2010-7.8, 2010-8.3, 2010-8.5, 2010-8.12, 2010-52.12, 2010-52.17, 2010-52.26, 2010-53.12, 2010-53.26, 2010-53B.40, 2011-6.25, 2011-6.28, 2011-6.33, 2011-26.40, 2011-27.9, 2011-52.21, 2011-52.32, 2011-53.123, 2011-53A.14, 2011-53B.25, 2011-53B.34, 2011-53B.42, 2011-55.3, 2012-9.4, 2012-18.1, 2012-25.4, 2012-38.1, 2012-40.1, 2012-46.2, 2012-52.10, 2012-53.13, 2012-53B.2, 2013-6.18, 2013-25.4, 2013-52.38, 2013-53.49, 2013-69.3, 2014-6.7, 2014-6.8, 2014-6.16, 2014-6.17, 2014-6.21, 2014-6.33, 2014-7.1, 2014-8.7, 2014-8.8, 2014-8.9, 2014-8.10, 2014-8.12, 2014-8.14, 2014-8.18, 2014-8.19, 2014-9.1, 2014-23.2, 2014-23.3, 2014-26.10, 2014-26.36, 2014-46.7, 2014-52.7, 2014-52.59, 2014-53.18, 2014-53A.7, 2014-53A.8, 2014-53A.10, 2014-53A.20, 2015-6.10, 2015-8.1, 2015-8.4, 2015-8.6, 2015-8.7, 2015-8.8, 2015-8.9, 2015-25.3, 2016-6.3, 2016-8.1, 2016-8.2, 2016-8.3, 2016-8.5, 2016-8.6, 2016-8.7, 2016-8.9, 2016-8.10, 2016-9.2, 2016-26.2, 2016-26.5, 2017-8.2, 2017-8.4, 2017-8.5, 2017-8.6, 2017-8.7, 2018-8.7, 2018-8.12, 2018-8.13, 2018-8.14, 2018-8.17, 2019-5.1, 2019-6.3,**

brain injury—Cont'd

2019-6.5, 2019-6.15, 2019-6.17, 2019-6.18, 2019-7.4, 2019-8.3, 2019-8.8, 2019-8.10, 2019-8.15, 2019-8.16, 2019-8.21, 2019-8.22, 2019-8.23, 2019-8.25, 2019-8.26, 2019-8.29, 2019-8.31, 2019-8.32, 2019-8.34, 2019-8.36, 2019-8.37, 2019-8.40, 2019-8.44, 2019-8.46, 2020-6.4, 2020-6.7, 2020-6.13, 2020-8.5, 2020-8.6, 2020-8.7, 2020-8.8, 2020-8.9, 2020-8.13, 2020-8.20, 2020-8.22, 2020-8.26, 2020-8.30, 2021-6.7, 2021-6.8, 2021-6.9, 2021-8.1, 2021-8.3, 2021-8.5, 2021-8.7, 2021-8.16, 2021-8.17, 2021-8.21, 2021-8.24, 2021-8.25, 2021-8.27, 2021-26.101, 2021-26.119, 2021-26.160, 2021-46.1, 2021-52.31, 2021-52.34, 2021-53.44, 2021-53A.15, 2021-53A.25, 2021-53B.14, 2022-6.4, 2022-6.7, 2022-6.10, 2022-6.13, 2022-8.2, 2022-8.9, 2022-8.11, 2022-8.12, 2022-8.14, 2022-8.21, 2022-8.22, 2022-8.23, 2022-8.26, 2022-8.28, 2022-19.1, 2022-19.2, 2022-25.5, 2022-25.8, 2022-26.18, 2022-26.88, 2022-26.92, 2022-28.8, 2023-6.1, 2023-6.7, 2023-8.2, 2023-8.3, 2023-8.5, 2023-8.6, 2023-8.10, 2023-8.11, 2023-23.2, 2023-26.7, 2023-26.13, 2023-26.28, 2023-27.2
 mild traumatic, pre-existing, aggravated, **2021-3**
 mild traumatic with cognitive deficits, **2019-6.13, 2019-8.17, 2019-8.33, 2019-8.45, 2020-6.23, 2020-8.17, 2021-6.4, 2021-6.5, 2021-8.6, 2021-8.18, 2021-8.26, 2021-8.29, 2021-23.4, 2021-26.83, 2021-26.104, 2021-26.110, 2021-26.131, 2021-26.142, 2021-27.13, 2021-48.1, 2021-51.1, 2021-53.35, 2021-53.41, 2021-53B.8, 2022-8.7, 2022-25.6, 2023-8.12**
 mild traumatic with post-concussion syndrome, **2020-8.19, 2021-6.17, 2021-8.34, 2022-6.15, 2022-8.18, 2022-8.29, 2022-26.55, 2022-26.77, 2022-53.80, 2023-6.4, 2023-8.9, 2023-26.24**
 mild traumatic with skull fracture, **2022-53.44**

brain injury—Cont'd

moderate traumatic, **2009-52.48, 2009-55.4, 2010-53A.19, 2011-52.42, 2014-6.15, 2021-8.4**

neurological impairment, **2007-52.12, 2008-52.6, 2008-53.4, 2011-5.1, 2011-53.110, 2011-53.111**

post-traumatic brain injury syndrome, **2020-6.19, 2020-8.25**

pre-existing injury aggravated, **2016-52.41, 2019-52.23**

severe injury, arrow piercing eye, **2010-53.37, 2010-53A.17**

severe traumatic, **2005-6.308, 2005-6.327, 2007-6.14, 2007-53.17, 2007-53A.12, 2010-3.3, 2010-12.1, 2010-19.1, 2010-20.1, 2010-45.1, 2011-3.1, 2011-6.10, 2011-6.23, 2011-24.2, 2011-31.5, 2011-33.2, 2011-40.1, 2011-45.3, 2011-47.5, 2011-53.125, 2011-53A.26, 2012-3.1, 2012-3.2, 2012-5.1, 2012-6.5, 2012-6.15, 2012-24.3, 2012-33.2, 2012-33.3, 2012-53B.11, 2014-8.15, 2014-33.5, 2015-3.1, 2015-6.1, 2015-7.1, 2015-24.1, 2019-3.2, 2019-8.43, 2020-6.11, 2020-6.17, 2020-8.12, 2020-8.18, 2021-3.1, 2021-3.2, 2021-3.3, 2021-6.3, 2021-8.15, 2021-8.35, 2022-6.14, 2022-8.4, 2022-8.27, 2022-45.2, 2022-53.38**

severe traumatic, executive function significantly impaired, **2021-6.13, 2021-8.31**

significant, lack of oxygen from attempted suicide by hanging, **2019-8.7**

skull crushed, bone fragments forced into brain tissue, **2011-3.6, 2011-53.125, 2011-53A.26, 2019-3.3, 2019-8.43**

spinal tuberculous meningitis, failure to diagnose, **2010-3.1, 2011-3.6, 2011-53.125, 2011-53A.26**

subarachnoid and extradural hemorrhages, **2020-6.2, 2020-7.1, 2020-8.1**

traumatic, **2006-53A.12, 2006-53A.14, 2006-55.12, 2007-6.9, 2008-53B.15, 2011-6.15, 2011-6.39, 2011-27.13, 2011-30.6, 2011-52.57, 2011-53.24, 2011-53B.12, 2011-53B.33, 2011-53B.41, 2012-53B.5, 2013-6.17, 2013-32.3, 2020-3.1, 2020-3.2, 2022-6.6, 2022-24.10, 2022-25.3**

breast

cancer, failure to diagnose, **2005-55.399, 2006-55.1, 2008-53.6, 2008-55.2, 2014-53.10, 2014-53A.4, 2019-5.2**

cosmetic surgery, medical negligence, **2008-55.1**

cosmetic surgery, medical negligence, implants too large, **2012-16B.7**

haematoma resulting from negligent mammogram, **2013-52.13, 2013-55.2**

implant displaced, surgery required, **2014-6.28, 2014-52.36, 2014-55.3**

implant rupture, **2010-6.6, 2010-55.1**

pain and sensitivity after collision, **2019-55.3**

reduction surgery, medical negligence, **2010-16B.10, 2010-53.61**

breathing difficulty, chest pain, 2009-53.4, 2009-53.27

burns

abdominal, third degree, **2007-53A.3**

arms

- abrasions, and, **2009-53B.7**
- airbag, from, **2011-52.37**
- significant, **2011-53.4**

back, second and third degree, **2010-36.5**

face

- general, **2007-53.36, 2011-53.4**
- scarring and permanently lightened skin, **2009-53.38**

fingers, **2007-53.36**

hair, caught on fire in bonfire explosion, **2010-53.89**

hands

- general, **2007-53.36, 2010-53.71, 2011-52.30, 2011-53.4**
- scarring, cold sensitivity, **2010-53.89, 2010-53.90**

in nerve block treatment on foot, **2011-16B.12**

legs, discolouration, **2021-17.1**

legs, negligent laser hair removal, **2021-16B.2, 2021-17.2**

legs, severe, **2009-53A.14**

neck, **2007-53.36**

thorax, **2007-53.36**

upper body, arms, legs, **2010-16A.7**

bursitis, trochanteric, chronic,
2011-53B.23

buttocks

chronic pain, 2010-26.6, 2011-53B.21,
2013-6.11
deep laceration, medication affecting
cognitive function, 2011-16B.14,
2018-16A.2, 2018-16A.4
dog bite, permanent protruding scar,
2019-16B.3
dog bite, puncture wounds, 2018-16A.2,
2018-16A.4
dog bite, stitches required, 2015-56.2
haematoma, 2006-53.11
11-inch laceration, 2005-53.80
injury, fall from operating table, 2012-
52.50
laceration, 2011-53.87
lower back pain radiating into pain and
numbness, 2011-26.70
pain radiating into hamstring, 2023-7.6,
2023-26.25
severe chronic pain, 2010-6.2, 2021-25.8,
2021-53A.20
stabbed, 2010-53.79

bypass surgery, severe pain after,
2006-53B.9

calf

dog bite causing scars, 2005-53.84
dog bite removing chunk of flesh, skin
graft required, scarring, 2011-53.40,
2011-53.41

cancer

medical negligence, delay in diagnosis,
2006-55.4, 2010-9.5, 2010-10.3,
2010-16A.5, 2010-16B.6, 2010-32.5,
2010-53.80, 2012-7.2, 2015-32.1,
2015-53.17
melanoma, malignant, delay in treatment,
2005-53A.6

**carbon monoxide exposure, aggravating
prior brain abnormalities, 2019-8.1,
2019-8.2**

carpal tunnel syndrome

general, 2007-6.2, 2009-52.76, 2009-
53B.46, 2013-26.105, 2013-40.5
pre-existing, 2007-52.4, 2009-52.77,
2009-53.42, 2010-6.13, 2010-40.1,

carpal tunnel syndrome—Cont'd
2010-52.3, 2010-52.26, 2010-53.26,
2010-53B.3

**cauda equine syndrome, arising from
complications of back surgery,**
2012-25.12, 2013-28A.1, 2014-28A.4

central sensitization, 2021-53.34,
2021-53A.16, 2021-53B.10,
2022-26.85, 2022-27.14, 2022-52.52

cerebral palsy

catastrophic effects, with, 2010-3.2, 2011-
3.5
congenital, with spastic quadriplegia, pre-
existing, 2009-52.45
medical negligence alleged, 2013-3.1,
2019-3.1, 2019-6.10
pre-existing, 2013-27.13, 2016-52.26
quadriplegic, 2010-1.2, 2010-3.4
quadriplegic spastic, 2009-5.1, 2012-3.2,
2012-5.2

cervical spine

anterior cervical discectomy, 2015-24.3
cervical, thoracic and lumbar injuries,
2005-52.339, 2005-55.386, 2010-
53.29, 2021-25.1
degenerative disc disease, 2012-52.11,
2013-52.2, 2013-52.12
pre-existing degeneration, rendered
symptomatic, 2012-53B.31, 2013-
52.3, 2013-52.19, 2014-26.77,
2014-53A.18, 2015-52.43, 2018-
52.18, 2021-7.1, 2021-26.144,
2021-52.42
degenerative disc disease, pre-existing,
2011-40.4, 2012-24.4, 2012-53B.32,
2013-26.17, 2013-26.39, 2013-
26.110, 2014-24.3, 2019-52.19,
2019-52.28, 2022-28A.23, 2022-
52.67, 2023-52.8
disc degeneration, 2011-24.15, 2012-
27.13
disc herniation, ongoing pain, 2014-26.8,
2019-25.6
disc protusion, 2011-6.42
fusion surgery, disc removed, unsuc-
cessful, 2023-24.2
facet joint arthroplasty, 2021-24.9, 2021-
28A.8, 2021-53B.16
facet joint injury, 2011-6.9, 2011-52.10,
2011-53.9, 2011-53A.9, 2011-53B.8,

cervical spine—Cont'd

2021-26.121, 2022-24.4
fracture, 2011-25.12, 2011-30.6, 2012-1.1, 2012-52.21, 2019-25.7, 2020-25.10, 2021-25.1, 2021-25.3, 2022-29.1
fracture, avulsion, 2022-6.11, 2022-8.20, 2022-24.14, 2022-25.7, 2022-28A.23
fracture, undisplaced, 2018-25.8, 2022-24.2, 2022-52.5, 2022-53A.4
fractures requiring surgical repair, 2011-53A.5, 2019-6.12, 2019-24.4
fusion surgery, 2 discs removed, 2021-24.6, 2021-52.37
hyperextension injury, 2005-6.316, 2005-53.79, 2005-55.387
injury, 2008-52.26
myofascial dysfunction/spasm, 2022-27.17
myofascial pain, chronic, 2022-28A.16
nerve roots irritated causing numbness/tingling in hand, 2021-24.12, 2021-28A.12
paralysis, 2013-2.1
reduced range of motion, 2014-26.76
rhizotomy procedure, negligence, 2013-55.1
spondylosis requiring surgery, 2023-27.10
sprain, 2011-53A.11
sprain, aggravating pre-existing condition, 2016-52.14
strain, 2010-26.61, 2011-7.3, 2011-9.6, 2011-53A.11, 2015-52.8

cheek

fracture, 2013-7.2, 2013-12.1, 2013-28.4, 2013-53.52, 2019-7.1
fractured, permanent numbness, 2009-53.17, 2009-53B.31
fractured, surgery required to repair, 2007-53A.11, 2011-7.8, 2011-16A.6, 2012-9.1, 2012-53.5, 2013-7.3

chest

bruising from seatbelt, 2010-52.25, 2011-26.4, 2012-26.28, 2014-26.61, 2015-52.10
dog bite requiring sutures, 2010-16B.5
lump diagnosed as lipoma, 2007-53A.11, 2009-53.17, 2009-53B.31, 2011-7.8, 2012-9.1, 2012-53.5, 2013-, 2014-53B.13
pain, 2012-6.11, 2014-29.1

chest—Cont'd

pectoral muscle removed to reconstruct face, pain, 2010-16B.6, 2010-32.5
punctured, 2011-16B.1
scarring, permanent, 2021-16B.1

chest pain, 2006-52.12**chest wall**

contusion, 2011-52.45, 2014-24.2
soft tissue injury, 2011-26.35, 2015-26.96

chiropractic negligence, 2009-52.59**chronic fatigue, 2006-52.16, 2021-26.76, 2021-52.21, 2021-53.24****chronic pain**

anxiety and depression and, 2010-6.27, 2010-6.39, 2010-53B.28, 2012-6.16, 2012-6.25, 2014-26.60, 2014-47.1, 2015-6.4, 2015-6.5, 2015-53A.2, 2015-53A.5, 2021-25.9, 2021-26.156, 2021-52.52, 2021-53.36, 2021-53.37, 2021-53.72, 2021-53A.17, 2021-53A.39, 2022-24.5, 2022-53.53, 2022-53A.8, 2022-53A.10, 2023-26.3, 2023-53.20, 2023-53.24
disorder, 2011-25.9, 2012-26.38, 2012-26.60, 2012-46.12, 2013-26.112, 2014-26.19, 2014-53.60, 2019-53B.2, 2019-55.1, 2021-7.5, 2021-26.87, 2023-7.6, 2023-26.25, 2023-53B.5
disorder, complex, 2022-7.3, 2022-26.8, 2022-53B.5
disorder with significant psychological component, 2015-53.4, 2019-6.8, 2021-53.27
general, 2010-26.40, 2010-26.50, 2010-28.1, 2010-28A.3, 2010-28A.4, 2010-53A.16, 2012-40.2, 2012-53B.3, 2012-53B.4, 2013-26.37, 2013-26.59, 2013-26.73, 2013-26.79, 2013-26.96, 2013-52.34, 2014-8.16, 2014-26.24, 2014-26.29, 2014-26.54, 2014-52.38, 2015-26.15, 2015-26.16, 2015-26.33, 2015-26.87, 2015-52.23, 2015-53B.1, 2015-53B.2, 2015-53B.13, 2015-53B.14, 2015-53B.15, 2016-6.2, 2016-26.17, 2016-26.18, 2016-52.13, 2016-53A.15, 2016-53B.1, 2016-53B.3, 2016-53B.13, 2016-53B.14, 2017-53B.2, 2018-

chronic pain—Cont'd

53B.10, 2019-53B.1, 2019-53B.4, 2019-53B.7, 2019-53B.8, 2019-53B.9, 2019-53B.12, 2019-53B.13, 2019-53B.14, 2019-53B.15, 2019-53B.16, 2019-53B.17, 2019-53B.18, 2019-53B.19, 2019-53B.20, 2019-53B.21, 2019-53B.22, 2019-53B.23, 2019-53B.24, 2019-53B.26, 2019-53B.27, 2019-53B.28, 2019-53B.29, 2020-8.14, 2020-53B.1, 2020-53B.2, 2020-53B.4, 2020-53B.5, 2020-53B.7, 2020-53B.8, 2021-6.4, 2021-6.5, 2021-6.12, 2021-23.4, 2021-24.3, 2021-26.9, 2021-26.105, 2021-26.106, 2021-26.114, 2021-26.123, 2021-26.148, 2021-26.149, 2021-52.28, 2021-52.44, 2021-52.45, 2021-53.26, 2021-53.38, 2021-53.71, 2021-53A.18, 2021-53B.7, 2022-8.25, 2022-26.3, 2022-26.7, 2022-26.13, 2022-26.18, 2022-26.47, 2022-53B.3, 2022-53B.9, 2022-53B.12, 2022-53B.15, 2022-53B.18, 2022-53B.20, 2022-53B.28, 2022-53B.29, 2022-53B.30, 2023-53B.1
myofascial, 2015-53B.9, 2015-53B.10, 2015-53B.11, 2017-53B.5, 2017-53B.6, 2018-52.25, 2019-53B.5, 2019-53B.11, 2019-53B.30, 2020-8.13, 2020-8.17, 2020-53B.2, 2020-53B.3, 2021-53.34, 2021-53A.16, 2021-53B.10, 2023-8.11, 2023-26.28
ongoing, affecting cognitive functioning, 2020-6.22
ongoing, causing emotional issues, 2010-6.47, 2011-7.2, 2011-26.6, 2012-6.9, 2012-25.7, 2012-26.45, 2013-26.89, 2013-26.94, 2013-26.115, 2013-53.38, 2014-6.24, 2014-6.37, 2014-6.39, 2014-8.17, 2014-26.23, 2014-27.2, 2015-6.12, 2015-6.14, 2019-53B.12, 2020-6.12, 2020-6.16, 2020-6.18, 2020-6.20, 2021-26.74, 2021-26.116, 2021-26.135, 2021-26.153, 2021-26.161, 2021-53.33, 2021-53.42, 2021-53.63, 2021-53B.13, 2022-7.2, 2022-8.19, 2022-25.6, 2022-26.2, 2022-53.59, 2022-53.78, 2022-53.88, 2022-53B.1, 2022-53B.25, 2023-26.19
permanent partial disability, and, 2010-47.8, 2014-47.2, 2015-6.2, 2020-6.14, 2021-27.13

chronic pain—Cont'd

persistent somatic, 2015-52.29, 2019-6.3
pre-existing, 2015-52.50, 2015-52.51, 2016-52.8, 2016-52.10, 2016-52.30, 2016-52.33, 2016-52.40, 2017-52.12, 2018-52.1, 2018-52.33, 2019-6.9, 2019-52.5, 2019-52.10, 2019-52.11, 2019-52.22, 2020-52.3, 2020-52.27, 2021-16A.4, 2021-26.145, 2021-52.38, 2022-26.1
relief only from painful periodic injections, 2014-53B.18
suicide attempts caused by, 2022-7.9
chronic pain, complex interaction, 2009-53.46, 2009-53B.46
chronic pain syndrome, 2005-52.351, 2005-53B.12, 2009-6.33, 2009-52.35, 2009-52.73, 2009-53.16, 2009-53.39, 2009-53.47, 2009-53B.44, 2009-53B.51, 2009-53B.52, 2010-8.4, 2010-24.15, 2010-28.2, 2010-49.2, 2010-52.61, 2010-53B.3, 2010-53B.35, 2011-25.4, 2011-25.5, 2011-30.5, 2011-52.1, 2011-52.25, 2011-52.43, 2011-52.44, 2011-53.24, 2011-53A.21, 2011-53B.35, 2011-53B.37, 2012-6.24, 2012-26.49, 2012-26.54, 2012-27.7, 2012-53A.6, 2013-6.7, 2013-26.33, 2013-26.35, 2013-26.105, 2013-27.4, 2013-27.11, 2013-40.5, 2013-52.11, 2013-52.53, 2013-52.54, 2013-53B.1, 2013-53B.2, 2014-6.38, 2014-8.2, 2014-26.87, 2014-52.58, 2015-26.25, 2015-26.26, 2015-26.92, 2015-52.48, 2015-53B.4, 2016-26.7, 2016-53A.12, 2016-53A.14, 2016-53B.2, 2016-53B.15, 2017-53B.1, 2018-53B.1, 2019-6.3, 2019-53B.3, 2019-53B.10, 2019-53B.21, 2019-53B.31, 2020-8.24, 2020-53B.9, 2020-53B.10, 2020-53B.11, 2020-53B.12, 2020-53B.13, 2020-53B.14, 2020-53B.15, 2020-53B.16, 2020-53B.17, 2020-53B.18, 2020-53B.19, 2020-53B.20, 2020-53B.21, 2020-53B.22, 2020-53B.23, 2020-53B.24, 2020-53B.25, 2020-53B.26, 2020-53B.27, 2020-53B.28, 2020-53B.29, 2020-53B.30, 2020-53B.31, 2020-53B.32, 2021-6.2,

2021-8.22, 2021-24.9, 2021-26.115, 2021-28A.8, 2021-52.8, 2021-53A.19, 2021-53A.34, 2021-53B.1, 2021-53B.2, 2021-53B.3, 2021-53B.4, 2021-53B.11, 2021-53B.16, 2022-8.16, 2022-26.42, 2022-26.56, 2022-26.63, 2022-53A.2, 2022-53B.11, 2022-53B.14, 2022-53B.16, 2023-7.1, 2023-26.27, 2023-53B.4, 2023-53B.6 pre-existing, aggravated, 2022-52.38, 2022-52.59 pre-existing, reactivated, 2022-33.1, 2022-33.3, 2022-52.2 clavicle, fracture, 2008-6.44, 2010-6.7, 2010-52.13, 2010-53B.9, 2011-8.25, 2011-52.57, 2011-53B.41, 2013-6.2, 2013-16A.2, 2014-16B.1, 2014-27.1, 2014-29.2, 2014-30.3, 2014-52.53, 2014-53B.8, 2018-27.7, 2019-27.9, 2020-27.16, 2021-25.7, 2021-27.11, 2021-53A.27, 2021-53B.15, 2022-27.4, 2022-27.9, 2022-27.15, 2023-6.7, 2023-8.10, 2023-23.2, 2023-27.10 clavicle, sprain, 2012-27.2 coccyx chronic pain, 2011-26.24, 2011-34.3, 2011-52.46, 2011-53B.38, 2022-26.26 cracked, irregular healing, 2020-6.1 fracture, surgery required, 2018-7.3, 2018-28A.7 pre-existing injury aggravated, 2021-26.112, 2021-53B.9 pressure wound caused by time in bed recovering, 2018-25.5 cognitive deficits, 2005-55.392, 2008-6.29, 2008-52.18, 2009-53A.7, 2010-6.42, 2011-6.38, 2011-53B.32, 2014-8.19, 2015-8.1, 2015-8.6, 2015-8.10, 2016-8.1, 2016-8.6, 2016-26.2, 2016-53A.1, 2017-8.4, 2017-8.7, 2018-8.9, 2018-8.13, 2018-8.14, 2018-8.16, 2018-8.17, 2019-8.7, 2019-8.8, 2019-8.10, 2020-8.30, 2021-8.6, 2021-8.14, 2021-8.15, 2021-8.17, 2021-8.20, 2021-8.36, 2022-7.2, 2022-8.13 cognitive deficits, delay in diagnosing brain abscesses causing, 2020-8.2	cognitive functions, changes in, 2006-53A.17, 2007-53B.18, 2009-52.75, 2010-6.27, 2010-8.5, 2010-20.1, 2010-52.17, 2010-52.46, 2010-53B.27, 2011-7.4, 2011-8.11, 2011-8.12, 2011-8.25, 2011-28A.15, 2011-36.1, 2011-52.21, 2011-53A.20, 2011-53B.24, 2012-8.13, 2012-26.33, 2012-26.82, 2013-53.76, 2013-53A.9, 2014-8.1, 2014-8.4, 2014-8.8, 2014-8.9, 2014-8.12, 2014-8.14, 2014-26.35, 2014-26.39, 2014-28A.2, 2014-53.18, 2014-53B.9, 2015-6.14, 2015-8.9, 2016-53.9, 2019-6.18, 2020-8.7, 2020-8.14, 2021-26.152, 2021-26.153, 2021-53.20, 2021-53.40, 2021-53B.17, 2021-53B.18, 2022-26.7, 2022-26.18 cognitive impairment, pre-existing, exacerbated, 2007-52.18, 2007-53B.8 colon perforated, negligence in colonoscopy, 2013-16B.7, 2013-33.3 colon cancer, failure to detect, 2006-55.4 colonoscopy injury resulting in intra-abdominal bleeding and surgical removal of colon, 2008-53A.15 coma general, 2005-53A.9, 2008-5.1, 2010-6.5, 2010-6.41, 2010-8.10, 2010-33.2, 2010-45.1, 2010-53.49, 2011-6.11, 2011-7.1, 2011-8.6, 2011-8.17, 2011-32.2, 2011-53A.1, 2022-25.3, 2022-27.9 induced, 2010-16A.7, 2010-16B.8, 2010-17.1, 2011-16A.3, 2011-16B.4, 2011-17.2, 2011-53.4 complex regional pain syndrome ankle, 2013-48.6, 2013-53B.18 foot, 013-6.17, 2012-6.6, 2012-53A.5, 2012-53B.5, 2013-45.6 leg, 2020-44.1, 2021-52.10 shin, 2019-53B.25
---	--

- concentrating, difficulty, 2006-52.39,
2006-53.43, 2007-53.34, 2009-52.72,
2009-53.15, 2009-53.17, 2009-53.45,
2009-53A.19, 2009-53B.6,
2009-53B.31, 2010-6.33, 2010-52.38,
2010-52.67, 2010-53.70, 2010-53B.26,
2011-6.14, 2011-6.46, 2011-8.16,
2011-52.26, 2011-53.6, 2011-53.19,
2011-53.68, 2011-53.123,
2011-53A.16, 2011-55.4, 2012-24.9,
2013-47.5, 2013-53.33, 2014-26.71,
2015-53B.4, 2018-8.10, 2020-6.19,
2020-6.22, 2020-7.3, 2020-8.13,
2020-8.14, 2020-8.29, 2020-26.89,
2020-26.119, 2020-53.38, 2020-53.53,
2020-53.55, 2020-53.85, 2020-53.92,
2020-53A.11, 2021-7.3, 2021-8.33,
2021-19.3, 2021-23.6, 2021-24.2,
2021-26.4, 2021-26.50, 2021-53.1,
2021-53.34, 2021-53A.2, 2021-53A.16,
2021-53A.21, 2021-53B.10, 2022-8.24,
2022-24.19, 2022-53.76, 2022-53.85,
2023-7.2, 2023-53.29
- concussion, 2005-53.80, 2006-53A.1,
2007-52.26, 2007-53.34, 2007-53.35,
2008-52.8, 2008-53.30, 2008-53.31,
2009-52.20, 2009-52.29, 2009-52.36,
2010-8.1, 2010-8.5, 2010-52.12,
2010-52.17, 2010-53.12, 2010-53A.16,
2010-53B.13, 2010-55.6, 2011-6.17,
2011-6.30, 2011-8.12, 2011-23.1,
2011-26.6, 2011-26.30, 2011-26.37,
2011-52.21, 2011-52.35, 2011-53.6,
2011-53B.16, 2012-16A.3, 2013-6.13,
2013-75, 2014-8.16, 2014-8.17,
2014-8.20, 2015-8.3, 2018-8.8,
2018-8.9, 2018-8.11, 2018-8.15,
2019-8.11, 2019-8.12, 2019-8.14,
2019-8.19, 2019-8.20, 2019-8.27,
2019-8.28, 2019-8.29, 2019-8.30,
2019-8.35, 2019-8.42, 2019-8.47,
2020-6.1, 2020-8.4, 2020-8.10,
2020-8.15, 2020-8.21, 2020-8.24,
2020-8.27, 2020-8.28, 2020-8.29,
2021-8.2, 2021-8.9, 2021-8.10,
2021-8.11, 2021-8.12, 2021-8.20,
2021-8.23, 2021-8.30, 2021-8.33,
2021-8.36, 2021-19.2, 2021-26.115,
2021-26.117, 2021-26.145, 2021-52.49,
2021-53.40, 2021-53.43, 2022-7.7,
2022-8.5, 2022-8.10, 2022-8.15,
2022-26.23, 2022-26.69, 2022-27.12
- persistent post-concussion symptoms,
2022-8.8, 2022-8.20
- post-concussive symptoms affecting daily
life, 2022-53.46
- pre-existing ongoing symptoms,
aggravated, 2019-52.44, 2022-26.59,
2022-52.53
- severe, 2022-8.13
- confidence, loss of, 2011-52.39, 2011-52.47,
2012-52.15, 2012-53.18, 2013-8.4,
2013-26.28, 2013-26.95, 2013-28A.10,
2013-46.10, 2013-52.9, 2013-52.28,
2013-53.40, 2014-6.39, 2014-9.3,
2014-10.2, 2014-26.75, 2014-30.1,
2014-53.54, 2014-53.57, 2015-6.4,
2015-8.3, 2015-26.8, 2015-52.4
- consciousness, loss of, 2008-52.8,
2008-53.8, 2008-53A.4, 2009-52.2,
2009-52.23, 2009-52.28, 2009-52.36,
2009-52.48, 2009-52.84, 2009-53.1,
2009-53.14, 2009-53.17, 2009-53A.16,
2009-53B.23, 2009-53B.31, 2010-6.47,
2010-26.19, 2010-28A.8, 2010-52.17,
2010-53.86, 2011-28A.10, 2011-33.4,
2011-45.5, 2011-52.21, 2011-52.32,
2012-7.3, 2012-38.3, 2012-46.4,
2012-52.24, 2013-6.20, 2013-6.35,
2013-8.9, 2013-14.2, 2013-52.48,
2014-6.17, 2014-6.18, 2014-16A.5,
2014-53.60, 2015-8.3, 2020-8.30,
2021-26.145
- consortium and servitium, loss of,
2019-54.1, 2020-54.1
- contaminated water, effects of drinking,
2009-56.11
- cranial nerve injury, 2007-6.16
- cranial nerve palsy, 2020-6.17
- craniotomy, frontoparietal, 2005-6.308
- Crohn's disease, pre-existing, aggravated,
2022-26.45, 2022-52.46
- crush injury, significant, pre-existing,
2010-52.40
- crush syndrome, multiple, 2009-52.76,
2009-53B.46

cubital tunnel syndrome, 2009-52.76, 2009-53B.46	2005-52.332, 2005-52.340, 2005-52.341, 2008-52.8, 2008-52.17, 2008-52.42, 2008-52.46, 2009-52.12, 2012-52.11, 2013-52.2, 2013-52.12
Cushing's disease, 2010-53.22, 2010-55.3	
deep vein thrombosis, 2007-53A.3, 2008-52.47	
dog bites resulting, in, 2022-16B.4	
defamation, psychological harm arising from, 2005-55.391, 2006-53.37, 2006-53.45, 2006-55.13, 2007-53.11, 2007-53.15, 2007-53A.10, 2009-53.8, 2009-53.10, 2009-53.37, 2009-53.50, 2009-53.51, 2009-53A.18, 2010-53.3, 2010-53.7, 2010-53.13, 2010-53.33, 2010-53.36, 2010-53.39, 2010-53.44, 2010-53.48, 2010-53.50, 2010-53.51, 2010-53.53, 2010-53.54, 2010-53.55, 2010-53.66, 2010-53.67, 2010-53.68, 2010-53.69, 2010-53.71, 2010-53.78, 2010-53.83, 2010-53.84, 2010-53.85, 2011-53.1, 2011-53.10, 2011-53.11, 2011-53.15, 2011-53.16, 2011-53.17, 2011-53.18, 2011-53.21, 2011-53.26, 2011-53.29, 2011-53.30, 2011-53.33, 2011-53.35, 2011-53.37, 2011-53.38, 2011-53.39, 2011-53.44, 2011-53.45, 2011-53.48, 2011-53.52, 2011-53.55, 2011-53.61, 2011-53.62, 2011-53.63, 2011-53.64, 2011-53.65, 2011-53.66, 2011-53.69, 2011-53.71, 2011-53.72, 2011-53.73, 2011-53.74, 2011-53.76, 2011-53.79, 2011-53.83, 2011-53.84, 2011-53.86, 2011-53.89, 2011-53.90, 2011-53.91, 2011-53.92, 2011-53.93, 2011-53.94, 2011-53.95, 2011-53.96, 2011-53.102, 2011-53.113, 2011-53.115, 2011-53A.15, 2011-53B.15, 2012-53.1, 2012-53.7, 2012-53.9, 2012-53.14, 2012-53.26, 2012-53.28, 2012-53.56, 2012-53A.1, 2012-53A.7, 2012-56.9, 2013-53.3, 2013-53.10, 2013-53.15, 2013-53.19, 2013-53.20, 2013-53.22, 2013-53.25, 2013-53.56, 2013-53.66, 2013-53.73, 2014-53.1, 2014-53.2, 2014-53.11, 2014-53.13, 2014-53.17, 2014-53.40, 2014-53.47, 2014-56.3, 2015-53.3, 2015-53.16, 2015-53A.4, 2021-53.48, 2021-53.49, 2021-53.68, 2021-56.3, 2022-53.4, 2022-53.9, 2023-53.6, 2023-53.13, 2023-53.31	
degenerative disc disease, pre-existing,	
degenerative neck condition, pre-existing, rendered symptomatic, 2009-52.70	
delusions, 2010-53.86	
depersonalization disorder, 2015-53.6, 2015-69.1	
depression	
chronic, 2011-28.1, 2015-52.47, 2016- 53A.2, 2016-53A.4, 2016-53A.14, 2018-52.31, 2018-52.33, 2022-26.65, 2022-53A.3	
clinical, 2017-52.15, 2017-53A.8, 2018- 53A.9, 2022-53A.21	
pre-existing, aggravated, 2019-6.14, 2019-52.37, 2019-52.40, 2019-52.48, 2019-52.51, 2019-52.55, 2019- 53A.23, 2019-53A.25, 2019-53A.34, 2020-6.15, 2020-52.3, 2020-52.6, 2020-52.20, 2020-52.34, 2020-52.37, 2020-52.38, 2020-52.39, 2020-52.44, 2020-52.46, 2020-52.51, 2020-52.57, 2020-52.58, 2020-53A.36, 2021-6.6, 2021-8.24, 2021-24.3, 2021-26.73, 2021-26.114, 2021-26.119, 2021- 29.2, 2021-31.5, 2021-52.5, 2021- 52.22, 2021-52.33, 2021-52.34, 2021-53.21, 2021-53.44, 2022-8.12, 2022-26.9, 2022-37.1, 2022-52.1, 2022-52.33, 2022-52.40, 2022-52.50, 2022-52.59, 2022-52.60, 2022-52.72, 2022-52.74, 2022-53.60, 2022-53.66, 2022-53.77, 2022-53.79, 2022-53.86, 2022-53.89, 2022-53A.22, 2022- 53A.31, 2023-52.2, 2023-52.10, 2023-53.14, 2023-53.17	
pre-existing, returning, 2015-6.23, 2015- 52.20, 2015-53A.9, 2015-53A.16, 2016-52.1, 2018-52.29, 2018-53A.1, 2019-52.14, 2022-52.38, 2022- 53A.9, 2022-53A.19, 2023-53.32, 2023-53A.21	
reactive, 2005-53.87, 2008-53A.6, 2014- 53A.17, 2015-53.31, 2015-53A.2, 2015-53A.8, 2015-53A.11, 2015- 53A.12, 2015-53A.15, 2015-53A.17, 2015-53A.20, 2016-53A.3, 2016- 53A.5, 2016-53A.6, 2016-53A.7, 2016-53A.10, 2016-53A.12, 2016-	

depression—Cont'd

53A.16, 2016-53A.17, 2017-53A.6, 2017-53A.7, 2017-53A.9, 2017-53A.12, 2017-53A.14, 2017-53A.15, 2017-53A.19, 2018-53A.2, 2018-53A.3, 2018-53A.4, 2018-53A.5, 2018-53A.6, 2018-53A.10, 2018-53A.12, 2018-53A.14, 2019-53A.2, 2019-53A.3, 2019-53A.4, 2019-53A.7, 2019-53A.9, 2019-53A.10, 2019-53A.11, 2019-53A.12, 2019-53A.14, 2019-53A.15, 2019-53A.16, 2019-53A.19, 2019-53A.20, 2019-53A.21, 2019-53A.22, 2019-53A.28, 2019-53A.29, 2019-53A.30, 2019-53A.31, 2019-53A.32, 2019-53A.37, 2019-53A.38, 2019-53A.39, 2019-53A.42, 2020-53A.1, 2020-53A.4, 2020-53A.7, 2020-53A.8, 2020-53A.11, 2020-53A.13, 2020-53A.17, 2020-53A.18, 2020-53A.20, 2020-53A.21, 2020-53A.22, 2020-53A.26, 2020-53A.27, 2020-53A.28, 2020-53A.29, 2020-53A.30, 2020-53A.31, 2020-53A.32, 2020-53A.34, 2020-53A.35, 2021-8.32, 2021-24.10, 2021-26.110, 2021-26.126, 2021-26.136, 2021-53.70, 2021-53A.1, 2021-53A.4, 2021-53A.5, 2021-53A.6, 2021-53A.7, 2021-53A.9, 2021-53A.10, 2022-26.6, 2022-28A.1, 2022-53.92, 2022-53A.14, 2022-53A.15, 2022-53A.23, 2022-53A.28, 2022-53A.33, 2022-53A.35, 2023-53.9, 2023-53.10, 2023-53A.1, 2023-53A.2, 2023-53A.3, 2023-53A.6, 2023-53A.9, 2023-53A.12, 2023-53A.14, 2023-53A.17, 2023-53A.18, 2023-53A.19, 2023-53A.20

severe, 2016-53A.8, 2016-53A.9, 2016-53A.11, 2017-53A.1, 2017-53A.13, 2018-53A.8, 2018-53A.11, 2018-53A.13, 2018-53A.15, 2019-53A.5, 2019-53A.26, 2019-53A.36, 2021-53.58, 2021-53A.29, 2022-26.55, 2022-53.67, 2022-53A.16, 2022-53A.25, 2022-53A.29, 2022-53A.30, 2023-53A.7, 2023-53A.8

depressive disorder, carbon monoxide related, 2019-8.1, 2019-8.2, 2019-52.1, 2019-52.2, 2019-53A.1

depressive disorder, major, 2009-52.82, 2010-6.43, 2010-25.7, 2010-53B.38,

2011-6.24, 2011-6.41, 2011-38.3, 2011-53A.13, 2012-10.3, 2012-53B.12, 2014-26.77, 2014-26.79, 2014-52.52, 2014-53.19, 2014-53.61, 2014-53A.18, 2015-6.5, 2015-6.6, 2015-6.11, 2015-8.5, 2015-26.17, 2015-26.27, 2015-31.1, 2015-53.5, 2015-53.11, 2015-53A.5, 2015-53A.7, 2015-53A.9, 2015-53A.10, 2015-53A.13, 2015-53A.14, 2016-52.12, 2016-53.7, 2016-53A.13, 2016-53A.15, 2017-8.5, 2017-53A.2, 2017-53A.3, 2017-53A.18, 2018-53A.7, 2019-6.13, 2019-8.17, 2019-8.25, 2019-53A.6, 2019-53A.8, 2019-53A.13, 2019-53A.17, 2019-53A.18, 2019-53A.24, 2019-53A.27, 2019-53A.33, 2019-53A.40, 2019-53A.41, 2019-55.2, 2019-55.5, 2020-6.10, 2020-6.12, 2020-6.13, 2020-8.9, 2020-8.19, 2020-53A.3, 2020-53A.5, 2020-53A.6, 2020-53A.9, 2020-53A.10, 2020-53A.12, 2020-53A.14, 2020-53A.15, 2020-53A.16, 2020-53A.19, 2020-53A.23, 2020-53A.24, 2020-53A.25, 2020-53A.33, 2021-7.4, 2021-8.13, 2021-8.22, 2021-8.23, 2021-25.5, 2021-26.75, 2021-26.77, 2021-26.93, 2021-26.115, 2021-26.117, 2021-26.118, 2021-28A.4, 2021-28A.16, 2021-52.22, 2021-53.23, 2021-53.25, 2021-53.30, 2021-53.31, 2021-53.34, 2021-53.36, 2021-53.46, 2021-53.66, 2021-53A.2, 2021-53A.3, 2021-53A.8, 2021-53A.12, 2021-53A.14, 2021-53A.16, 2021-53A.18, 2021-53A.19, 2021-53A.21, 2021-53A.22, 2021-53A.33, 2021-53A.40, 2021-69.1, 2021-69.6, 2022-6.7, 2022-8.11, 2022-8.16, 2022-8.28, 2022-16B.2, 2022-24.21, 2022-25.5, 2022-26.35, 2022-26.36, 2022-26.44, 2022-26.63, 2022-26.77, 2022-33.3, 2022-53.71, 2022-53.80, 2022-53.84, 2022-53.90, 2022-53A.1, 2022-53A.2, 2022-53A.11, 2022-53A.12, 2022-53A.17, 2022-53A.18, 2022-53A.20, 2022-53A.24, 2022-53A.27, 2022-53A.32, 2022-53A.34, 2022-53B.10,

2022-53B.11, 2022-53B.21, 2023-23.1, 2023-26.6, 2023-26.19, 2023-26.21, 2023-53.8, 2023-53.16, 2023-53A.4, 2023-53A.10, 2023-53A.11, 2023-53A.13, 2023-53A.15 pre-existing, aggravated, 2019-52.43, 2019-52.59, 2020-52.2, 2020-53A.2, 2022-26.64, 2022-33.1, 2022-52.2, 2022-52.3, 2022-52.47, 2022-52.57, 2022-52.71, 2023-53A.26	2010-53.62, 2010-56.10, 2011-16A.5, 2011-16B.6, 2011-16B.10, 2011-16B.17, 2011-44.3, 2011-53.20, 2011-53.40, 2011-53.41, 2011-53.51, 2013-16B.6, 2014-39.1, 2015-49.1, 2015-56.2, 2019-14.1, 2019-16.B.2, 2019-16.B.3, 2021-16A.2, 2021-53.29, 2021-53A.13
developmental difficulties, delay, 2006-53.14	domestic abuse, 2006-53.35, 2008-6.43
diabetes, pre-existing, aggravated, 2011-53B.14, 2022-52.31	domestic assault, 2010-56.12, 2010-56.17, 2010-56.18, 2022-13.3, 2022-53.34
diabetes, pre-existing condition made difficult to manage, 2012-52.24	ears
dissociative identity disorder, 2009-6.13, 2009-52.35, 2009-53.16	burning sensation from exposure to toxic fumes, 2007-53A.20
dissociative state arising from anxiety stress, 2010-13.2	injury and moderate loss of hearing, 2007-53A.21, 2020-6.1, 2021-8.1
dizziness, 2008-6.2, 2008-52.14, 2008-52.23, 2008-52.28, 2008-52.37, 2009-52.2, 2009-52.4, 2009-52.14, 2009-52.21, 2009-52.35, 2009-52.41, 2009-52.48, 2009-52.61, 2009-52.64, 2009-52.74, 2009-52.75, 2009-52.77, 2009-53.1, 2009-53.2, 2009-53.11, 2009-53.16, 2009-53B.23, 2010-28.1, 2010-52.26, 2010-52.39, 2010-52.46, 2011-6.33, 2011-26.47, 2011-26.57, 2011-52.31, 2012-6.9, 2012-26.21, 2012-26.23, 2012-26.77, 2012-26.78, 2012-52.27, 2012-53.21, 2012-53B.6, 2013-20.1, 2013-26.1, 2013-26.57, 2013-52.1, 2013-52.48, 2014-8.3, 2014-8.16, 2014-8.17, 2014-26.36, 2014-26.50, 2014-26.75, 2014-26.86, 2014-53.54, 2014-53.57, 2014-53A.5, 2014-53B.7, 2015-8.4, 2015-26.86, 2015-52.12, 2016-8.7, 2016-9.1, 2016-9.2, 2017-8.2, 2018-8.8, 2020-8.28, 2021-7.2, 2021-8.5, 2021-23.5, 2021-26.83, 2021-26.88, 2021-52.26	inner ear dysfunction causing balance problems, 2016-23.1, 2016-23.4, 2017-23.1, 2017-23.4, 2017-23.5, 2018-23.1, 2018-23.2, 2018-23.3, 2018-23.4, 2019-23.1, 2019-23.2, 2019-23.3, 2019-23.4, 2019-23.5, 2019-23.6, 2019-23.7, 2019-23.8, 2020-23.1, 2020-23.2
dog attack/bite, 2005-53.84, 2005-55.382, 2006-53.5, 2006-53.9, 2006-53.34, 2008-53.12, 2009-53.3, 2010-10.4, 2010-16A.8, 2010-16B.5, 2010-53.42,	inner ear injury, 2006-6.15
	laceration requiring sutures, 2013-38.2
	partial deafness, 2028.3, 2010-28A.9, 2010-53.37, 2010-53A.17, 2013- 26.22, 2013-28A.11, 2019-20.2
	permanent partial loss of hearing, 2006- 5.1, 2009-52.6, 2013-52.5, 2019-20.3
	post-traumatic vestibulopathy, 2021-8.33, 2021-19.2, 2021-26.158
	pre-existing Meniere's disease with loss of balance, dizziness, 2020-8.23, 2020-52.40
	ringing, 2006-52.27, 2009-52.74, 2010- 52.7, 2013-26.102, 2013-36.1, 2013- 52.45, 2014-36.1, 2016-6.2, 2016- 26.16, 2021-28.3, 2022-24.7
	tinnitus, 2007-53.34, 2007-53A.31, 2008- 53A.21, 2008-53B.26, 2009-52.35, 2009-52.75, 2009-53.11, 2009-53.16, 2009-53.39, 2009-53B.23, 2010-8.6, 2010-28A.9, 2010-53.34, 2010- 53B.13, 2010-53B.26, 2013-6.23, 2013-23.2, 2013-52.5, 2014-47.3, 2015-20.1, 2015-26.1, 2015-26.19, 2015-53.12, 2016-20.1, 2018-20.1, 2019-20.4, 2019-20.5, 2019-20.6, 2019-20.7, 2019-20.8, 2019-23.4,

INDEX

ears—Cont'd

2020-20.1, 2020-52.22, 2021-19.3,
2021-23.3, 2021-23.4, 2021-23.6,
2021-24.2, 2021-26.71, 2021-53.20
tinnitus, post-traumatic, 2013-6.3

elbow

dislocation, 2009-52.9, 2020-6.3, 2020-38.2
dislocation and surgery, 2009-6.3, 2020-38.1
flexion, permanent loss of, 2011-52.14,
2011-53.22, 2013-16B.9, 2014-6.30,
2014-27.11
fracture, 2009-53A.15, 2011-53A.17,
2011-55.3, 2012-8.3, 2012-40.5,
2019-38.1, 2019-38.2, 2020-38.3,
2021-38.1
fracture and dislocation, 2008-6.24
injury, 2012-40.4, 2015-38.1, 2020-38.4,
2022-38.1
injury, severe, 2006-52.38
injury causing bursitis, 2013-28A.12
injury leading to ongoing lower back
pain, 2011-6.28, 2011-53B.25
injury requiring surgery, 2006-53B.21,
2011-52.2
mild, permanent limitation in motion,
2010-16B.11, 2010-17.2
numbness, 2021-38.3
ongoing pain, 2021-53B.20
pre-existing injury aggravated, 2014-26.17
scarring, 2013-8.1, 2014-16B.6
sensitivity to sound, 2021-20.1
torn tendon, 2014-38.1
ulnar nerve injury, 2022-27.5, 2022-39.3,
2022-40.2, 2023-24.6, 2023-27.11,
2023-36.1

emotional difficulties, pre-existing,

2015-52.29, 2017-52.26, 2021-53.74,
2022-52.78, 2022-53.59, 2023-26.27

emotional lability, 2010-8.8, 2010-10.1,
2010-28.6, 2011-8.11, 2011-8.16,
2012-8.5, 2012-8.8, 2012-13.1,
2012-32.2, 2012-52.15, 2012-53.18,
2012-53B.4, 2013-26.22, 2013-40.6,
2014-16A.7, 2014-26.21, 2014-53B.18,
2018-8.12, 2020-6.11, 2020-6.12,
2020-8.12, 2021-6.18, 2022-28A.1,
2022-53.61, 2023-6.7, 2023-8.10,

2023-8.12, 2023-23.2, 2023-53.10

emotional stress, 2018-55.1, 2023-53.26

emotional trauma, 2009-52.38,

2009-53.23, 2010-16B.12, 2010-17.4,
2010-47.3, 2010-69.4, 2011-55.1,
2011-69.1, 2011-69.5, 2011-69.6,
2011-69.7, 2011-69.13, 2012-53B.13,
2012-53B.33, 2012-69.1, 2012-69.3,
2012-69.4, 2013-6.26, 2013-17.1,
2013-20.3, 2013-31.1, 2013-53.42,
2013-53.49, 2014-47.1, 2014-53.20,
2014-53A.11, 2014-69.1, 2014-69.2,
2015-26.22, 2015-53.28, 2015-53.29,
2015-53.30, 2015-53.34, 2015-53.35,
2022-52.56, 2022-53.43, 2022-53.45,
2022-53.54, 2022-53.55, 2022-53.56,
2022-53.57, 2022-53.64, 2022-53.68,
2022-53.72, 2022-53.74, 2022-53.83,
2022-53.91, 2022-53.93, 2022-53.94,
2022-53.95, 2023-53.1, 2023-53.2,
2023-53.3, 2023-53.4, 2023-53.6,
2023-53.12

environmental contaminants exposure to,
2012-32.1

epilepsy, pre-existing, aggravation of
causing seizures, 2011-26.63,
2011-52.39, 2011-53.85

Erb's palsy, medical negligence during
birth, 2014-53.37, 2014-53.38

erectile dysfunction, 2013-33.2, 2015-34.1,
2020-34.1

esophagus

hernia, 2011-6.12, 2011-8.7
perforated in negligent surgery, 2006-52.17, 2006-53A.10

eyes

blackened, 2010-16A.9, 2010-56.15,
2012-13.2, 2012-56.7, 2020-16A.5
blindness, partial, 2010-53.37, 2010-53A.17, 2019-19.2
blurred vision, 2008-53B.26, 2010-26.56,
2012-6.2, 2012-8.2, 2013-26.1,
2014-8.18, 2015-12.2, 2023-6.3,
2023-26.20
chunk of rust in eye, 2018-12.2
cosmetic surgery to eyelids, medical
negligence, 2018-16A.3

eyes—Cont'd

detached retina, permanent loss of sight, **2018-12.1**
double vision, **2012-26.23, 2013-53.75, 2020-6.3, 2020-6.17, 2020-8.4, 2020-19.3**
double vision, nerve palsy causing, **2021-12.1**
drooping eyelid, **2008-53A.18, 2021-36.1, 2021-52.36**
dysphotopsia, severe, medical negligence in cataract surgery causing, **2020-12.1, 2020-19.1**
eyelid laceration, **2010-6.46, 2017-12.2**
fractured socket, injury to optic nerve, **2009-52.23**
haemorrhage, surgery, cranial nerve injury, **2007-6.16**
injury requiring surgery, **2013-7.2, 2017-12.1**
iritis, traumatic, **2009-6.37**
laceration, **2006-53.11**
laceration to eyelid requiring stitches, **2010-40.7**
laceration under eye requiring stitches, **2014-8.11**
laser eye surgery, medical negligence, **2011-53A.2**
light sensitivity, **2021-19.1, 2022-8.15**
loss of eye, **2015-12.3, 2015-19.1, 2020-12.2, 2020-19.2**
orbital asymmetry, **2011-8.3**
orbital fracture, **2010-22.4, 2010-53.43, 2013-7.4, 2013-7.5, 2013-13.1, 2013-53.55, 2013-53A.7, 2020-6.2, 2020-6.3, 2020-7.1, 2020-8.1**
orbital fracture, serious laceration, **2006-53.40**
orbital fracture requiring emergency surgery to implant metal supports for facial bones, **2022-8.6, 2022-16A.3**
photophobia, **2010-52.67, 2010-53.70, 2011-52.26, 2011-53.68**
post-traumatic vision syndrome, **2022-8.9, 2022-19.2**
retinopathy, **2019-19.2**
severe bruising under both eyes, **2005-53.86**
severe injury, arrow piercing eye, **2010-8.9, 2010-53.37, 2010-53A.17**
surgery, complications, **2007-53A.8**
vestibular mismatch, **2019-6.19**

face

abrasion, **2009-52.9, 2014-13.1, 2014-26.44, 2014-53A.12**
bites from child, **2011-56.1**
bruising, **2011-52.33, 2011-53B.30, 2012-69.5, 2014-53.29, 2019-16A.5**
bruising and swelling from assault, **2010-13.1, 2011-6.2, 2012-9.4, 2013-53A.8, 2019-16A.5**
burns, **2007-53.36, 2011-53.4**
burns, scarring, and permanently lightened skin, **2009-53.38**
cheek, fractured, permanent numbness, **2009-53.17, 2009-53B.31**
cheek fractured, surgery required to repair, **2007-53A.11, 2012-53.5**
deep slash wounds from machete, **2005-53.83**
deformity, permanent, **2010-10.1, 2011-7.8, 2011-13.1, 2013-6.28, 2014-16A.8, 2014-53.63**
disfigurement despite reconstructive surgery to repair parts of lips bitten off in fight, **2019-16A.11**
dog bite causing 4cm scar at corner of mouth, **2016-14.1**
extensive injuries, stitches, **2009-52.79, 2009-53.44, 2012-52.10, 2012-53.13**
eye socket fracture, **2005-6.338**
forehead, nerve injury, **2023-8.3, 2023-26.7, 2023-26.13**
forehead, permanent numbness, **2007-6.9**
forehead, permanent scarring, **2015-8.2, 2022-56.8**
fractures, **2008-6.24, 2013-2.1, 2014-7.1, 2014-23.2, 2014-53.63, 2014-53A.6, 2014-53B.4, 2015-6.1, 2015-8.1, 2015-10.2, 2015-12.2, 2018-7.2**
fractures, severe comminuted, **2005-6.337**
injuries from parental abuse, **2011-52.55**
lacerations, **2006-53.9, 2008-6.24, 2008-6.29, 2008-53.12, 2008-53.16, 2008-53A.12, 2008-53B.17, 2009-52.16, 2009-52.24, 2010-6.30, 2010-53.1, 2010-53.62, 2011-26.7, 2011-53A.6, 2012-16A.5, 2012-53A.10, 2014-12.1, 2014-27.3, 2014-48.1, 2015-16A.3, 2015-26.27, 2016-16A.1, 2018-7.1, 2020-16A.3, 2020-16A.6, 2021-16A.3**
lacerations, surgery required permanent scarring and discolouration, **2014-**

face—Cont'd

53.46, 2019-16A.8
 lacerations requiring stitches, 2012-8.5, 2012-25.4, 2013-14.1, 2014-53.29, 2018-8.15, 2019-7.2, 2019-16A.1
 lacerations significant, complex, 2009-6.7
 mouth pain from assault, 2014-10.1, 2018-14.1
 multiple abrasions and contusions, 2010-46.17, 2012-52.49, 2014-8.6, 2014-26.26, 2015-53A.5
 multiple injuries, fractures, 2006-6.54, 2006-53.43, 2007-53.12
 nerve damage and disfigurement, 2010-9.5, 2010-9.6, 2010-16A.5, 2010-22.3, 2010-32.6, 2010-46.17, 2012-16A.7, 2012-52.49, 2014-8.6, 2014-10.1, 2014-26.26
 nerve severed, 2010-6.30
 numbness and tingling, 2012-24.8, 2012-52.27, 2014-27.9
 orbital floor fractured, 2007-53A.31
 pain and swelling, 2012-53B.2
 pain from lacerations and scarring, 2011-16A.2
 permanent numbness and tingling of lip and chin, 2011-10.1, 2014-9.2
 post-operative numbness, 2008-53.12
 puncture wounds from dog bite, 2019-16A.1
 reconstruction surgery, 2010-6.37, 2010-7.6, 2010-9.7, 2010-19.2, 2010-53.43, 2014-7.2
 scarring, 2006-6.1, 2006-53.9, 2006-53A.14, 2008-6.29, 2008-53.16, 2008-53.31, 2008-53B.17, 2009-6.7, 2009-52.16, 2010-8.1, 2010-53.1, 2010-53.62, 2011-6.38, 2011-53A.6, 2011-53B.32, 2012-9.3, 2013-16A.1, 2013-53.67, 2016-16A.2, 2018-16A.4, 2019-16A.4
 scratches and swelling from air bag deployment, 2015-26.29
 sinuses, septum fractured, 2008-53A.1
 slashed with knife or screwdriver, 2015-53.7
 surgical removal of filler injected into face during negligent spa treatment, 2020-16A.2
 trigeminal neuralgia, 2019-9.4

facet joint

arthritis, pre-existing, 2009-6.12, 2009-53A.12

facet joint—Cont'd

cervical facet joint injury, 2011-52.10, 2011-53.9, 2020-24.3
 degenerative condition, pre-existing, 2009-6.34, 2009-52.74, 2009-53.41
 dog attack, foot chewed up, surgery required, 2015-49.1
 external rotation deformity, 2010-16B.1, 2010-46.3
 syndrome, 2020-6.8
false accusation of assault, public arrest, damage to reputation, 2021-53.60
false imprisonment in psychiatric ward by negligent doctor, 2006-53.7, 2013-52.68, 2013-53.78, 2015-53.2
fatal injuries, child, 2018-64.3, 2020-64.1, 2020-64.2, 2022-64.1, 2023-65.1
fatal injuries, father, 2020-58.1
fatal injuries, husband, 2020-57.1
fatal injuries, mother, 2020-61.1, 2023-61.1
fatal injuries, sibling, 2020-66.1, 2020-66.2, 2020-66.3
fatal injuries, wife, 2020-60.1
fatigue, 2005-55.388, 2009-52.48, 2009-52.61, 2011-6.26, 2012-6.4, 2012-6.6, 2014-23.1, 2016-6.3
feet
 bilateral numbness, 2010-26.23, 2014-28A.13
 calcaneus fracture, 2005-6.335, 2010-53.28, 2011-53A.19, 2011-53B.29, 2020-49.1
 chemical burn in nerve block treatment on foot, medical negligence, 2011-16B.12, 2011-17.3
 condyle, intra-articular fracture, 2005-6.303
 dog attack, foot chewed up, surgery required, 2015-49.1
 external rotation deformity, 2010-16B.1, 2010-46.3, 2010-53B.2
 foot complex regional pain syndrome, 2012-6.6, 2012-53A.5, 2012-53B.5, 2013-8.2
 foot drop, 2007-52.30, 2015-6.22, 2022-26.86

feet—Cont'd

fracture, 2010-49.4, 2013-46.4, 2014-46.5, 2014-52.23, 2019-49.3, 2021-49.2, 2021-50.1, 2021-53.73, 2021-53A.37

fracture, negligence in treatment, 2023-49.1

heel, fracture, 2020-49.2

heel bone, complex fracture, 2010-6.7, 2010-8.4, 2010-48.2, 2010-48.5, 2010-52.13, 2010-53B.9, 2012-49.1

heel partially torn off, 2015-6.17

heels, post-traumatic pain, 2023-28A.1

injury, minor, 2010-56.13

injury, ongoing pain, 2019-49.1

laceration, deep, 2010-48.2, 2013-49.2

lacerations, glass lodged in feet, 2013-16B.11

metatarsal fracture, surgery required, 2010-32.2

metatarsus fracture, 2006-6.13, 2010-53.28, 2011-53.5, 2011-53A.8

misdiagnosis of condition, unnecessary surgery, ongoing problems, 2014-49.1

Morton's neuroma, 2021-26.150, 2021-52.46

nail pierced foot with diabetic neuropathy, 2008-52.2

nearly severed by propeller, 2010-16B.2

neurological deficit, ball of foot, 2012-48.4

numbness, 2010-52.23

paralysis, 2021-49.1

pins and needles sensation, 2014-53A.9

post-traumatic osteoarthritis, 2011-49.2

run over by vehicle, 2019-49.2

subtalar joint damage and subsequent degradation, 2011-53A.19, 2011-53B.27

tendon damage causing toe drop, 2013-6.5

toes

- amputation required after infection, 2008-52.2
- crossover toe, acute pain, 2014-46.3, 2014-53.25
- dislocated, 2005-6.310, 2008-52.25, 2011-6.31, 2011-52.30
- drop, caused by tendon damage, 2013-6.5

feet—Cont'd

toes—Cont'd

- fracture, 2013-27.1, 2014-27.14, 2019-50.1

femur

- femoral ligament, partial tear, 2012-6.12, 2012-34.2, 2012-53.25, 2012-53B.9

fracture

- general, 2006-6.23, 2007-6.24, 2007-52.11, 2009-53A.17, 2012-45.3, 2018-45.4, 2018-45.6, 2019-45.1, 2019-45.3, 2020-44.1, 2021-45.1
- intra-articular fracture of condyle, 2011-46.13
- medical negligence during treatment, 2011-46.13, 2013-16B.4, 2013-45.2
- open, 2011-6.32
- open reduction and internal fixation surgery required, 2013-6.7
- repaired by insertion of metal rods, 2006-6.61
- severe repaired by insertion of screws and plates, 2010-45.2
- spiral, 2005-52.347, 2013-6.5, 2013-16B.3, 2013-46.3
- surgery required, 2010-16A.1, 2010-45.2, 2010-45.3, 2010-45.4, 2010-46.14, 2011-31.2, 2012-6.14, 2012-27.6, 2012-31.2, 2012-52.30, 2012-53A.9, 2012-53B.34, 2013-6.17, 2013-8.2, 2013-32.3, 2013-45.1, 2013-53B.20, 2015-26.2, 2015-31.1, 2019-6.6, 2019-6.18, 2021-31.7, 2022-8.4, 2022-45.2, 2022-53.38

fetal alcohol syndrome and susceptibility to abuse, 2011-52.53-2011-52.56, 2011-53.11-2011-53.122

fibromyalgia, 2005-55.388, 2006-53B.3, 2008-53B.10, 2009-52.49, 2009-53.47, 2009-53B.16, 2009-53B.51, 2010-53A.8, 2010-53B.14, 2011-6.8, 2011-26.20, 2011-26.62, 2011-49.3, 2011-52.5, 2011-53.8, 2012-6.10, 2012-26.24, 2012-26.34, 2012-52.23, 2012-52.29, 2012-53.22, 2012-53.23, 2012-53.24, 2012-53B.7, 2012-53B.8, 2013-26.73, 2013-52.30, 2013-53B.12, 2015-26.29, 2015-53B.6, 2020-6.4,

- 2021-26.127, 2021-53B.12, 2023-6.4, 2023-8.9
- fibromyalgia, pre-existing**, 2018-52.26, 2020-52.17, 2020-52.35, 2021-6.15, 2021-26.157, 2021-52.5, 2021-52.7, 2021-52.49, 2022-26.25, 2022-53.40
- fibula**
- fracture, 2007-52.6, 2007-52.37, 2008-52.19, 2011-6.30, 2011-26.2, 2011-46.11, 2011-52.1, 2011-53B.1, 2012-26.29, 2012-52.22, 2013-44.2, 2014-6.36, 2014-53B.17, 2022-8.27
 - general, 2007-52.30, 2010-49.3, 2010-52.43, 2010-53.28, 2010-53B.2
 - open, 2013-6.5, 2013-47.1, 2013-47.3
 - surgery required to repair, 2010-48.8, 2010-53.46, 2011-48.3, 2012-47.1, 2018-47.6, 2018-47.8, 2019-47.1, 2019-47.2, 2019-47.5, 2020-47.4
 - undisplaced, 2013-47.5, 2013-53A.4
- flashbacks**, 2007-6.11, 2007-53.12, 2007-53A.5, 2007-53A.11, 2008-53.14, 2009-53.29, 2009-53.31, 2009-53B.25, 2010-52.56, 2010-53.38, 2010-53.45, 2010-53.79, 2011-53.4, 2011-53.22, 2011-53.28, 2011-53.43, 2012-53.25, 2012-53B.7
- gastric bypass surgery, medical negligence**, 2005-6.307
- groin**
- scarring, dog bite, 2013-16B.6
- guidance, care and companionship loss of**
- boyfriend, 2010-54A.30
 - brother, 2018-54A.4, 2018-66.1, 2018-66.2, 2019-54A.7, 2019-54A.8, 2019-54A.9, 2019-54A.13, 2019-54A.18, 2020-54A.7
 - daughter, 2015-54A.7, 2019-54A.11, 2019-54A.15, 2020-54A.3, 2021-54A.1, 2022-54A.3
 - father, 2010-54A.31, 2011-54A.3, 2015-58.2, 2019-54A.4, 2019-54A.6, 2019-54A.14, 2020-54A.2, 2020-54A.8, 2020-55.3, 2021-54A.2, 2021-54A.6, 2021-58.1, 2021-58.2
 - grandparents, 2019-54A.17
 - husband, 2011-54A.1, 2011-54A.4, 2015-57.2, 2019-54A.2, 2019-54A.3, 2019-54A.6, 2020-54A.1, 2020-
- guidance, care and companionship loss of**
- Cont'd
 - 54A.5, 2021-57.1, 2022-54A.2
 - mother, 2016-54A.2, 2018-54A.3, 2019-54A.10, 2019-54A.12, 2019-54A.14, 2019-54A.18, 2020-54A.2, 2020-54A.9, 2020-55.3, 2021-54A.3, 2021-61.1
 - niece, 2022-54A.2
 - sister, 2019-54A.11, 2019-54A.13
 - son, 2016-54A.1, 2018-54A.5, 2018-54A.6, 2019-54A.7, 2019-54A.8, 2019-54A.9, 2020-54A.3, 2022-54A.1, 2022-54A.2
 - wife, 2011-54A.6, 2018-54A.5, 2018-54A.7, 2019-54A.1, 2019-54A.10, 2019-54A.12, 2019-54A.16, 2020-54A.4, 2020-54A.10, 2021-54A.3, 2022-54A.2
- hair**
- caught on fire in bonfire explosion, 2010-16B.12, 2010-17.3, 2010-53.89
 - colour treatment, negligence, 2010-16B.12, 2010-17.3, 2010-53.89, 2014-16A.2, 2014-17.1
 - dragged by, 2011-6.2
 - laser removal, negligence, 2011-16A.1, 2011-17.1, 2011-53A.4, 2013-16B.2, 2015-16A.2, 2015-17.2, 2021-16B.2, 2021-17.2
 - loss of, 2005-53.86
- hands**
- burns, 2007-53.36, 2010-53.71, 2011-52.30, 2011-53.4
 - burns, scarring, cold sensitivity, 2010-53.89, 2010-53.90
 - chronic regional pain, 2016-41.1, 2016-52.30
 - crush injury, significant, and repair, 2010-6.24, 2010-26.43, 2019-6.6
 - dexterity, partial loss of fine and gross motor, 2011-24.7
 - displacement of healing fracture, deformity, 2008-53.21
 - dog bite, puncture wound to palm, 2023-27.8
 - Dupuytren's disease and permanent scarring, 2020-16B.2, 2020-41.1
 - fingers
 - amputation, 2010-54A.2, 2020-42.4

hands—Cont'd**fingers—Cont'd**

amputation revision surgery required, **2012-42.6, 2015-42.5**
 crushed, requiring amputation
 crush injury, **2011-16B.2, 2011-42.1**
 dislocation, **2012-6.27**
 fracture, **2010-32.4, 2010-53A.14, 2012-26.63, 2015-41.1, 2015-42.3**
 injury, mobility limited, **2020-42.1, 2020-42.2**
 laceration, deep, **2011-16B.3, 2012-16B.3, 2015-42.1, 2015-52.35, 2018-42.2, 2020-42.3**
 metal rods inserted into, **2011-16A.3, 2011-16B.4, 2011-17.2**
 muscle strain, **2011-41.3, 2011-42.3**
 numbness, **2010-26.22, 2013-52.39, 2023-24.6, 2023-26.4, 2023-36.1**
 severed and reattached, **2010-42.1, 2010-52.1, 2011-42.6, 2011-52.62, 2015-42.4**
 significant laceration, **2011-53.3**
 tingling, **2011-26.76, 2012-26.47**
 unable to bend, **2013-42.2**
 fracture, **2010-14.2, 2010-26.38, 2014-41.1, 2015-6.24, 2021-16A.5, 2021-41.1, 2021-53.76**
 glass fragments in, **2012-28.1**
 injury, ongoing pain, **2014-6.18**
 injury requiring surgery, **2020-41.2**
 laceration, **2013-44.1**
 laceration down to tendon, **2013-6.2, 2013-16B.1**
 loss of use
 deep slash wounds from machete causing, **2005-53.83**
 surgical negligence resulting in, **2009-53A.11, 2009-53B.30**
 metacarpal, distal 5th, spiral fracture, **2006-53.11, 2022-25.4**
 metacarpal fracture, **2011-41.1, 2022-41.1**
 minor injury, short duration, **2010-56.11**
 numbness, **2009-52.40, 2009-52.58, 2009-53A.21, 2009-53B.21, 2010-6.31, 2010-9.3, 2010-26.33, 2010-26.58, 2010-53B.3, 2011-26.61, 2011-26.65, 2011-26.71, 2012-9.2, 2013-26.24, 2013-26.78, 2013-28A.9, 2013-52.33, 2014-24.1, 2021-24.12, 2021-26.94, 2021-26.100, 2021-26.116, 2021-28A.12, 2021-52.30,**

hands—Cont'd

2021-53.42, 2022-24.1

oedema and discolouration, **2006-55.6**
 pain and swelling, injury to web spaces between fingers and thumb, **2009-52.3**
 scarring, permanent, **2020-16B.5**
 severe gash, immobility, deformity, **2012-42.1**
 thumbs
 amputation, **2010-54A.2**
 Bennett fracture requiring surgery, **2011-42.5**
 crushed, amputation required, **2006-55.2**
 crush injury, **2010-42.6, 2011-42.1**
 dislocation, **2012-48.2**
 fracture, **2015-42.2**
 ongoing pain and limitation, **2010-42.2, 2013-26.25, 2018-42.1**
 partially severed
 puncture wound from dog bite, loss of thumbnail, **2018-16A.4**
 soft tissue injury, constant pain, **2022-26.32**
 soft tissue injury, ongoing pain, **2022-42.1**
 sprained, **2009-53B.7**
 tip amputated, **2011-16B.16, 2011-42.4**
 tingling, **2009-53B.4, 2010-26.18, 2010-28.2, 2010-53B.3, 2011-52.38, 2013-26.101, 2013-26.102, 2014-6.3, 2019-41.2, 2021-26.139**
 trapezium fracture, **2022-41.2**
 weakness, **2013-38.1, 2019-41.2, 2019-52.29**

head**closed injury**

general, **2008-53.31, 2008-53B.15, 2010-6.36, 2010-7.7, 2010-8.13, 2011-6.22, 2011-7.6, 2011-46.8, 2012-6.23, 2012-13.1, 2012-52.15, 2012-53.18, 2012-53B.4, 2014-6.8, 2014-8.11, 2014-16A.1, 2014-16A.3, 2014-28.1, 2014-28A.2, 2014-53A.5, 2014-53B.4, 2014-53B.9, 2014-55.1, 2018-7.3, 2019-8.4**
 severe, **2010-6.7, 2010-8.4, 2010-16A.2, 2010-49.2, 2010-52.13, 2010-53B.9, 2014-25.2**

INDEX

head—Cont'd

cranial-cerebral trauma, **2020-8.11**
cranial trauma with concussion, **2007-53.34, 2019-7.7**
crush injury, **2010-32.6**
damage, severe, **2006-6.37**
frontal bone, depressed comminuted fracture, **2006-6.3**
haematoma, forehead, **2013-52.9**
impact injury, **2014-41.2**
injury, severe brain damage after struck by baseball bat, **2009-52.33**
laceration, headaches, **2012-26.17, 2013-6.27, 2014-6.10, 2019-16A.2**
lacerations, hammer attack, **2021-16A.5, 2021-41.1**
lacerations requiring sutures, scarring, **2010-49.5, 2011-26.62, 2011-53B.31, 2023-16A.2**
minor trauma, **2014-36.3, 2014-52.1, 2014-52.2**
moderate injury from punch in face, **2022-8.17**
occipital area, chronic pain, **2016-7.1, 2016-26.15**
occipital bone, comminuted fracture, **2019-8.38**
occipital nerve neuritis, **2022-8.18, 2022-26.77**
occipital orbit fracture, **2022-8.3, 2022-53.33**
scarring on bald head, **2020-16A.4**
skull fracture, compound depressed, **2011-8.2**
skull laceration, **2011-53A.1**
soft spot with no cranial protection
subcutaneous haematoma, **2022-16A.1, 2022-31.3**
subdural haematoma, **2011-6.42, 2018-8.9, 2020-3.1, 2022-6.14, 2022-8.1, 2022-8.27, 2022-52.7, 2022-53.7, 2022-53A.7**

headaches

cervicogenic, **2009-6.38, 2009-52.51, 2009-53B.10, 2009-53B.20, 2010-49.6, 2010-53.57, 2011-6.8, 2011-7.4, 2011-26.20, 2011-53.8, 2011-53B.7, 2012-6.10, 2012-7.1, 2012-26.24, 2012-53.22, 2012-53B.7, 2013-26.43, 2019-8.26, 2019-8.33, 2021-6.11, 2021-8.3, 2021-26.70,**

headaches—Cont'd

2021-26.71, 2021-26.72, 2021-26.86, 2021-26.98, 2021-26.111, 2021-26.155, 2021-28.3, 2021-28A.9, 2021-32.4, 2021-52.20, 2021-53.38, 2021-53B.7, 2022-6.5, 2022-6.10, 2022-7.10, 2022-24.7, 2022-24.8, 2022-24.20, 2022-26.49, 2022-26.54, 2022-27.8, 2022-28.3, 2022-32.1, 2022-46.1, 2022-52.5, 2022-53A.4, 2023-6.3, 2023-7.4, 2023-24.5, 2023-26.15, 2023-26.20
chronic, **2022-7.6**
nausea, and, **2016-6.1, 2021-8.9, 2021-26.112, 2021-26.151, 2021-53B.9, 2022-28.1**
ongoing, intermittent, **2010-26.10, 2010-26.60, 2010-40.5, 2011-24.3, 2011-26.19, 2011-26.74, 2011-28A.7, 2012-10.2, 2012-24.6, 2012-24.10, 2012-26.2, 2012-26.4, 2012-26.5, 2012-26.31, 2012-27.4, 2012-48.3, 2013-26.28, 2013-26.70, 2013-26.71, 2013-26.85, 2013-26.90, 2013-26.91, 2013-26.96, 2013-26.110, 2013-52.41, 2014-6.20, 2014-26.34, 2014-26.43, 2014-26.51, 2014-28.3, 2015-26.13, 2019-8.37, 2020-8.23, 2020-8.26, 2021-26.87, 2021-26.89, 2021-26.96, 2021-26.107, 2021-26.123, 2021-26.134, 2021-26.136, 2021-26.154, 2021-27.8, 2021-52.35, 2021-53.33, 2021-53.71, 2022-6.1, 2022-7.5, 2022-8.5, 2022-26.11, 2022-28A.2, 2022-53B.4, 2023-6.5, 2023-8.2**
persistent and painful, **2010-6.3, 2010-6.10, 2010-7.1, 2010-7.2, 2010-7.3, 2010-24.1, 2010-24.2, 2010-26.1, 2010-26.12, 2010-28.3, 2010-28.7, 2010-28.8, 2010-46.5, 2011-6.47, 2011-7.5, 2011-7.7, 2011-8.18, 2011-26.23, 2011-26.32, 2011-26.34, 2011-26.50, 2011-26.70, 2012-8.7, 2012-26.30, 2012-53B.28, 2013-24.4, 2013-26.47, 2013-36.1, 2014-24.1, 2014-36.1, 2014-52.43, 2015-26.21, 2019-6.7, 2020-7.3, 2020-7.4, 2021-6.2, 2021-7.5, 2021-8.33, 2021-19.2, 2021-24.8, 2021-26.91, 2021-26.158, 2021-52.27, 2021-52.49, 2022-26.94, 2022-53B.2**
post-traumatic, **2021-7.4, 2021-26.75, 2021-26.84, 2021-26.101, 2021-**

headaches—Cont'd

26.137, 2021-52.31, 2021-53.23,
2021-53.26, 2021-53A.12, 2021-
53A.15, 2022-7.8, 2022-26.81, 2022-
26.87, 2023-7.5, 2023-7.7, 2023-
26.1, 2023-26.18

post-traumatic, chronic, 2022-53B.22

pre-existing, aggravated, 2012-26.70,
2013-26.21, 2015-52.28, 2015-52.45,
2019-52.28, 2019-52.40, 2019-52.42,
2019-52.45, 2019-52.46, 2019-52.49,
2020-8.27, 2020-52.5, 2020-52.7,
2020-52.9, 2020-52.18, 2020-52.37,
2020-52.42, 2020-52.43, 2020-52.50,
2020-52.54, 2021-7.3, 2021-26.85,
2021-26.126, 2021-26.157, 2021-
52.52, 2021-53A.39, 2022-6.8, 2022-
26.22, 2022-26.23, 2022-26.53,
2022-26.75, 2022-52.6, 2022-52.34,
2022-52.39, 2022-52.49, 2022-52.53,
2022-52.55, 2022-52.60, 2022-52.61,
2022-52.63, 2023-52.7, 2023-52.12

radiating into eye, 2012-26.28

severe, 2010-7.5, 2010-26.18, 2010-
26.63, 2010-26.64, 2010-52.48,
2010-53B.30, 2011-6.48, 2011-7.2,
2011-8.27, 2011-26.53, 2011-27.4,
2012-16A.3, 2013-6.34, 2013-7.1,
2013-26.117, 2014-8.11, 2014-
28A.10, 2016-8.10, 2019-7.6, 2020-
6.9, 2020-6.10, 2020-8.24, 2021-
6.10, 2021-6.14, 2022-7.1, 2022-7.4,
2022-7.7, 2022-7.9, 2022-24.6,
2022-26.6, 2022-26.69, 2022-52.7,
2022-53.7, 2022-53.39, 2022-53A.1,
2022-53A.7

severe, migraine-like, 2021-6.9, 2021-7.6,
2021-8.19, 2021-8.27, 2021-26.113,
2021-27.11, 2021-53A.25, 2021-
53A.27, 2021-53B.14, 2021-53B.15,
2023-28A.4

severe, neurostimulator implant providing
only partial relief, 2010-53B.32

short-lasting unilateral neuralgiform,
2019-7.5

**headaches, debilitating and causing
cognitive difficulties, 2011-53.112,
2022-26.89, 2023-24.1**

heart

arrhythmia, 2010-25.3, 2010-26.17

attack, failure to diagnose, 2006-55.11

bypass surgery, severe pain after, 2006-
53B.9

heart—Cont'd

congestive heart failure, pre-existing,
2019-52.31

failure, 2010-6.17, 2010-16B.4

puncture, medical negligence during
surgery, 2020-2.1

stopped for 18 minutes after skiing
accident, 2010-53.49

hemiparesis, 2015-6.22, 2015-8.10

**Hepatitis C infection arising out of
battery during wrestling match,
2015-53.15, 2015-55.5**

**hernia, umbilical, requiring surgery,
2013-6.21**

herpes, ongoing pain, 2013-34.2

**heterotropic bone formation in thigh,
2012-53A.5**

hip

bilateral pain, 2022-52.31

cartilage tear, 2008-52.49, 2010-52.65,
2010-53B.39

chronic pain, 2012-25.2, 2012-26.67,
2012-28A.1, 2013-45.9, 2014-25.1,
2014-26.30, 2018-31.5, 2018-
53B.13, 2020-31.1, 2021-26.73,
2021-26.151, 2021-31.2, 2021-53.21,
2022-26.42, 2022-31.1, 2022-31.4,
2022-31.6, 2022-52.30

chronic pain, injury after surgery, 2022-
28A.10, 2022-31.5

disfiguring scarring from surgery, 2013-
31.3

dog bite, minor puncture wounds, 2010-
56.10

extreme pain, 2010-27.6, 2014-26.87

flexor muscles severely strained, 2012-
6.23

fracture

dislocation, 2006-53B.18, 2015-31.3

general, 2005-53A.8, 2005-53B.4,
2006-53A.17, 2021-31.7

medical negligence during treatment,
2022-31.7

surgery to repair, 2008-53.9, 2010-40.4,
2011-30.3, 2011-45.1, 2011-52.14,
2011-53.22, 2012-31.1, 2014-31.4,
2015-31.2, 2018-31.4, 2019-31.2,
2019-31.4, 2019-31.5, 2020-31.5,
2023-31.2

hip—Cont'd

fracture—Cont'd
 undisplaced, **2014-6.14, 2014-48.1**
inflammation, **2016-31.1, 2022-31.6**
injury, **2013-52.61, 2014-52.48, 2020-31.4, 2020-31.6, 2022-16A.1, 2022-26.4, 2022-31.3**
injury likely requiring surgery, **2012-6.27, 2012-42.5, 2012-46.11, 2013-26.54, 2021-31.4**
injury pre-existing, requiring surgery, **2009-52.30, 2021-31.5**
injury requiring replacement surgery in future, **2022-52.4**
injury requiring surgery, **2014-6.1, 2014-6.4, 2017-52.14**
labral tear, **2021-31.3, 2022-31.6**
labral tear, previously asymptomatic aggravated, **2022-28A.3, 2022-31.2, 2022-52.4**
labral tear, surgical repair not possible, **2021-8.13, 2021-28A.4, 2021-31.6**
muscle contusion, **2022-31.9**
pain and stiffness, **2009-52.73**
pain radiating down leg, **52.5, 2011-25.13, 2012-8.1, 2012-40.1, 2015-26.11, 2015-52.5, 2022-6.2**
pre-existing asymptomatic condition rendered symptomatic, ongoing pain, **2023-31.1, 2023-52.1**
pre-existing congenital malformation, **2020-52.16**
pre-existing hip replacement aggravated, **2019-6.11**
pre-existing pain aggravated, **2010-26.36, 2011-26.5, 2013-26.103, 2015-26.18, 2016-52.6, 2016-52.28, 2016-52.39, 2021-27.11, 2021-53A.27, 2021-53B.15, 2021-56.2, 2022-52.64, 2023-6.1, 2023-8.6, 2023-30.1, 2023-52.9**
pre-existing symptomatic degenerative condition aggravated, **2021-26.150, 2021-52.46**
puncture injury, **2009-53.31**
sharp pain in back and hip, **2008-52.36**
soft tissue injury, **2022-31.8**
tendon rupture, surgery required, **2019-31.1**
trochanteric bursitis, chronic, **2011-31.6, 2011-53B.23, 2021-31.1**
vascular necrosis, **2022-30.2**

humerus, fracture, 2006-6.23, 2007-6.24, 2010-6.7, 2010-24.5, 2010-27.10, 2010-28.4, 2010-36.3, 2010-52.13, 2010-52.35, 2010-53B.9, 2011-31.6, 2011-53B.23, 2014-37.1, 2018-37.1, 2020-37.1, 2022-27.5, 2022-37.2

hypersomnia, 2011-53.77

hypothyroidism, post-traumatic, 2012-33.3

pre-existing, **2019-52.55**

hysterectomy

medical negligence during, laceration to rectum, **2014-53.42**
performed without consent, **2013-34.3**
required after negligence during caesarian section, **2012-34.1**

iliac crest, fracture, 2009-6.37

iliac vein, laceration, medical negligence, 2005-53.100

infection

arms, fracture requiring surgical repair, post-operative infection, **2011-53A.20, 2011-53B.34**
dog bite on cheek infected teeth, required removal of all teeth, **2010-53.62**
post-surgery, **2009-52.45, 2009-53B.3, 2011-52.61, 2012-6.13**
toes, amputation of, resulting from infection, **2008-52.2**
virulent life-threatening, **2007-53A.15**

insurance benefits, wrongful denial, 2021-53.30, 2021-53.58, 2021-53A.29

internal organs, lacerations, 2011-8.4, 2011-24.2, 2011-45.3, 2012-8.6

irritable bowel syndrome, pre-existing, aggravated, 2014-53B.20

jaw

alveolar fractures, **2005-6.337**
bilateral intracapsular displacement, **2010-6.4, 2010-53B.4, 2019-9.1**
bilateral pain, **2016-7.1**
chronic pain, **2012-26.15, 2013-6.33, 2014-6.32, 2014-8.8, 2014-53B.16, 2020-7.1, 2020-8.1**
degenerative condition, pre-existing, **2010-6.28, 2010-52.47**

jaw—Cont'd

dislocated, **2010-6.37, 2010-53.43**
 double fracture requiring open reduction surgery, **2011-9.4, 2021-9.4, 2022-9.1**
 dysfunction, **2008-52.45, 2021-9.3**
 fracture, **2008-6.43, 2008-53.30, 2008-53B.15, 2009-52.16, 2010-53.49, 2011-9.3, 2012-8.14, 2012-53A.10, 2013-28.4, 2018-9.1, 2019-7.1, 2020-9.5, 2021-9.1, 2021-9.3**
 fracture, surgery required, **2006-6.42, 2010-6.30, 2012-16A.1**
 fracture requiring jaw to be wired shut, **2012-29.1**
 injury, **2009-52.76, 2009-53B.46, 2020-9.2, 2020-9.3, 2020-52.30**
 multiple fractures requiring surgery, wired shut, **2018-9.2, 2019-8.13**
 numbness and pain, **2013-26.107, 2013-52.55**
 pain, **2008-52.35, 2008-52.45, 2009-52.20, 2010-26.8, 2010-52.8, 2011-46.3, 2012-25.3, 2012-46.3, 2012-52.60, 2013-26.70, 2013-52.31, 2013-52.45, 2014-6.21, 2014-8.13, 2015-20.2, 2020-9.4, 2020-55.4, 2021-9.2, 2021-26.86, 2021-26.134, 2021-28A.10, 2021-29.3, 2023.6.5**
 pain and audible clicking, **2019-9.4**
 permanent nerve damage
 TMJ, **2005-52.342, 2009-52.35, 2009-52.76, 2009-53B.46, 2010-52.26, 2011-9.5, 2011-26.49, 2011-26.71, 2011-32.4, 2011-52.45, 2011-53B.37, 2012-8.4, 2012-53B.2, 2013-6.7, 2015-9.1, 2016-6.3, 2016-8.3, 2018-9.1, 2019-6.1, 2019-9.3, 2020-9.1, 2023-7.6, 2023-9.1, 2023-26.23, 2023-26.25, 2023-27.17**
 TMJ, pre-existing, **2010-6.13, 2010-8.7, 2010-25.5, 2010-26.52, 2010-28A.11, 2010-52.50, 2010-53.26, 2022-26.19, 2022-52.31**

joint laxity, pre-existing, 2010-52.60, 2010-53B.34

kidneys, bruised, 2023-28A.4

knees

bruising, **2010-56.3, 2016-16B.2**
 cartilage, traumatic degeneration, **2019-46.11**

knees—Cont'd

cartilage injuries, post-traumatic, **2011-6.31, 2011-52.30**
 chronic pain requiring use of brace, **2010-27.7, 2012-9.6**
 cruciate ligament
 rupture, **2010-53B.29**
 tear, **2005-6.303, 2022-46.4**
 degenerative condition exacerbated by injury, **2005-52.325, 2011-52.11, 2013-6.29, 2013-6.33, 2014-6.1, 2016-46.2, 2016-52.4, 2016-52.5, 2020-52.56**
 dislocation, **2005-6.341, 2019-46.8**
 dislocation, pre-existing aggravated, **2019-52.34**
 dislocation and hyperextension, **2019-46.6**
 fracture, comminuted, to tibial plateau, **2010-6.5, 2010-8.2, 2010-16A.1, 2010-23.2, 2018-46.10, 2019-46.5, 2020-46.3**
 fracture, minor ongoing limitations, **2013-46.5**
 fracture, permanent disability, **2013-46.2**
 fracture, severe open, **2020-46.11**
 fracture, surgeries required, **2021-46.2, 2022-46.3**
 fracture, tibial plateau, surgery required, **2023-46.3, 2023-47.2**
 fracture, undisplaced, leading to chronic pain, **2012-53B.30**
 injury
 bilateral pain, **2010-6.18, 2012-53A.8, 2012-53B.27, 2014-6.35, 2014-26.16, 2014-26.47, 2014-52.9, 2014-56.4, 2015-52.2, 2016-46.1, 2021-16A.3**
 chronic pain, **2010-26.11, 2011-46.12, 2011-48.8, 2012-31.4, 2013-28A.4, 2013-48.1, 2014-49.2, 2015-46.4, 2019-46.12, 2020-46.1, 2021-8.18, 2021-26.110, 2022-6.1, 2022-26.6, 2022-46.1, 2022-46.5, 2022-46.8, 2022-53B.4, 2022-53B.23**
 continuing pain, **2005-52.341, 2006-52.12, 2007-52.42, 2009-52.25, 2009-52.54, 2010-16B.9, 2010-52.10, 2011-9.1, 2011-52.48, 2013-6.1, 2013-6.12, 2019-46.7, 2019-46.9, 2021-53A.11, 2022-46.2, 2022-46.6**

knees—Cont'd

injury—Cont'd

continuing pain and scarring, **2010-46.16, 2013-8.1**
 excessive swelling, and, **2010-46.16, 2010-52.52**
 minor, **2010-56.13, 2016-46.3**
 replacement surgery likely required, **2010-47.1, 2013-46.12, 2021-8.25, 2021-46.1**
 requiring surgery, **2005-53B.11, 2010-49.6, 2010-53.57, 2012-46.4, 2013-51.1, 2014-6.33, 2015-6.23, 2015-46.3, 2020-46.4, 2020-46.10, 2022-6.12**
 serious injury not improving, **2010-6.1, 2011-6.21, 2012-28A.14, 2013-46.8, 2014-**
 severe, **2008-53A.6**
 significant, permanent, **2023-46.5**
 soft tissue injuries, **2014-52.3, 2015-52.7, 2016-46.4, 2018-46.6, 2018-46.7, 2019-46.1, 2020-46.5, 2020-46.8, 2022-6.15**
 instability, difficulty walking, **2013-6.5**
 kneecap dislocation, **2010-52.53, 2011-52.27**
 lacerations, **2010-37.1, 2010-44.2**
 ligament
 ACL injury, **2006-6.5, 2006-52.1**
 ACL tear, **2015-46.1, 2015-46.2**
 ACL tear, reconstructive surgery required, **2015-53A.1, 2020-46.13**
 injury to both knees, **2008-52.24**
 ligament damage, general, **2018-46.4, 2018-46.5**
 medial collateral ligament, sprain/strain, **2023-46.1**
 medial meniscus ligament torn, **2010-46.4**
 multi-ligamentous injury, **2013-6.5, 2013-16B.3, 2013-47.1**
 posterior cruciate ligament injury, instability, scarring, **2012-45.5**
 torn, **2011-26.10, 2020-46.2, 2020-46.9, 2020-46.12**
 torn, fracture, **2011-27.10**
 torn, surgery required, **2009-52.80**
 MCL injuries, **2006-6.5, 2006-52.1**
 meniscus, injury, **2019-46.10**
 meniscus, torn, **2006-6.5, 2011-16B.7, 2012-28A.13, 2012-46.1, 2012-52.8,**

knees—Cont'd

2013-46.11, 2014-46.1, 2018-46.8, 2020-46.6, 2021-46.3, 2022-28A.22, 2022-46.8, 2023-6.6, 2023-46.1, 2023-46.4
 osteoarthritis, pre-existing, **2013-52.6, 2019-52.45, 2021-24.3, 2021-52.33**
 patella
 chondromalacia, **2022-46.4**
 chondromalacia, severe, **2021-46.3**
 fracture, **2010-46.7, 2012-52.30, 2013-46.6, 2018-46.11, 2019-46.2, 2019-46.4**
 fracture, comminuted, **2005-6.303, 2011-6.32**
 fracture, open reduction and fixation surgery required, **2022-46.7**
 fracture, undisplaced, **2005-6.345, 2005-53B.9**
 patellofemoral osteoarthritis, pre-existing, aggravated, **2023-52.6**
 patellofemoral syndrome, **2015-6.15, 2020-46.7, 2022-26.87**
 tendon injury, **2005-6.341**
 post-traumatic contusion with degeneration, misdiagnosed as torn meniscus, **2010-46.10**
 pre-existing condition exacerbated, **2007-52.2, 2008-52.5, 2010-26.50, 2010-52.10, 2010-52.37, 2010-53B.28, 2011-52.35, 2012-26.35, 2012-28.5, 2013-27.10, 2014-6.34, 2014-27.16, 2014-31.1, 2014-53.64, 2015-52.19, 2015-52.31, 2016-52.35, 2016-52.38, 2017-52.1, 2017-52.13, 2019-52.6, 2019-52.14, 2019-52.20, 2019-52.45, 2019-52.56, 2021-26.108, 2021-29.2, 2021-52.19, 2021-52.32, 2021-52.33, 2022-26.74, 2022-45.1, 2022-52.32, 2022-52.43, 2022-52.63, 2022-52.68**
 puncture injury, **2009-53.31, 2009-53B.25**
 replacement surgery, exacerbated, **2007-52.42**
 replacement surgery required, **2010-52.44**
 scarring, **2016-16B.2**
 septic arthritis, medical negligence, **2011-46.2**
 sprain, ongoing pain, **2022-46.9**
 tendon tear, **2010-53.32**

**labrum, torn, 2012-6.12, 2012-34.2,
2013-6.10, 2013-40.2, 2013-53.27,
2019-6.16, 2019-31.4, 2020-31.2,
2022-26.42, 2022-31.6**

**learning disabilities, pre-existing,
magnified by loss of physical abilities,
2021-28A.13, 2021-46.4, 2021-53A.36**

legs, general

abrasions, **2020-16B.1**

amputation arising from negligent
misdiagnosis of meningitis, **2011-
16B.15**

amputation of both legs, medical
negligence, **2011-54.1**

amputation required after negligence,
subsequent infection, ongoing pain,
2021-43.1

amputation required after negligence in
thrombo-embolism, **2019-43.1**

burns, severe, **2009-53A.14**

calf

bruising, **2011-46.5**

dog attack, deep lacerations and perma-
nent scarring, **2015-16B.5, 2015-
47.2**

dog bite causing scars, **2005-53.84**

dog bite removing chunk of flesh, skin
graft required, scarring, **2011-
16B.10, 2011-53.40, 2011-53.41**

collapse, ongoing problems with, **2010-
6.32, 2010-26.59**

contusions, **2011-56.6**

deformed, medical negligence at birth,
2013-5.1

dog attack, multiple lacerations, stitches
and scarring, **2015-16B.3, 2020-
16B.4, 2022-16B.4**

dog attack, skin and flesh ripped, **2011-
16B.17**

dystonia, weakness and spasticity, **2015-
6.22**

episodic immobility, **2012-34.5**

existing problems aggravated, **2013-24.2**

explosion sending metal fragments into
legs, death occurring 90 minutes
later, **2021-44.2, 2021-53.67, 2021-
53.77, 2021-53.78**

fracture, **2013-52.58, 2015-47.3, 2015-
47.4, 2015-47.5**

compound, **47.1, 2016-47.2, 2016-47.3**

legs, general—Cont'd

fracture, surgery required, **2012-44.3,
2013-45.8, 2015-16B.7, 2016-16B.1,
2016-45.1, 2019-6.17, 2020-6.7,
2020-47.1**

fractures to both legs of quadriplegic,
2009-52.46

groin, pain radiating down leg into, **2014-
6.38**

heterotopic bone formation, **2012-6.6,
2012-53A.5, 2012-53B.5**

injury, **2014-52.29, 2014-52.44**

lacerations, sensory changes, complex
regional pain syndrome, **2019-47.4**

lymphedema, **2008-6.21**

nerve damage, pain, **2018-45.5**

numbness, **2012-26.25, 2014-26.64**

numbness and parathesia, **2008-6.42**

ongoing, residual pain, **2011-26.16**

osteoarthritis aggravated, pain radiating
down leg to foot, **2023-47.1**

paraparesis, **2022-2.1**

permanent disfigurement from scarring
and skin grafts, **2013-6.5**

permanent loss of function, **2006-6.50**

permanent nerve damage, scarring, **2009-
53B.8**

pre-existing disfigurement, **2016-52.25**

puncture wounds and scarring from dog
bite, **2011-53.20**

reduced range of motion due to pain,
2010-28A.10

referred pain in both legs, feet, **2012-
52.38, 2012-53B.18**

severe crush injury, **2009-52.45**

shattered, surgery required, **2011-44.1**

shin, post-traumatic periostitis, **2010-
53A.9**

spontaneous re-fracture 4 yrs after
accident, **2010-47.7**

surgery to insert plates and screws, **2010-
52.43, 2010-52.44**

surgery to repair fractured pelvis shorten-
ing one leg, **2011-30.1**

swelling and pain, **2005-52.324**

thigh

damage to femoral nerve during knee
surgery, permanent partial paraly-
sis, **2019-45.2**

lacerations, stitches, **2015-16B.2**

numbness, **2013-26.72**

INDEX

legs, general—Cont'd

thigh—Cont'd

- numbness aggravated, **2013-6.32**
- thigh, dog bite causing scars, **2005-53.84**
- thrombophlebitis, **2013-47.4**
- tibial tendon severed, surgery required, **2011-16B.5**
- tingling, **2010-26.44**
- tingling, numbness, pain, **2011-25.8, 2011-28A.13, 2014-25.4**
- tingling, pre-existing, **2022-52.45**
- tingling and pain, **2010-52.41, 2022-28A.11**
- tingling and weakness, alleged medical negligence, **2011-28.5, 2011-44.4**
- twitching condition, pre-existing, aggravated, **2019-52.11**
- weakness, ongoing, **2007-52.24**

leukemia, medical negligence in prescribing drugs, 2011-55.2

life expectancy reduction, 2010-1.1, 2010-3.1, 2010-30.3, 2010-53B.25, 2012-1.1, 2013-3.2, 2014-3.1

lip

- burned during dental cleaning, scarred, **2022-14.1, 2022-17.1**
- laceration, **2010-14.1, 2010-16A.4, 2012-10.1, 2012-28A.24, 2021-16A.2, 2021-53.29, 2021-53A.13**
- paresthesia after jaw broken, **2022-9.1**
- parts of upper and lower lips bitten off in fight, **2019-14.2**
- puncture, **2010-6.46, 2010-40.7**
- puncture below, loss of control of lower lip, **2010-8.1, 2010-10.1, 2010-53.1**

liver

- damage to, transplant, **2005-52.349, 2010-8.1, 2010-10.1, 2010-53.1**
- laceration, **2008-53.2, 2008-53B.4, 2010-6.26, 2010-25.6, 2011-8.6**
- negligence in prescribing medication, compromising liver, transplant required, **2014-33.3, 2014-52.15**
- perforation, **2009-53A.15**

lower back

- annular tear, **2020-28A.15**
- annular tear causing nerve irritation, **2018-28A.6**

lower back—Cont'd

- chronic discogenic pain, **2010-52.14, 2010-53B.10**
- chronic pain, **2010-8.6, 2010-26.72, 2010-28A.18, 2010-44.1, 2010-53A.20, 2010-53B.7, 2010-53B.18, 2010-53B.31, 2011-6.41, 2011-8.22, 2011-24.8, 2011-26.21, 2011-26.38, 2011-26.77, 2011-52.42, 2012-16A.6, 2012-26.21, 2012-28A.18, 2012-34.5, 2012-40.3, 2012-46.7, 2013-6.12, 2013-26.50, 2013-26.51, 2013-26.52, 2013-26.57, 2013-26.76, 2013-26.91, 2013-26.100, 2013-28A.3, 2013-28A.4, 2013-28A.10, 2013-46.9, 2013-53.70, 2013-53B.11, 2014-23.4, 2014-25.3, 2014-26.25, 2014-28A.2, 2014-31.5, 2014-53.16, 2014-53.26, 2014-53A.13, 2014-53B.12, 2015-28A.7, 2015-28A.8, 2015-52.49, 2016-28A.1, 2018-53B.6, 2018-53B.7, 2018-53B.11, 2019-6.20, 2019-25.1, 2019-28A.4, 2019-28A.6, 2019-53B.6, 2020-28A.1, 2020-28A.7, 2020-28A.16, 2021-25.9, 2021-26.82, 2021-26.99, 2021-26.156, 2021-28A.2, 2021-28A.3, 2021-53.72, 2021-53A.38, 2021-53A.40, 2021-53B.21, 2022-8.10, 2022-24.9, 2022-24.10, 2022-25.6, 2022-26.10, 2022-28.4, 2022-28A.1, 2022-28A.2, 2022-28A.3, 2022-28A.6, 2022-28A.9, 2022-28A.11, 2022-28A.12, 2022-28A.13, 2022-28A.15, 2022-28A.18, 2022-28A.20, 2022-28A.21, 2022-28A.26, 2022-30.1, 2022-53A.3, 2022-53A.5, 2022-53B.2, 2023-24.7, 2023-27.8, 2023-28A.2, 2023-28A.4, 2023-28A.6, 2023-28A.8, 2023-28A.9, 2023-28A.10, 2023-28A.11, 2023-53B.2**
- chronic pain, pre-existing, **2017-52.16, 2019-52.24, 2022-52.39**
- degenerative changes pre-existing, aggravated, **2012-53B.29, 2013-28A.9, 2016-52.11, 2017-29.3, 2017-52.3, 2018-52.28, 2019-6.11, 2019-52.50, 2019-52.61, 2020-28A.10, 2020-52.2, 2020-52.4, 2020-52.11, 2022-28A.10, 2022-31.5, 2022-52.55, 2022-52.65**
- herniated disc, **2010-53.8, 2012-25.1, 2012-25.2, 2012-45.5, 2012-53A.9,**

lower back—Cont'd

2012-53B.34, 2018-24.2, 2019-28A.2, 2020-28A.17, 2020-28A.18, 2021-24.9

injury, 2006-52.18, 2007-52.17, 2008-52.13, 2008-52.29, 2008-52.31, 2008-52.40, 2008-52.42, 2011-52.17, 2020-28A.12, 2021-28A.1

injury, pre-existing, 2009-52.32, 2009-52.42

injury likely permanent, 2012-26.78, 2020-28A.11, 2020-28A.14

myofascial pain, 2021-24.9, 2021-28A.8, 2021-53B.16, 2022-28.5, 2022-28A.22, 2022-53B.23

numbness radiating into leg, 2014-26.33

pain radiating into buttocks, 2012-26.20, 2013-52.35, 2014-52.24, 2014-53.26, 2022-26.24, 2022-26.33, 2023-28A.3

pain radiating into foot, 2011-28.4

pain radiating into hip, 2010-52.22, 2022-28A.17

pain radiating into leg, 2010-26.22, 2010-26.62, 2010-52.18, 2011-26.39, 2011-52.15, 2012-25.9, 2012-26.26, 2012-26.37, 2012-53B.29, 2013-52.59, 2014-53B.12, 2015-26.30, 2015-28A.5, 2015-52.38, 2015-53A.2, 2015-53B.7, 2019-28A.2, 2020-28A.4, 2021-28A.11, 2021-28A.15, 2021-52.47, 2021-53A.22, 2022-28A.4, 2022-28A.13, 2022-53B.6, 2023-28A.5, 2023-28A.7

pain radiating into legs, feet, buttocks, 2011-52.29, 2011-52.41, 2012-52.16

pre-existing injury aggravated, 2012-26.6, 2012-26.7, 2012-26.68, 2012-27.5, 2013-28A.2, 2013-28A.11, 2013-28A.12, 2013-31.2, 2013-38.3, 2013-52.23, 2013-52.31, 2014-26.11, 2014-26.28, 2014-26.67, 2014-26.82, 2014-52.17, 2014-53B.15, 2015-26.93, 2015-26.95, 2015-28A.3, 2015-52.19, 2015-52.25, 2015-52.36, 2015-52.49, 2015-52.50, 2016-28A.2, 2016-52.7, 2017-52.11, 2018-28A.2, 2018-28A.3, 2018-28A.4, 2019-28A.5, 2019-28A.7, 2019-52.36, 2020-52.12, 2020-52.17, 2020-52.19, 2020-52.41, 2020-52.54, 2021-26.81, 2021-26.107, 2021-26.109, 2021-26.146, 2021-28A.6, 2021-52.8, 2021-52.12, 2021-52.16,

lower back—Cont'd

2021-52.18, 2021-52.24, 2021-52.30, 2021-53.38, 2021-53B.7, 2021-55.2, 2021-56.2, 2022-6.5, 2022-24.11, 2022-27.2, 2022-28A.14, 2022-52.1, 2022-52.3, 2022-52.42, 2022-52.43, 2022-52.44, 2022-52.50, 2022-52.67

reduction in range of motion, 2010-53A.20, 2013-26.32

soft tissue injury, 2010-26.4, 2010-26.21, 2010-52.3, 2010-52.33, 2011-24.6, 2011-26.3, 2011-26.22, 2011-40.3, 2011-52.22, 2011-52.36, 2012-26.18, 2012-26.29, 2012-26.64, 2012-26.81, 2012-26.86, 2012-40.8, 2012-52.53, 2013-26.23, 2013-26.46, 2013-45.7, 2014-26.12, 2014-26.14, 2014-26.41, 2014-26.48, 2014-26.66, 2014-28A.1, 2014-28A.9, 2014-52.5, 2014-52.10, 2014-52.21, 2014-53.4, 2019-6.14, 2020-28A.6, 2020-28A.9, 2020-28A.13, 2020-28A.18, 2021-24.4, 2021-25.6, 2021-26.80, 2021-26.133, 2021-26.142, 2021-27.6, 2021-53.39, 2022-28A.7, 2022-28A.12, 2022-28A.15, 2022-28A.17, 2022-28A.19, 2022-28A.24, 2022-28A.25, 2022-28A.27, 2022-28A.28, 2023-28A.1, 2023-28A.7

stiffness and pain, 2010-53B.12, 2014-53.27

surgeries with severe complications, 2022-8.19, 2022-25.6

surgery to alleviate pain causing injury to rectum, 2010-6.36, 2010-28A.19, 2011-6.22

lumbar spine

asymptomatic condition rendered symptomatic, 2010-53B.12, 2013-26.107, 2013-40.2, 2013-48.6, 2013-49.1, 2013-53B.18, 2016-28A.3, 2016-52.9, 2018-52.15, 2019-52.62, 2020-52.15, 2021-28A.14, 2021-52.48

bruising and pain, 2009-52.17, 2011-6.16

burst fracture

- general, 2005-6.308
- severe, 2010-52.7, 2019-25.4

burst fracture requiring spinal fusion surgery, 2014-8.3, 2014-23.1, 2015-25.3

cauda equine syndrome, arising from complications of back surgery, 2013-

lumbar spine—Cont'd

- 28A.1, 2014-28A.4**
- cervical, thoracic and lumbar injuries, compression fracture, condition pre-existing, **2005-52.339, 2005-55.386, 2009-52.10, 2010-53.29, 2010-53A.10**
- degenerative condition aggravated or made symptomatic, **2015-25.8, 2015-26.78, 2015-52.30, 2015-52.38, 2015-52.43, 2019-52.54, 2020-28A.3, 2020-28A.5, 2022-28.5, 2022-28A.23, 2022-52.41**
- degenerative disc disease, pre-existing, **2013-25.7, 2013-26.75, 2014-28A.8, 2015-27.3, 2015-52.22, 2015-52.37**
- disc bulge, **2010-53B.11, 2012-28A.6, 2012-53B.24, 2013-26.66, 2013-26.81, 2013-26.97, 2013-28A.7, 2014-25.5, 2015-28A.6, 2016-25.1, 2018-28A.6, 2019-28A.1, 2020-6.8, 2020-25.2, 2020-28A.2, 2021-25.2**
- disc extrusion, **2021-25.8, 2021-53A.20**
- disc fracture, **2010-55.4, 2020-25.4, 2021-28A.5**
- disc fracture, degeneration, **2010-26.17, 2010-53B.11**
- disc herniation, **2013-6.29, 2013-26.44, 2013-53A.10, 2015-25.2, 2015-25.8, 2019-25.3, 2019-28A.1, 2020-6.16, 2020-25.5, 2020-25.9, 2021-28A.15**
- disc herniation, pre-existing, aggravated, **2013-26.19, 2013-52.4, 2016-52.31, 2020-52.6, 2020-52.31, 2020-52.52**
- disc herniation, surgery required, **2013-53B.21, 2019-25.9, 2020-25.1, 2020-25.3**
- disc prolapse and central canal stenosis, **2021-25.4**
- disc protrusion aggravated, **2021-8.13, 2021-28A.4, 2021-31.6**
- disc tear, **2014-52.32, 2014-53A.13, 2016-52.9, 2020-25.2**
- facet-generated pain, ongoing, **2022-28A.16**
- facet sprain
 - chronic, **2009-53B.10**
 - general, **2010-6.44, 2010-53.57**
- fracture of transverse process, **2022-6.7, 2022-8.11, 2022-25.5**
- fracture of vertebra, **2012-25.8, 2018-25.3, 2018-25.4, 2018-25.6, 2018-**

lumbar spine—Cont'd

- 25.7, 2019-25.5, 2019-25.8, 2020-6.14, 2020-25.8, 2020-25.10, 2020-28A.8, 2021-25.1**
 - L-1 fracture, surgery and bone graft required to repair, **2013-52.10**
 - nerve root compression, **2020-6.8, 2021-53A.38**
 - severe burst fracture of 2 vertebrae, **2010-29.1, 2010-30.1**
 - spinal stenosis, **2010-52.26, 2010-53.26**
 - sprain, **2006-53.12, 2010-5.4, 2010-26.48, 2013-26.84, 2013-28A.8, 2013-34.5, 2022-26.39**
 - strain, **2015-28A.4, 2021-7.2**
- lungs**
- adult respiratory distress syndrome, medical negligence, **2014-16B.2**
 - collapsed, **2005-6.303, 2005-53.80, 2009-53B.12, 2011-44.2, 2011-46.13, 2012-6.6, 2012-6.14, 2012-31.2, 2012-46.6, 2012-53A.5, 2012-53B.5, 2013-6.2, 2013-6.5, 2013-16A.2, 2013-16B.1, 2013-45.6, 2013-46.3, 2013-53A.3, 2018-32.1, 2020-32.2, 2022-25.1, 2022-27.4**
 - contusion, **2006-6.50, 2010-6.16, 2010-25.6, 2010-30.2, 2010-47.5, 2010-53.28, 2011-6.12, 2014-6.12, 2014-30.2, 2015-33.1**
 - COPD, pre-existing, aggravated, **2021-52.9**
 - embolism, **2007-53A.3, 2011-49.1, 2012-6.13**
 - injury requiring surgery, ongoing pain, scars restricting movement, **2013-26.118**
 - laceration, **2022-6.13, 2022-25.8**
 - left lung removed, chemotherapy after cancer misdiagnosis, **2012-16B.4, 2012-32.5**
 - perforations, **2008-53.2, 2008-53B.4**
 - pneumothorax, **2006-6.1, 2023-29.2, 2023-32.1**
 - pulmonary distress, **2010-16A.10, 2010-16B.13, 2010-17.5**
 - punctured, **2005-6.327, 2010-8.10, 2011-6.11, 2011-8.6**
 - smoke inhalation, **2009-53B.25**
- lymphedema, 2008-6.21, 2012-28A.13**
- malicious prosecution, psychological harm arising from, 2006-53.28,**

2007-53.2, 2007-53.29, 2007-53.37, 2009-53.22, 2010-53.52, 2010-53.64, 2010-56.16, 2011-53.25, 2011-53.32, 2011-53.57, 2011-53.104, 2011-53.116, 2011-53A.10, 2011-55.1, 2013-53.30, 2021-53.57	medical negligence, 2005-52.326, 2005-53.100, 2006-52.17, 2006-53.24, 2006-53A.10, 2006-53A.18, 2006-53B.6, 2006-53B.9, 2006-55.10, 2006-55.11, 2007-52.9, 2007-52.24, 2007-52.33, 2007-53.28, 2007-53A.15, 2007-53B.15, 2007-55.6, 2008-52.47, 2008-53.6, 2008-53A.15, 2008-53A.18, 2009-52.13, 2009-52.26, 2009-52.38, 2009-53.23, 2009-53A.11, 2009-53B.30, 2010-52.15, 2010-52.55, 2010-52.64, 2010-53.23, 2010-53.58, 2010-53.60, 2010-53.61, 2010-53.74, 2010-53.75, 2010-53.80, 2010-53.91, 2010-55.5, 2011-5.1, 2011-52.25, 2011-53.12, 2011-53.67, 2011-53.108, 2011-53.110, 2011-53A.2, 2011-53B.23, 2013-53.23, 2013-55.1, 2020-14.1, 2020-33.1, 2020-34.2, 2020-53.42, 2020-53.43, 2020-54A.9, 2020-60.1—Cont'd
manual dexterity, loss of, 2009-52.33	general, 2010-3.1
medical negligence, 2005-52.326, 2005-53.100, 2006-52.17, 2006-53.24, 2006-53A.10, 2006-53A.18, 2006-53B.6, 2006-53B.9, 2006-55.10, 2006-55.11, 2007-52.9, 2007-52.24, 2007-52.33, 2007-53.28, 2007-53A.15, 2007-53B.15, 2007-55.6, 2008-52.47, 2008-53.6, 2008-53A.15, 2008-53A.18, 2009-52.13, 2009-52.26, 2009-52.38, 2009-53.23, 2009-53A.11, 2009-53B.30, 2010-52.15, 2010-52.55, 2010-52.64, 2010-53.23, 2010-53.58, 2010-53.60, 2010-53.61, 2010-53.74, 2010-53.75, 2010-53.80, 2010-53.91, 2010-55.5, 2011-5.1, 2011-52.25, 2011-53.12, 2011-53.67, 2011-53.108, 2011-53.110, 2011-53A.2, 2011-53B.23, 2013-53.23, 2013-55.1, 2020-14.1, 2020-33.1, 2020-34.2, 2020-53.42, 2020-53.43, 2020-54A.9, 2020-60.1	hip fracture, 2022-31.7
amputation of leg required, 2021-43.1	hydrocephaly, delayed diagnosis, 2021- 8.8, 2023-8.1
antibiotic treatment delayed, serious infection after birth, 2015-53.32	neurological compromise to baby during birth, 2012-5.2, 2013-3.2, 2013-5.1, 2013-53.32, 2014-3.1, 2019-3.1, 2019-6.10
aortic dissection not diagnosed, death occurring later at home, 2021-32.5	non-consensual procedure resulting need to remove stomach, 2021-33.2, 2021-54A.3
brain abscesses, delay in diagnosing, 2020-8.2	oxygen deprivation during birth, 2019-3.4
cataracts surgery leading to permanent vision impairment, 2020-12.1	root canal surgery, 2015-10.3
cosmetic surgery, eyelids, 2018-16A.3, 2020-16A.8	severe obstructive hydrocephalus, failure to diagnose, 2020-55.1
dental treatment, during, 2022-10.1	tuberculosis, failure to diagnose, 2020- 8.3, 2020-55.2
dentist changing treatment without consent, removing all remaining teeth, but not bone fragments, 2020- 9.1	melanoma, malignant, delay in treatment, 2005-53A.6
dentist extracting wrong tooth, failing to deal with abscess, 2022-10.3	memory problems, 2007-53.17, 2008-52.17, 2008-53.31, 2008-53B.26, 2009-52.16, 2009-52.28, 2009-52.33, 2009-53.14, 2009-53.15, 2009-53B.6, 2009-53B.18, 2009-53B.42, 2010-8.4, 2010-53.34, 2010-53B.26, 2011-3.2, 2011-6.18, 2011-8.8, 2011-8.17, 2011-23.1, 2011-52.39, 2012-8.2, 2012-8.7, 2012-19.1, 2013-6.23, 2013-27.12, 2014-26.44, 2014-26.57, 2014-53A.12, 2015-8.4, 2015-8.5,
during and after premature birth, 2019-3.5	
forceps damaging baby's face, 2014-34.2, 2014-36.2, 2014-53.37, 2014-53.39	
forceps permanently damaging baby's shoulder, 2014-16A.6	

INDEX

- 2015-8.9, 2015-26.3, 2015-26.16,
2015-26.22, 2015-52.26, 2015-53.13,
2016-8.1, 2016-8.5, 2017-8.6,
2018-8.7, 2018-8.10, 2018-8.13,
2021-6.1, 2021-8.6, 2021-26.87,
2021-26.101, 2022-8.1, 2022-8.17,
2022-8.24, 2022-24.19
- memory problems, pre-existing**
aggravated, 2014-53.39
- meningitis**
negligent misdiagnosis and treatment,
2011-16B.15, 2011-43.1
- meniscus, torn, 2012-52.8**
- mental distress, 2010-53A.2, 2010-53A.21,**
2010-56.1, 2010-56.4, 2010-56.5,
2011-52.40, 2012-69.5, 2013-53.26,
2013-53.35, 2013-53.41, 2013-53.43,
2013-53.45, 2013-53.46, 2013-53.47,
2013-53.53, 2013-53.56, 2013-53.66,
2013-53.73, 2013-53A.6, 2013-56.7,
2014-52.6, 2014-53.6, 2014-53.7,
2014-53.8, 2014-53.9, 2014-53.12,
2014-53.15, 2014-53.22, 2014-53.23,
2014-53.50, 2014-53.51, 2014-53.59,
2014-53.62, 2015-52.13, 2015-53.1,
2015-53.14, 2015-53.18, 2020-52.24,
2021-53.50, 2021-53.51, 2021-53.52,
2021-53.53, 2021-53.54, 2021-53.60,
2021-53.61, 2021-53.62, 2021-53A.21,
2022-53.37, 2022-53.62, 2022-55.1,
2023-56.2, 2023-56.3
- metatarsus fracture, 2006-6.13,**
2010-53.28, 2011-53.5, 2011-53A.8
- migraines**
chronic, 2022-8.2, 2022-26.59
general, 2010-6.19, 2010-7.4, 2010-24.4,
2010-46.13, 2010-52.11, 2010-52.30,
2010-52.58, 2012-9.7, 2012-26.27,
2012-26.36, 2012-52.31, 2012-53.22,
2013-6.20, 2013-26.92, 2013-53.39,
2013-56.3, 2015-12.1, 2015-26.79,
2019-6.8, 2019-7.5, 2019-8.35,
2020-8.6, 2021-7.1, 2021-8.7, 2022-
6.9, 2022-26.44, 2022-26.64
post-concussion, 2010-8.14, 2022-8.15
post-traumatic, 2022-7.2, 2022-7.3, 2022-
19.1, 2022-26.7, 2022-26.8, 2022-
53.2, 2022-53B.5, 2023-7.2, 2023-
- migraines—Cont'd**
7.3, 2023-8.8, 2023-26.11, 2023-
26.12
pre-existing, 2008-52.38, 2008-52.51,
2008-52.55, 2008-53.32, 2009-52.73,
2012-52.19
pre-existing, aggravated, 2010-55.1,
2012-26.66, 2012-53B.15, 2014-
28A.1, 2014-52.13, 2019-52.36,
2019-52.54, 2020-52.55, 2022-52.54
severe migraine exacerbated, 2010-6.6
- mobility drastically reduced, 2010-53.37,**
2010-53A.17
- mood**
changes, 2009-52-67
disorder, 2008-52.54, 2011-6.28, 2011-
38.3, 2011-53A.17, 2012-53B.30,
2013-26.101, 2014-53A.1, 2021-
52.15, 2022-26.89
disorder, pre-existing, 2019-52.57, 2023-
52.11
disturbance, 2011-6.14, 2011-6.35, 2011-
8.2, 2011-8.9, 2011-23.2, 2011-
53B.3, 2011-53B.10, 2011-53B.20,
2013-26.53, 2013-26.54, 2013-
26.115, 2013-45.9, 2013-53.27,
2013-69.5, 2014-8.12, 2014-26.23,
2014-26.27, 2014-26.57, 2014-69.4,
2018-8.11, 2021-26.74, 2021-26.81,
2021-26.83, 2021-26.84, 2021-26.89,
2021-26.91, 2021-26.97, 2021-26.99,
2021-26.104, 2021-26.112, 2021-
26.120, 2021-26.123, 2021-26.127,
2021-26.140, 2021-26.150, 2021-
26.153, 2021-26.154, 2021-27.8,
2021-27.15, 2021-28A.3, 2021-
28A.8, 2021-28A.11, 2021-28A.14,
2021-28A.15, 2021-52.24, 2021-
52.27, 2021-52.28, 2021-52.29,
2021-52.35, 2021-52.46, 2021-52.48,
2021-52.51, 2021-53.22, 2021-53.26,
2021-53.35, 2021-53.45, 2021-53.59,
2021-53.66, 2021-53.75, 2021-
53A.25, 2021-53A.30, 2021-53A.33,
2021-53A.38, 2021-53B.5, 2021-
53B.9, 2021-53B.12, 2021-53B.14,
2021-53B.16, 2022-26.10, 2022-
26.14, 2022-52.9, 2022-53.12, 2022-
53B.8
dysphoric symptoms, 2020-6.5

motion sickness, chronic, 2010-23.1

multiple organ failure

appendix rupture during surgery, **2006-55.10**

laparoscopic surgery negligence, **2010-6.17, 2010-16B.4, 2010-33.2**

multiple sclerosis, 2006-55.3, 2008-56.6, 2009-52.41, 2018-52.31

myofascial pain

chronic, **2022-53B.30, 2023-53.28, 2023-53B.3, 2023-53B.7**

disorder, **2012-31.3, 2012-53B.14**

general, **2005-52.344, 2006-52.6, 2006-53.13, 2006-53B.5, 2006-53B.7, 2006-53B.19, 2008-6.22, 2008-53A.2, 2009-52.51, 2009-53B.2, 2009-53B.20, 2010-26.48, 2021-8.19, 2022-26.27, 2022-26.91**

pre-existing, **2011-26.75, 2011-52.51, 2020-52.53, 2020-52.60, 2022-52.52**

severe, chronic, **2008-53.11, 2008-53B.13, 2018-53B.9, 2021-7.6, 2021-53B.10, 2022-26.94, 2023-7.4**

syndrome, chronic, **2013-26.86, 2013-53B.15, 2014-26.76, 2015-26.50, 2018-53B.8, 2019-52.53, 2019-53B.5, 2019-53B.30, 2020-7.2, 2020-52.53, 2020-53B.2, 2020-53B.6, 2021-26.74, 2021-26.129, 2021-53.22, 2021-53B.5, 2022-26.49, 2022-26.95, 2022-27.14, 2022-53.90, 2022-53B.13, 2022-53B.17, 2023-7.6, 2023-26.25**

myofascial strain, severe, 2006-6.51

nausea, 2006-52.10, 2007-53.31, 2008-52.36, 2009-52.2, 2009-52.21, 2009-52.62, 2009-53.1, 2009-53.16, 2010-52.46, 2011-52.44, 2021-26.76, 2021-53B.18

chronic, **2021-52.21, 2021-53.24, 2023-7.5**

near-death experience resulting from negligent ketamine overdose, 2007-53.28

neck, general

acute pain, **2008-52.19, 2010-6.45, 2012-8.10, 2013-28A.3**

bilateral carotid artery dissection, **2012-8.11, 2018-1.1**

neck, general—Cont'd

bone graft required to repair injuries, **2011-28.2**

burning pain, ongoing, **2021-24.5**

cervicothoracic joint dysfunction, **2022-26.61**

chronic pain, **2006-52.2, 2006-52.23, 2008-52.37, 2008-52.43, 2009-52.40, 2009-52.55, 2009-52.56, 2009-52.64, 2010-6.29, 2010-26.54, 2010-27.8, 2010-28A.1, 2010-28A.12, 2010-28A.14, 2010-32.3, 2010-40.2, 2010-52.28, 2010-53B.5, 2010-53B.6, 2011-6.3, 2011-6.16, 2011-6.35, 2011-6.47, 2011-28A.5, 2011-28A.11, 2011-32.1, 2011-53B.13, 2012-6.8, 2012-24.11, 2012-26.84, 2012-27.10, 2012-28A.11, 2012-31.5, 2012-53B.20, 2013-6.22, 2013-6.23, 2013-26.47, 2013-26.71, 2013-52.20, 2013-53B.6, 2013-56.11, 2014-6.6, 2014-26.2, 2014-26.46, 2014-26.49, 2014-26.53, 2014-26.56, 2014-26.70, 2014-26.84, 2014-52.41, 2014-52.55, 2014-53.59, 2015-26.75, 2015-26.90, 2015-26.94, 2016-24.1, 2016-26.11, 2016-26.15, 2017-53B.4, 2018-53B.6, 2019-24.3, 2019-53B.6, 2020-7.3, 2021-6.6, 2021-8.16, 2021-8.18, 2021-8.19, 2021-23.3, 2021-24.7, 2021-25.5, 2021-26.74, 2021-26.76, 2021-26.77, 2021-26.78, 2021-26.89, 2021-26.95, 2021-26.96, 2021-26.107, 2021-26.109, 2021-26.128, 2021-26.144, 2021-28A.9, 2021-52.24, 2021-52.33, 2021-52.42, 2021-53.22, 2021-53.32, 2021-53A.11, 2021-53B.6, 2021-53B.8, 2021-53B.17, 2022-8.2, 2022-8.5, 2022-8.21, 2022-19.1, 2022-24.5, 2022-24.7, 2022-24.8, 2022-24.9, 2022-24.11, 2022-24.13, 2022-24.17, 2022-24.21, 2022-26.33, 2022-26.45, 2022-26.56, 2022-26.75, 2022-26.85, 2022-26.89, 2022-26.95, 2022-28.4, 2022-31.1, 2022-52.5, 2022-53A.4, 2022-53B.8, 2022-53B.21, 2022-53B.24, 2022-53B.26, 2022-53B.32, 2023-7.3, 2023-9.1, 2023-24.1, 2023-24.3, 2023-24.4, 2023-26.7, 2023-26.12, 2023-26.13, 2023-26.16, 2023-26.18, 2023-26.21, 2023-26.24, 2023-27.3, 2023-28.1, 2023-53B.2, 2023-53B.3**

neck, general—Cont'd

decreased range of motion, pain, **2011-53B.13, 2012-8.4, 2012-46.2, 2013-26.62, 2013-26.67**

degenerative changes pre-existing, **2012-53B.23, 2017-52.3, 2019-52.61, 2020-24.4, 2020-24.5, 2020-52.49**

degenerative condition aggravated, neck fusion surgery required, **2013-26.88**

degenerative condition rendered symptomatic, **2011-27.7, 2012-42.3**

disc, herniated, **2010-53.8, 2011-52.18, 2020-24.1, 2022-25.9**

disc, herniated, pinching nerve, **2011-53B.22**

disc, herniated, pre-existing, **2010-52.16**

disc, surgery to remove and replace, **2023-7.5, 2023-26.18**

fracture, **2010-52.5, 2021-24.1, 2021-29.2**

fractures, multiple, **2006-6.15**

injury repaired with bone graft from hip, **2011-53B.4**

ligaments, ruptured, **2009-53B.11**

lingering pain and stiffness, **2013-42.1**

mechanical pain, almost constant, **2010-53B.17**

multiple surgeries required, ongoing pain remained, **2009-52.63**

muscular, ligamentous and tendon injuries, **2011-44.2**

myofascial pain, **2021-26.113, 2021-26.137, 2021-26.152, 2021-28A.8, 2021-53B.16, 2021-53B.18, 2022-26.64, 2023-26.15**

pain, restriction of motion, **2010-26.57, 2013-52.42, 2014-26.19**

pain aggravated by subsequent accident, **2013-6.16, 2013-26.80, 2013-53B.4, 2014-6.19, 2014-53B.11, 2022-7.5**

pain radiating down arm, **2011-25.6, 2012-25.10, 2014-53.56, 2015-26.11, 2022-6.2, 2022-26.71**

pain radiating into shoulder, **2011-9.2, 2011-26.36**

pre-existing asymptomatic condition rendered symptomatic, **2011-28A.6, 2018-24.1, 2022-52.77**

pre-existing condition aggravated, **2010-46.6, 2010-56.2, 2011-28A.8, 2012-26.3, 2012-26.61, 2012-53B.25, 2012-56.12, 2013-26.114, 2014-26.20, 2014-53B.10, 2015-26.10,**

neck, general—Cont'd

2015-26.14, 2015-26.23, 2015-52.25, 2015-52.33, 2015-52.34, 2015-52.42, 2015-52.45, 2016-26.10, 2016-52.8, 2016-52.10, 2016-52.24, 2016-52.36, 2019-52.12, 2019-52.33, 2019-52.40, 2019-52.41, 2019-52.60, 2020-52.5, 2020-52.7, 2020-52.10, 2020-52.12, 2020-52.26, 2020-52.28, 2020-52.29, 2020-52.32, 2020-52.33, 2020-52.34, 2020-52.36, 2020-52.47, 2020-52.48, 2021-6.10, 2021-8.30, 2021-23.5, 2021-24.6, 2021-26.81, 2021-26.85, 2021-26.88, 2021-26.100, 2021-26.109, 2021-26.114, 2021-26.115, 2021-26.118, 2021-26.119, 2021-26.126, 2021-26.138, 2021-26.140, 2021-26.146, 2021-26.147, 2021-29.3, 2021-52.1, 2021-52.2, 2021-52.12, 2021-52.14, 2021-52.25, 2021-52.26, 2021-52.37, 2021-52.44, 2021-53A.30, 2022-24.16, 2022-26.11, 2022-26.30, 2022-26.62, 2022-26.63, 2022-26.67, 2022-26.72, 2022-26.83, 2022-26.93, 2022-26.94, 2022-28A.8, 2022-31.4, 2022-52.30, 2022-52.34, 2022-52.48, 2022-52.49, 2022-52.54, 2022-52.59, 2022-52.61, 2022-52.62, 2022-52.66, 2022-52.75, 2023-24.2, 2023-26.8, 2023-52.4, 2023-52.5, 2023-52.7

scar, disfiguring, **2006-53.3**

severe strain, **2010-6.14, 2010-27.4, 2016-6.1, 2022-26.9**

soft tissue injury, **2010-24.7, 2010-27.5, 2010-28A.5, 2010-28A.15, 2010-46.1, 2010-46.9, 2010-48.3, 2010-56.14, 2011-26.1, 2011-28A.4, 2011-28A.5, 2011-28A.12, 2011-56.4, 2012-6.17, 2012-6.19, 2012-6.20, 2012-46.5, 2012-52.1, 2012-52.14, 2012-52.17, 2012-52.20, 2012-52.48, 2012-52.61, 2012-53B.19, 2012-56.10, 2012-56.11, 2012-56.13, 2013-26.40, 2013-26.48, 2013-26.63, 2013-26.99, 2013-26.104, 2013-26.119, 2013-33.6, 2013-52.3, 2013-52.8, 2013-52.18, 2013-52.21, 2013-52.36, 2013-52.47, 2013-52.57, 2013-53.48, 2013-53.80, 2013-53A.2, 2013-56.1, 2013-56.2, 2013-56.6, 2013-56.8, 2013-56.10, 2014-6.26, 2014-24.4, 2014-26.5, 2014-26.68, 2014-26.93, 2014-52.19,**

neck, general—Cont'd

2014-52.22, 2014-53.5, 2014-53.14,
 2014-53.24, 2015-6.7, 2015-6.8,
 2015-6.20, 2015-26.91, 2015-26.92,
 2015-26.93, 2015-45.1, 2015-52.1,
 2015-56.3, 2016-26.4, 2016-26.7,
 2016-26.8, 2016-26.9, 2016-26.12,
 2016-26.13, 2018-24.2, 2018-24.3,
 2018-24.4, 2019-6.2, 2019-24.1,
 2019-24.2, 2019-24.5, 2019-24.6,
 2019-24.7, 2019-24.8, 2020-6.4,
 2020-6.5, 2020-6.6, 2020-24.1,
 2020-24.2, 2020-24.6, 2020-24.7,
 2020-52.18, 2021-6.11, 2021-8.32,
 2021-24.4, 2021-24.8, 2021-24.10,
 2021-25.6, 2021-26.72, 2021-26.79,
 2021-26.80, 2021-26.86, 2021-26.87,
 2021-26.94, 2021-26.103, 2021-
 26.120, 2021-26.121, 2021-26.122,
 2021-26.124, 2021-26.125, 2021-
 26.130, 2021-26.131, 2021-26.132,
 2021-26.133, 2021-26.134, 2021-
 26.136, 2021-26.154, 2021-27.6,
 2021-27.9, 2021-28A.7, 2021-52.43,
 2021-53.39, 2021-53.45, 2021-
 53A.24, 2022-7.6, 2022-7.8, 2022-
 24.12, 2022-24.15, 2022-24.17,
 2022-24.20, 2022-24.22, 2022-26.5,
 2022-26.20, 2022-26.23, 2022-26.28,
 2022-26.29, 2022-26.31, 2022-26.37,
 2022-26.38, 2022-26.40, 2022-26.41,
 2022-26.42, 2022-26.43, 2022-26.44,
 2022-26.46, 2022-26.47, 2022-26.48,
 2022-26.50, 2022-26.51, 2022-26.52,
 2022-26.53, 2022-26.55, 2022-26.58,
 2022-26.59, 2022-26.65, 2022-26.66,
 2022-26.69, 2022-26.70, 2022-26.74,
 2022-26.76, 2022-26.77, 2022-26.78,
 2022-26.79, 2022-26.80, 2022-26.81,
 2022-26.82, 2022-26.85, 2022-26.86,
 2022-26.87, 2022-26.88, 2022-26.91,
 2022-26.92, 2022-26.96, 2022-56.8,
 2023-6.5, 2023-26.1, 2023-26.2,
 2023-26.4, 2023-26.5, 2023-26.10,
 2023-26.11, 2023-26.14, 2023-26.17,
 2023-26.22, 2023-26.29

soft tissue injury resulting in disabling
 restrictions, 2022-8.24, 2022-24.19

spasm, 2006-53.13, 2009-52.66

sprain, 2010-52.16

tightening of muscles, pain, 2005-52.348,
 2009-52.6, 2009-52.25, 2009-52.62

necrosis, 2010-53.61**nervous shock**

general, 2005-53.86, 2011-52.30, 2012-
 6.29, 2012-26.79

intentional infliction, 2007-53.1

**neurocognitive disorder, 2019-8.25,
 2021-8.4, 2021-8.16, 2021-26.101,
 2021-52.31, 2021-53A.15**

neurogenic pain

chronic, 2008-53B.24

neurological

condition, pre-existing, 2011-52.8

impairment, 2007-52.12, 2008-52.6,
 2008-53.4, 2011-5.1, 2011-53.110,
 2011-53.111

impairment, permanent severe, 2010-
 53.49

neurological damage to legs, 2010-24.14

**neuromuscular disorder, pre-existing,
 2009-53B.40**

**neurosis, traumatic, 2006-53.16,
 2010-53.87, 2013-53.7, 2013-53.8,
 2013-53.9, 2013-53.10, 2013-53.11,
 2013-53.12, 2013-53.13, 2013-53.14,
 2013-53.15, 2013-53.16, 2013-53.17,
 2013-53.18, 2013-53.21, 2013-53.22,
 2013-53.23, 2013-53.24, 2013-53.25,
 2013-53.52, 2014-53.63, 2014-53.64,
 2015-53.2, 2015-53.20, 2015-53.21,
 2015-53.22, 2015-53.23, 2015-53.24,
 2015-53.25, 2015-53.26, 2015-53.37,
 2015-53.39, 2016-53.1, 2016-53.2,
 2016-53.3, 2016-53.5, 2016-53.6,
 2016-53.7, 2016-53.8, 2016-53.10,
 2016-53.14, 2016-53.15, 2017-53.13,
 2017-53.14, 2017-53.17, 2017-53.18,
 2017-53.22, 2017-53.24, 2017-53.26,
 2017-53.27, 2017-53.28, 2017-53.29,
 2017-53.30, 2017-53.31, 2017-53.32,
 2017-53.33, 2017-53.34, 2017-53.35,
 2017-53.36, 2017-53.37, 2017-53.38,
 2017-53.39, 2017-53.40, 2017-53.41,
 2017-53.42, 2017-53.43, 2017-53.44,
 2017-53.45, 2017-53.46, 2017-53.47,
 2018-53.2, 2018-53.3, 2018-53.4,
 2018-53.5, 2018-53.6, 2018-53.7,
 2018-53.8, 2018-53.9, 2018-53.10,
 2018-53.11, 2018-53.12, 2018-53.13,**

INDEX

2018-53.14, 2018-53.15, 2018-53.16,
2018-53.17, 2018-53.18, 2018-53.19,
2018-53.20, 2018-53.21, 2018-53.22,
2018-53.23, 2018-53.24, 2018-53.25,
2018-53.26, 2018-53.27, 2018-53.29,
2018-53.30, 2018-53.31, 2018-53.32,
2018-53.33, 2018-53.34, 2018-53.35,
2018-53.36, 2018-53.37, 2018-53.38,
2018-53.39, 2018-53.40, 2018-53.41,
2018-53.42, 2018-53.43, 2018-53.44,
2018-53.45, 2018-53.46, 2018-53.47,
2018-53.48, 2018-53.49, 2018-53.50,
2018-53.51, 2018-53.52, 2018-53.53,
2018-53.54, 2018-53.55, 2019-53.1,
2019-53.2, 2019-53.3, 2019-53.4,
2019-53.5, 2019-53.6, 2019-53.7,
2019-53.8, 2019-53.9, 2019-53.10,
2019-53.11, 2019-53.12, 2019-53.13,
2019-53.14, 2019-53.15, 2019-53.16,
2019-53.17, 2019-53.19, 2019-53.21,
2019-53.22, 2019-53.23, 2019-53.24,
2019-53.25, 2019-53.26, 2019-53.27,
2019-53.28, 2019-53.29, 2019-53.30,
2019-53.31, 2019-53.32, 2019-53.33,
2019-53.34, 2019-53.35, 2019-53.36,
2019-53.37, 2019-53.38, 2019-53.39,
2019-53.40, 2019-53.41, 2019-53.42,
2019-53.43, 2019-53.44, 2019-53.45,
2019-53.46, 2019-53.47, 2019-53.48,
2019-53.49, 2019-53.50, 2019-53.51,
2019-53.52, 2019-53.53, 2019-53.54,
2019-53.55, 2019-53.56, 2019-53.57,
2019-53.58, 2019-53.59, 2019-53.60,
2019-53.61, 2019-53.62, 2019-53.63,
2019-53.64, 2019-53.65, 2019-53.66,
2019-53.67, 2019-53.68, 2019-53.69,
2019-53.70, 2019-53.71, 2019-53.72,
2019-53.73, 2019-53.74, 2019-53.75,
2019-53.76, 2019-53.77, 2019-53.78,
2019-53.79, 2019-53.80, 2019-53.81,
2019-53.82, 2019-53.83, 2019-53.84,
2019-53.85, 2019-53.86, 2019-53.87,
2019-53.88, 2019-53.89, 2019-53.90,
2019-53.91, 2019-53.92, 2019-53.93,
2019-53.94, 2020-53.1, 2020-53.2,
2020-53.3, 2020-53.4, 2020-53.5,
2020-53.6, 2020-53.7, 2020-53.8,
2020-53.9, 2020-53.10, 2020-53.11,
2020-53.12, 2020-53.13, 2020-53.14,
2020-53.15, 2020-53.16, 2020-53.17,
2020-53.18, 2020-53.19, 2020-53.20,
2020-53.21, 2020-53.22, 2020-53.23,

2020-53.24, 2020-53.25, 2020-53.26,
2020-53.27, 2020-53.28, 2020-53.29,
2020-53.30, 2020-53.31, 2020-53.32,
2020-53.33, 2020-53.34, 2020-53.35,
2020-53.36, 2020-53.37, 2020-53.38,
2020-53.39, 2020-53.40, 2020-53.41,
2020-53.42, 2020-53.43, 2020-53.44,
2020-53.45, 2020-53.47, 2020-53.48,
2020-53.49, 2020-53.50, 2020-53.51,
2020-53.52, 2020-53.53, 2020-53.54,
2020-53.55, 2020-53.56, 2020-53.57,
2020-53.58, 2020-53.59, 2020-53.60,
2020-53.61, 2020-53.62, 2020-53.63,
2020-53.64, 2020-53.65, 2020-53.66,
2020-53.67, 2020-53.68, 2020-53.69,
2020-53.70, 2020-53.71, 2020-53.72,
2020-53.73, 2020-53.74, 2020-53.75,
2020-53.76, 2020-53.77, 2020-53.78,
2020-53.79, 2020-53.80, 2020-53.81,
2020-53.82, 2020-53.83, 2020-53.84,
2020-53.85, 2020-53.86, 2020-53.87,
2020-53.88, 2020-53.89, 2020-53.90,
2020-53.91, 2020-53.92, 2020-53.93,
2020-53.94, 2020-53.95, 2020-53.96,
2020-53.97, 2020-53.98, 2021-53.1,
2021-53.2, 2021-53.3, 2021-53.4,
2021-53.5, 2021-53.6, 2021-53.7,
2021-53.8, 2021-53.9, 2021-53.10,
2021-53.11, 2021-53.12, 2021-53.13,
2021-53.14, 2021-53.15, 2021-53.16,
2021-53.17, 2021-53.18, 2021-53.19,
2022-53.43, 2022-53.44, 2022-53.45,
2022-53.46, 2022-53.47, 2022-53.48,
2022-53.49, 2022-53.50, 2022-53.51

neurosurgery, emergency, 2009-52.33

nipple, loss of as result of complications of
reversionary surgery, 2005-55.401

nose

anosmia, 2019-6.19

bleeding, excessive, 2009-53.20, 2009-
53.25

broken, 2005-56.104, 2008-53.31, 2009-
52.77, 2009-53.42, 2009-53.44,
2012-52.10, 2012-53.13, 2013-56.13,
2014-53.36, 2020-13.1, 2020-13.2,
2020-13.3, 2020-13.4

broken, deviation requiring 3 surgeries,
2022-13.2

broken, sinus fractured, multiple surger-
ies, 2022-13.3

nose—Cont'd

broken and lacerated, 2012-8.8
 broken and lacerated, deformed, 2005-6.338, 2007-52.43, 2007-53.35, 2007-53B.22, 2014-7.2
 crushed dislocation of septum, 2012-13.3
 deviated septum, 2014-8.6, 2014-26.26, 2014-53A.7, 2020-13.5
 dislocation requiring insertion of rods, deformity resulting, 2022-13.1, 2022-16A.2
 displaced fracture, almost severed, 2015-13.1, 2015-16A.5
 fracture, severely deviated septum, 2018-13.2
 fracture requiring prosthesis, 2014-8.2
 fracture surgically repaired, 2005-53.81, 2010-53.40, 2021.8.34
 lacerated, deformed, discoloured scarring, 2013-6.2
 multiple fractures, 2010-22.1
 open fracture with deviation, 2018-8.11, 2018-13.1
 part bitten off by dog, 2011-16A.5
 septum distorted in assault, surgery required, 2014-6.16, 2014-8.5, 2014-53.33, 2014-53A.6, 2018-7.2
 torn in car accident, 28 stitches required, 2019-16A.7

obsessive compulsive disorder,
 pre-existing, aggravated, 2015-53B.2, 2017-52.2, 2022-52.47, 2022-52.73

obsessive-compulsive personality disorder
 bipolar disorder and, 2006-52.7, 2006-53.18
 general, 2008-53.28, 2008-53A.19, 2011-53.110, 2011-53.111

osteoporosis-related pain, pre-existing,
 aggravated, 2020-52.8

overdose caused by medical negligence,
 2007-52.33, 2007-53.28

oxygen deprivation during birth,
 2010-1.2, 2010-3.2, 2010-3.4, 2010-53.60, 2011-3.5, 2011-8.19, 2011-27.12, 2011-53.67, 2013-3.3, 2013-53.37

pain, chronic, pre-existing, 2005-52.339,
 2005-52.340, 2006-52.4

pain and suffering, minor cases,

2015-56.5, 2015-56.6, 2015-56.7,
 2015-56.8, 2016-56.1, 2016-56.2,
 2018-56.3, 2019-56.1, 2019-56.2,
 2019-56.3, 2019-56.4, 2019-56.5,
 2019-56.6, 2019-56.7, 2019-56.8,
 2019-56.9, 2019-56.10, 2019-56.11,
 2019-56.12, 2019-56.13, 2019-56.14,
 2020-56.1, 2020-56.2, 2020-56.3,
 2020-56.4, 2020-56.5, 2020-56.6,
 2020-56.7

pancreas

severe, necrotizing pancreatitis, medical
 negligence, 2012-16B.5

panic attacks, 2005-52.335, 2008-6.29,
 2008-52.41, 2008-53.1, 2008-53.20,
 2008-53B.10, 2009-53.2, 2009-53.31,
 2009-53B.25, 2010-52.34, 2011-6.15,
 2011-53.22, 2012-53B.26, 2013-53.31,
 2013-69.2, 2013-69.4, 2014-26.7,
 2014-53.5, 2014-53.56, 2014-53B.20,
 2019-8.31, 2020-6.1, 2020-8.16,
 2021-8.27, 2021-26.93, 2022-6.9,
 2022-53.61, 2022-53.78, 2022-53.87,
 2023-16A.2, 2023-29.1, 2023-53.34
 pre-existing, aggravated, 2019-52.38

panic disorder, 2022-28.9, 2022-53.93,
 2022-53.94

panic disorder with agoraphobia,
 2014-26.79, 2014-69.5, 2015-53.6,
 2015-69.1

paranoia, 2010-8.14, 2010-53.86

paranoid thought disorder, 2011-6.9,
 2011-52.10, 2011-53.9, 2011-53A.9,
 2011-53B.8

paraplegia, pre-existing, 2009-52.7

paresthesia, 2009-53A.15, 2019-8.13,
 2021-26.106

patella

fracture surgically repaired, 2005-53.81
 undisplaced fracture, 2005-53B.9, 2022-6.12

pectoral muscle strain or tear, 2010-6.38,
 2011-6.4, 2011-53A.7, 2012-6.18,
 2012-32.4

pelvis

acetabulum fractured, 2014-6.12, 2014-30.2, 2014-33.2, 2022-6.12, 2022-30.2

pelvis—Cont'd

adhesions, **2009-52.13, 2009-53B.3**
 anterior rotation, **2022-28A.6, 2022-30.1**
 chronic pain, **2011-52.46, 2011-53.5, 2011-53B.38, 2020-6.24, 2021-26.70, 2022-30.2, 2023-53B.3**
 fracture, **2006-6.23, 2006-53B.21, 2007-6.6, 2007-6.24, 2008-53.2, 2008-53B.4, 2009-6.7, 2009-52.16, 2009-52.84, 2010-6.26, 2010-25.1, 2010-29.1, 2010-52.7, 2011-6.6, 2011-8.1, 2011-25.2, 2011-52.14, 2011-53.5, 2011-53.22, 2011-53A.8, 2012-12.1, 2012-30.1, 2013-6.9, 2013-16B.10, 2013-53B.7, 2014-27.15, 2015-6.17, 2015-30.1, 2015-30.2, 2016-30.1, 2019-30.1, 2019-30.2, 2019-30.3, 2020-30.2, 2020-31.1, 2022-30.2, 2023-6.1, 2023-8.6, 2023-30.1**
 fractures requiring surgical repair, **2011-6.5, 2011-6.42, 2011-6.49, 2011-25.14, 2011-33.1, 2012-5.1, 2012-6.15, 2012-8.11, 2012-53B.11, 2014-6.4, 2014-31.2, 2014-53A.2**
 iliac crest, fracture, **2009-6.37**
 inferior and superior rami fractures, **2013-45.5**
 pelvic girdle, soft tissue injury, **2012-26.76, 2021-52.20**
 pelvic ring dysfunction, **2021-8.23, 2021-26.117, 2021-30.1, 2021-53.43**
 pelvic ring injury, **2011-53.22**
 pelvic ring injury with bilateral fractures, **2011-38.2**
 pubic ramus fracture, **2006-6.9, 2010-6.16, 2010-53.28**
 public ramus fracture, **2014-52.53**
 sacroiliac joint dysfunction, **2009-53B.10, 2021-30.1, 2022-26.8**
 scarring, permanent, **2009-53B.3**
 spinal pelvic ring, soft tissue injuries, **2020-30.1**
 tightness in, **2011-52.37**

penis and scrotum
 contusions, **2012-53.25, 2012-53B.9**
 laceration and debridement requiring surgery, **2022-34.5**

perianal area, glass lodged in, 2012-6.22, 2012-52.48

perineum, painful tear during birth, medical negligence, 2014-34.2, 2014-54.1

periostitis, post-traumatic, shin, 2010-53A.9

personality change, 2005-53.89, 2005-53A.9, 2006-5.1, 2006-6.37, 2008-52.18, 2008-53A.21, 2009-52.75, 2009-53.31, 2009-53.47, 2009-53B.51, 2010-7.6, 2010-8.3, 2010-8.12, 2010-19.2, 2010-24.3, 2010-28A.2, 2010-52.12, 2010-53.8, 2010-53.12, 2010-53.29, 2010-53.43, 2010-53.63, 2010-53A.10, 2011-3.1, 2011-6.25, 2011-8.4, 2011-8.8, 2011-8.15, 2011-8.21, 2011-16A.4, 2011-24.1, 2011-25.1, 2011-28.2, 2011-52.5, 2011-53.49, 2011-53A.5, 2011-53A.14, 2011-53B.32, 2011-69.8, 2012-3.1, 2012-6.5, 2012-8.6, 2012-8.7, 2012-24.3, 2012-45.1, 2013-8.9, 2013-8.10, 2014-8.10, 2014-26.42, 2014-26.83, 2014-53.58, 2014-53A.1, 2015-6.1, 2015-7.1, 2015-8.2, 2015-8.7, 2015-10.2, 2015-23.1, 2015-26.3, 2016-8.2, 2016-23.1, 2019-8.18, 2019-8.30, 2021-6.13, 2021-6.14, 2021-8.31, 2021-8.36, 2021-26.111, 2021-26.120, 2021-26.155, 2021-52.40, 2021-53.28, 2021-53.56, 2021-53A.28, 2022-6.14, 2022-8.1, 2022-8.4, 2022-8.23, 2022-8.27, 2022-26.12, 2022-45.2, 2022-52.7, 2022-53.7, 2022-53.38, 2022-53.87, 2022-53A.6, 2022-53A.7

personality disorder, 2010-53.20, 2011-52.14, 2011-53.22
 antisocial, **2010-53A.4, 2010-69.3**
 borderline, **2013-25.1, 2014-8.20**
 borderline, pre-existing, **2019-52.38**
 borderline, with cognitive difficulties and major depression, **2014-6.31, 2014-8.20, 2014-27.17, 2014-40.2, 2014-53.66**

phobias

agoraphobia, pre-existing making plaintiff vulnerable to injury, **2009-53.46, 2009-53B.49**
 fluorescent lights, **2009-53.28**
 general, **2009-52.4, 2009-53.2, 2010-53.10**
 phobic reaction to driving, **2007-6.8, 2007-52.5, 2007-53.3, 2008-6.22,**

phobias—Cont'd

2008-53.11, 2008-53.18, 2008-53B.13, 2009-6.4, 2009-6.9, 2009-52.11, 2009-53.2, 2009-53.5, 2009-53.11, 2009-53.26, 2012-53.21, 2015-6.21, 2015-53.37

water, 2008-53.15, 2008-53A.11

photophobia, 2010-52.67, 2010-53.70, 2010-55.6, 2011-26.50, 2011-52.26, 2011-53.68, 2011-53B.3, 2012-26.66, 2012-53B.28, 2014-6.9, 2014-26.81, 2014-53B.5, 2015-26.25, 2015-53B.4

placental separation requiring caesarean section, 2012-28A.12

plantar fasciitis, 2010-52.10

pneumonia, 2006-52.17, 2006-53A.10

pneumothorax, 2006-6.1, 2009-6.37, 2010-6.16, 2010-6.30, 2010-9.6, 2010-30.2, 2010-47.5, 2010-53.28, 2015-6.8

post-concussion syndrome, 2008-53.31, 2009-6.11, 2009-6.32, 2009-53.15, 2009-53.39, 2009-53.45, 2009-53A.19, 2009-53B.29, 2009-53B.42, 2011-6.15, 2011-6.46, 2011-8.10, 2011-8.26, 2011-25.4, 2011-26.78, 2011-53.24, 2011-53.123, 2011-53B.12, 2011-53B.42, 2013-6.28, 2013-8.8, 2013-16A.4, 2014-8.11, 2014-8.18, 2014-8.19, 2014-16A.3, 2014-26.81, 2019-8.28, 2019-8.36, 2019-8.42, 2020-8.5, 2020-8.31, 2021-8.3, 2021-8.10, 2021-26.160, 2022-6.10, 2022-6.11, 2022-8.25, 2022-24.14, 2022-25.7, 2022-26.91, 2023-8.8

post polio syndrome, 2006-52.3

post-traumatic amnesia, 2015-6.22, 2015-8.10, 2020-8.18

post-traumatic brain injury syndrome, 2014-8.7, 2014-26.35, 2014-53A.8, 2019-8.16

post-traumatic hypothyroidism, 2012-44.4

post-traumatic pain syndrome, 2010-6.4, 2010-53B.4, 2019-6.4, 2023-26.1, 2023-53.5

post-traumatic stress disorder

assaults resulting in, 2013-6.30, 2013-53.55, 2013-53A.8, 2015-26.9, 2015-53.7, 2015-53.33, 2016-52.12, 2022-53.76, 2023-6.2, 2023-8.7, 2023-16A.1

chronic, 2022-6.3

general, 20, 2010-24.3, 2010-24.9, 2010-26.35, 2010-26.39, 2010-26.47, 2010-26.75, 2010-28A.2, 2010-53A.12, 2010-53B.19, 2010-56.8, 2011-6.43, 2011-7.1, 2011-8.26, 2011-16B.6, 2011-17.2, 2011-26.78, 2011-27.9, 2011-30.3, 2011-38.2, 2011-53B.20, 2012-6.3, 2012-6.25, 2012-7.1, 2012-7.3, 2012-8.13, 2012-9.1, 2012-16A.2, 2012-26.30, 2012-26.82, 2012-26.89, 2012-27.3, 2012-28.3, 2012-32.2, 2012-48.7, 2012-53B.8, 2012-53B.27, 2013-8.8, 2013-12.2, 2013-34.4, 2013-53.44, 2013-53.68, 2014-6.11, 2014-6.27, 2014-6.36, 2014-7.1, 2014-8.5, 2014-8.7, 2014-13.2, 2014-13.3, 2014-26.58, 2014-28.1, 2014-46.7, 2014-52.26, 2014-53.14, 2014-53.31, 2014-53.36, 2014-53.49, 2014-53.61, 2014-53B.7, 2014-53B.17, 2015-6.15, 2015-6.16, 2015-6.19, 2015-6.24, 2015-16A.1, 2015-25.1, 2015-26.17, 2015-27.3, 2015-53.11, 2015-53.19, 2015-53.27, 2015-53.36, 2016-8.3, 2016-26.6, 2016-26.16, 2019-6.8, 2019-6.14, 2019-6.15, 2019-6.20, 2019-7.3, 2019-7.4, 2019-8.15, 2019-8.18, 2019-8.21, 2019-8.23, 2019-8.44, 2019-8.46, 2020-6.19, 2020-8.16, 2020-8.19, 2020-8.25, 2021-6.1, 2021-6.8, 2021-6.12, 2021-6.18, 2021-8.20, 2021-8.25, 2021-26.77, 2021-26.149, 2021-27.5, 2021-28A.7, 2021-46.1, 2021-53.23, 2021-53.25, 2021-53.28, 2021-53.37, 2021-53.40, 2021-53.70, 2021-53A.12, 2021-53A.17, 2021-53A.24, 2021-53A.31, 2021-53A.35, 2021-55.1, 2022-8.18, 2022-8.26, 2022-13.2, 2022-26.48, 2022-26.92, 2022-27.11, 2022-53.82, 2022-53.89, 2022-53.95, 2023-7.1, 2023-8.3, 2023-8.9, 2023-53.5, 2023-53.16, 2023-53.22, 2023-53.25

panic attacks, and, 2022-53.81

post-traumatic stress disorder—Cont'd

- panic attacks, with, 2022-10.4, 2022-26.82
- partial remission, 2010-25.7, 2010-26.72, 2011-6.41
- pre-existing, aggravated, 2012-10.3, 2012-26.45, 2012-53B.17, 2015-52.21, 2015-52.42, 2016-52.32, 2019-52.7, 2019-52.36, 2021-8.22, 2021-26.106, 2021-26.115, 2021-27.12, 2021-52.21, 2021-53.24, 2021-53.33, 2021-53A.19, 2021-53B.11, 2022-8.16, 2022-26.63, 2022-52.58, 2022-53.73, 2023-53.23
- psychotic features, with, 2010-8.3
- severe, 2021-53.29, 2021-53A.13, 2022-8.14, 2022-26.55, 2022-53.63, 2022-53.67, 2023-53.11
- severe depression and, 2010-8.7, 2011-6.25, 2011-8.15, 2015-6.3, 2015-6.6, 2015-53B.8, 2021-26.75, 2021-26.76, 2021-52.40, 2021-53.56, 2021-53A.28
- sexual abuse, 2021-53.46, 2021-53A.21, 2021-69.1, 2022-53.63
- sexual assault, 2010-69.1, 2010-69.5, 2010-69.6, 2011-69.4, 2011-69.9, 2011-69.10, 2012-69.2, 2013-8.5, 2013-53.50, 2013-53.51, 2013-69.1, 2013-69.3, 2013-69.4, 2013-69.5, 2014-53A.19, 2014-69.4, 2014-69.5, 2016-53.7, 2021-53.66, 2021-53A.33, 2021-69.6, 2022-13.1, 2023-53.33

post-traumatic stress syndrome, severe, 2016-8.4, 2016-53.15

post-traumatic visual syndrome, 2009-6.38, 2009-53.47, 2009-53B.51, 2019-8.3, 2019-19.1, 2019-52.5, 2022-6.4

pregnancy

- ability to deal with pregnancy, birth and raising child affected, 2010-6.35
- concern for unborn baby, 2010-53B.30, 2012-53A.2, 2012-53A.6, 2013-26.117, 2014-26.3
- contractions caused by accident, 2013-6.15, 2013-52.29
- distress, limitation of rehab activities, 2012-26.54, 2012-52.40, 2012-53B.21

pregnancy—Cont'd

- placental separation caesarian required, 2012-53B.13

prescription error resulting in patient's death, 2010-53.91

privacy, breach by doctor, 2021-53.69

privacy, breach by ex-husband, 2022-53.5

proprioceptor deficit, 2011-5.1, 2011-53.110, 2011-53.111

psychiatric condition, pre-existing, aggravated, 2013-26.64

psychiatric harm

- general, 2009-53.1
- profound and disabling, 2005-53.92, 2005-53.93, 2005-53A.6, 2006-53.15

psychological

- difficulties causing chronic pain, 2012-53B.24, 2019-6.15, 2023-53.9
- distress, 2022-53.1, 2022-53.5, 2023-53.1
- distress, ongoing, 2021-53.27, 2021-53.64, 2021-53A.32, 2021-53A.35, 2021-69.2, 2021-69.4, 2021-69.5, 2022-27.1, 2022-53.42, 2022-53.53, 2022-53.91, 2022-53A.1, 2023-53.2, 2023-53.24, 2023-53.32
- dysfunction, 2011-53.13, 2011-69.3
- health, fragile, 2009-52.69, 2009-53.36, 2011-46.7, 2013-26.74, 2015-26.7
- limitations likely permanent, 2011-53B.2, 2014-26.15, 2022-53.80, 2023-53.19, 2023-53.25, 2023-53.27
- pre-existing difficulties aggravated, 2011-69.2, 2014-26.20, 2014-52.12, 2015-52.26, 2015-53A.3, 2018-52.11, 2019-52.18, 2019-52.35, 2022-52.8 to 2022-52.29, 2022-52.36, 2022-53.11 to 2022-53.32, 2022-53.67, 2022-56.1 to 2022-56.6
- trauma, 2005-53.96, 2006-53.8, 2006-53.10, 2006-53.20, 2006-53.31, 2007-53.8, 2007-53.28, 2007-53.35, 2008-53.10, 2008-53.17, 2008-53.29, 2008-53.32, 2011-52.9, 2011-69.9, 2011-69.10, 2011-69.11, 2011-69.12, 2011-69.14, 2012-6.29, 2013-53.71, 2013-53.78, 2013-69.6, 2014-26.83, 2014-47.4, 2014-52.31, 2014-53A.19, 2015-53.1, 2015-53.8, 2015-69.2, 2020-6.9, 2021-53.67, 2021-

psychological—Cont'd

53.77, 2021-53.78, 2021-53A.26,
2021-54A.2, 2022-53.3, 2022-53.6,
2022-53.54, 2022-53.55, 2022-53.63,
2022-53.66, 2022-53.93, 2022-53.94

quadriceps

lacerated, 2007-6.31, 2013-45.4, 2013-
46.7
torn, 2022-45.1, 2022-52.32

quadriplegia

fractured vertebra, 2010-24.13, 2010-
30.3, 2010-33.4, 2010-53B.25, 2012-
24.7, 2018-1.1, 2019-1.1
spastic, 2015-1.1, 2015-52.14

rectum, laceration, medical negligence,
2014-16B.5, 2014-33.4, 2014-53.42

rectum, perforated through medical
negligence, 2005-55.398, 2019-33.1

reflex sympathetic dystrophy, 2005-53B.8,
2010-26.65, 2010-42.5, 2010-53B.33

respiratory distress arising from
prescription error, 2010-53.91

rhabdomyolysis, 2023-6.2, 2023-8.7,
2023-16A.1

ribs

fracture, displaced, 2019-29.1
fractures, 2005-6.304, 2005-53.80, 2007-
53.32, 2009-52.84, 2010-6.21, 2010-
14.2, 2010-25.1, 2010-26.38, 2010-
38.1, 2010-49.3, 2010-52.7, 2010-
53.28, 2011-8.24, 2011-24.13, 2011-
27.3, 2012-16B.2, 2012-46.6, 2013-
6.1, 2013-6.2, 2013-6.7, 2013-6.32,
2013-27.9, 2013-52.66, 2014-27.13,
2015-29.1, 2016-29.1, 2018-29.1,
2018-29.2, 2018-29.3, 2018-29.4,
2019-29.2, 2019-29.3, 2019-29.4,
2019-29.5, 2020-29.1, 2021-28A.10,
2021-29.1, 2021-29.3, 2022-6.6,
2022-6.13, 2022-8.29, 2022-25.3,
2022-25.8, 2022-27.4, 2022-27.12,
2022-29.1, 2022-29.2, 2022-53.54,
2022-53.55, 2022-53.63, 2022-53.66,
2022-53.93, 2022-53.94, 2023-27.13,
2023-29.1, 2023-29.2

injury and painful injection treatment
resulting in chronic pain, 2009-
52.39, 2009-53.24

ribs—Cont'd

trauma, 2021-40.2

sacroiliac

decreased range of motion, 2013-53B.14
injury, 2010-6.39, 2010-52.60, 2010-
53B.34, 2011-6.5, 2011-6.49, 2011-
26.73, 2011-30.1, 2011-33.7, 2012-
28A.2, 2013-6.19, 2013-26.4, 2013-
26.84, 2014-26.31, 2014-53B.11,
2021-26.139, 2021-53A.31

injury resulting in pelvic misalignment,
2010-30.4

joint dysfunction, 2009-53B.10, 2010-
6.44, 2010-53.57, 2021-8.23, 2021-
26.117, 2021-30.1, 2021-53.43,
2022-7.3, 2022-53.2, 2022-53B.5

ongoing pain, 2014-26.6, 2014-52.20

pain, pre-existing, 2013-52.2, 2019-52.37

sacrum

fracture, 2009-53B.52, 2010-6.26, 2010-
30.1, 2011-30.5, 2011-53B.21, 2013-
30.1, 2013-45.5, 2013-53B.7

injury, 2014-53A.2

scalp

haematoma, 2011-6.42, 2011-24.13

injury, severe, 2008-6.9

laceration, 2006-53.11, 2009-6.3, 2009-
52.9, 2010-47.2, 2013-25.6, 2013-
52.50, 2015-6.9, 2015-16A.3, 2015-
16A.4, 2020-6.1, 2022-16A.4, 2022-
25.2

laceration and scarring, 2008-6.44

partially torn off, sutured back on, 2006-
6.61

stellate laceration requiring stapling and
suturing, 2019-8.12, 2019-16A.3

scapula, pain in area, 2011-52.43

scarring, 2006-52.38, 2007-52.4,
2009-52.33, 2020-16A.7, 2020-16A.8,
2021-16A.1

sciatic pain, 2008-52.21, 2008-53.8,
2021-26.142

scoliosis, pre-existing, 2006-52.16,
2007-52.7, 2010-26.45, 2010-52.42,
2015-52.40, 2017-52.2, 2018-52.21,
2022-52.62

scrotum, moderately severe contusion,
2005-53.99, 2012-53.25, 2012-53B.9

seizures following brain injury, 2008-6.2
self-esteem, loss of, 2021-52.39

sepsis, 2005-53.86, 2006-55.9, 2008-53.19,
2009-52.38, 2009-53.23, 2011-53.106

sexual abuse, 2005-53.87, 2006-53.20,
2006-53.21, 2006-53.22, 2006-53.31,
2007-53.8, 2008-53.17, 2008-53.28,
2008-53A.14, 2008-53A.19,
2009-53.36, 2010-53.9, 2010-53.10,
2010-53A.11, 2011-52.9, 2011-53.13,
2011-53.31, 2011-53.42, 2011-53.49,
2011-53.77, 2011-53.81, 2011-53.100,
2011-53A.18, 2011-53A.24,
2012-53.16, 2012-53A.4, 2019-52.26,
2019-52.27, 2020-69.4, 2020-69.7,
2020-69.8, 2020-69.9, 2020-69.10,
2021-52.39, 2021-53.46, 2021-53.51,
2021-53A.21, 2021-53A.26, 2021-69.1,
2021-69.4, 2022-53.3, 2022-69.1,
2023-53.21

sexual assault, 2005-53.82, 2005-53.95,
2006-52.13, 2006-53.6, 2006-53.16,
2006-53.19, 2006-53.41, 2006-53A.6,
2006-55.9, 2007-52.8, 2007-52.13,
2007-52.23, 2007-52.39, 2007-53.7,
2007-53.8, 2007-53.18, 2007-53.24,
2007-53A.26, 2008-52.7, 2008-52.12,
2008-53.7, 2008-53.8, 2008-53.14,
2008-53.19, 2008-53.29, 2008-53A.13,
2010-53.20, 2010-53.82, 2010-53A.4,
2010-53A.22, 2011-53.23,
2011-53.105, 2011-53.114, 2012-52.6,
2012-53.10, 2012-53.19, 2012-69.4,
2012-69.5, 2013-53.11, 2013-69.1,
2013-69.2, 2013-69.3, 2013-69.4,
2013-69.6, 2013-69.7, 2013-69.8,
2014-69.1, 2014-69.2, 2015-69.3,
2015-69.4, 2016-69.1, 2016-69.2,
2017-69.1, 2017-69.2, 2017-69.3,
2018-69.1, 2018-69.2, 2018-69.3,
2019-69.1, 2019-69.2, 2019-69.4,
2019-69.5, 2019-69.6, 2019-69.7,
2019-69.8, 2019-69.9, 2019-69.10,
2019-69.11, 2020-69.1, 2020-69.2,
2020-69.3, 2020-69.5, 2020-69.6,
2021-53.47, 2021-53.64, 2021-53.66,
2021-53A.23, 2021-53A.32,
2021-53A.33, 2021-69.2, 2021-69.3,
2021-69.5, 2021-69.6, 2022-53.6,
2022-53.35, 2022-69.2, 2023-53.15,

2023-69.1, 2023-69.2, 2023-69.3,
2023-69.4

sexual dysfunction, 2005-53.99, 2008-6.9,
2019-6.13, 2022-28A.5, 2022-33.2,
2022-34.1, 2022-34.4

sexual harassment, 2006-52.13,
2006-56.16, 2007-53A.28, 2008-53.24,
2008-53.29, 2010-53.11, 2010-53.25,
2012-53.19, 2021-53.61

sexual impotence, 2007-52.9, 2007-55.6

Sheuermann's thoracic kyphosis,
pre-existing, 2010-26.45, 2010-52.42

shock, 2010-6.45, 2012-6.21, 2013-19.1

shoulders

abrasion and contusion, 2010-6.45, 2012-
6.21, 2012-26.44, 2013-19.1

AC joint arthritis, pre-existing,
asymptomatic, aggravated, 2023-
27.7, 2023-28.2

acromioclavicular joint degeneration,
2005-52.334

acromioclavicular subluxation, 2023-
27.13, 2023-29.2

acromium, fracture, 2005-6.327

ankylosis, 2023-27.12

bilateral pain radiating down arms, 2011-
24.12

bursitis and severe pain, 2014-26.54,
2014-26.69

crush fracture, surgery to rebuild, 2011-
27.6, 2011-37.1

dislocation, 2006-53A.13, 2009-52.9,
2010-27.2, 2010-52.31

dislocation and surgery, 2009-6.3, 2019-
27.3, 2020-27.11

fracture, 2013-25.2, 2015-27.10, 2018-
27.3, 2018-27.5, 2019-27.4, 2019-
27.5, 2020-6.7, 2020-27.1, 2023-
27.10, 2023-27.12

fracture, crush, 2011-53B.11

fracture, ongoing difficulty raising arm,
2010-27.1, 2011-27.11

fracture and dislocation, 2011-29.1, 2015-
6.21, 2015-27.11, 2022-27.3

frozen, 2009-52.34, 2010-46.11, 2011-
38.1, 2011-52.2, 2013-52.51, 2016-
27.2, 2018-27.11, 2021-26.130,
2021-27.2, 2021-27.9, 2022-27.16,
2023-28.2

shoulders—Cont'd

frozen, pre-existing, **2010-52.60, 2010-53B.34**

girdle, injury, **2009-52.53, 2010-6.2, 2010-26.6, 2010-53B.1, 2011-6.4, 2011-7.3, 2011-53A.7, 2012-26.87, 2012-52.62, 2023-27.2**

impingement, **2014-53B.2, 2020-6.18, 2020-27.8, 2020-27.17, 2023-52.4**

impingement syndrome, **2023-27.1, 2023-27.3, 2023-27.4**

injury

- general, **2007-52.21, 2009-52.25, 2009-52.77, 2010-9.3, 2010-24.6, 2010-24.10, 2010-26.16, 2010-26.31, 2010-26.41, 2010-26.51, 2010-26.76, 2010-52.66, 2011-26.17, 2011-26.83, 2011-48.1, 2011-53A.13, 2011-53A.23, 2012-26.39, 2012-27.8, 2012-27.12, 2012-52.42, 2012-52.52, 2012-52.55, 2012-52.58, 2012-52.59, 2013-26.38, 2013-26.56, 2013-26.83, 2013-52.24, 2013-52.57, 2013-52.60, 2013-53.36, 2013-53B.3, 2014-6.5, 2014-6.13, 2014-26.22, 2014-26.38, 2014-26.73, 2014-52.28, 2014-52.33, 2014-52.34, 2014-52.49, 2015-26.4, 2015-26.20, 2015-26.34, 2015-52.6, 2015-52.16, 2017-27.4, 2017-27.5, 2018-27.4, 2018-27.8, 2020-27.5, 2023-27.8**
- labral tear, **2018-27.1, 2018-27.12, 2021-27.1, 2021-27.10, 2022-6.5, 2022-27.5, 2022-27.8, 2022-31.2, 2022-52.4**
- movement limited, **2010-52.47**
- painful injection treatment resulting in chronic pain, **2009-52.39, 2009-53.24**
- permanent partial disability and chronic pain, **2010-52.35**
- severe, medical negligence in treatment, **2010-27.3**
- surgery required, **2010-53.57**
- interscapular pain, **2009-53B.20**
- muscle strain, ongoing, **2021-8.34, 2021-26.160**
- myofascial pain, **2021-26.113, 2021-26.135, 2021-32.4, 2021-53B.13, 2022-26.46**
- nerve damage, permanent, **2011-8.19**

shoulders—Cont'd

numbness, **2013-26.109**

ongoing, chronic pain, **2010-6.25, 2010-26.27, 2010-26.29, 2010-26.42, 2010-28A.16, 2010-28A.20, 2010-53B.6, 2011-6.24, 2011-6.44, 2011-6.45, 2011-8.5, 2011-26.9, 2011-26.33, 2011-26.41, 2011-26.51, 2011-26.73, 2011-26.79, 2011-27.14, 2012-6.3, 2012-6.8, 2012-26.12, 2012-26.32, 2012-52.39, 2013-26.98, 2013-27.7, 2013-40.3, 2014-6.29, 2014-8.14, 2014-26.56, 2014-26.62, 2014-26.80, 2014-26.92, 2014-27.12, 2014-53B.13, 2015-16B.6, 2015-26.21, 2018-27.10, 2019-6.2, 2019-27.1, 2019-27.6, 2019-27.8, 2021-8.16, 2021-8.26, 2021-26.103, 2021-27.12, 2021-28.1, 2021-52.24, 2021-53.55, 2021-53B.6, 2021-53B.17, 2022-26.83, 2022-27.7, 2022-28.1, 2022-31.1, 2022-52.3, 2022-53.42, 2022-53B.32**

ongoing pain and limitation, **2010-53B.16, 2011-53B.6, 2011-53B.17, 2012-26.58, 2013-26.67, 2020-27.3, 2022-26.2, 2022-26.4, 2022-26.21, 2022-27.6, 2022-53.36, 2022-53B.1, 2022-53B.8**

ongoing pain requiring surgery, **2011-6.3, 2011-26.82, 2012-26.56, 2012-27.9, 2012-27.10, 2012-27.11, 2013-26.18, 2013-27.3, 2013-27.5, 2014-27.7, 2014-52.14, 2015-53B.8, 2017-27.7, 2019-27.5, 2022-27.3**

open reduction surgery, **2011-16B.11, 2011-27.8**

osteoarthritis

- post-traumatic, **2010-37.1**
- pre-existing, aggravated, **2015-52.31, 2022-24.6, 2022-53.39**

pain, limitations on use of arm, **2010-26.74**

pain, periodic, **2010-6.40**

pain, tingling down to fingers, **2012-53B.1**

pain radiating down arm, **2012-53B.22, 2017-32.4, 2019-27.10**

paralysis from medical negligence during birth, **2014-16A.6**

pre-existing problem aggravated, **2010-6.23, 2010-7.4, 2010-28A.6, 2010-28A.17, 2013-53B.12, 2014-26.74,**

shoulders—Cont'd

2014-26.91, 2014-52.47, 2014-53B.14, 2015-6.16, 2015-26.60, 2015-27.5, 2015-27.7, 2015-27.8, 2015-27.9, 2015-52.24, 2015-52.39, 2016-26.3, 2016-27.1, 2016-52.3, 2017-52.10, 2018-27.9, 2018-52.13, 2018-52.16, 2018-52.20, 2018-52.30, 2019-27.11, 2019-52.9, 2019-52.25, 2019-52.41, 2019-52.42, 2019-52.63, 2020-27.7, 2020-52.12, 2020-52.25, 2020-52.33, 2020-52.45, 2021-26.100, 2021-26.138, 2021-52.17, 2021-52.30, 2021-52.43, 2021-52.44, 2022-7.4, 2022-31.2, 2022-52.66, 2022-52.69, 2023-52.3, 2023-52.5

pronounced stoop caused by neck pain replacement surgery likely arising from negligent treatment, 2010-53.23

rotator cuff injury, 2005-55.386, 2006-6.5, 2006-52.1, 2006-53A.5, 2006-56.12, 2009-52.31, 2009-52.49, 2009-53B.16, 2010-28A.13, 2011-16B.11, 2012-53B.16, 2013-26.10, 2013-27.2, 2013-27.14, 2014-6.30, 2014-27.4, 2014-27.6, 2014-27.8, 2014-52.34, 2014-52.42, 2015-6.2, 2015-24.2, 2015-53B.1, 2016-27.3, 2018-27.1, 2018-27.2, 2019-27.2, 2019-27.7, 2020-27.9, 2022-26.51

rotator cuff injury, pre-existing, 2010-52.11, 2010-52.31, 2015-52.41, 2017-52.1, 2021-27.15, 2021-52.51, 2021-53.75, 2023-52.12

rotator cuff tears requiring surgery, 2021-27.8, 2021-52.35, 2022-27.10, 2023-27.7, 2023-28.2

rotator cuff tendinopathy, 2018-27.6

rounding and, 2008-53.18

scapula

fracture, 2014-6.31, 2014-8.20, 2022-25.1, 2022-27.4

muscles, soft tissue injury, 2013-26.12

ongoing pain, 2011-10.2

separation, 2009-52.29, 2010-6.30, 2011-53.28, 2015-27.6, 2020-6.6

separation, 2nd degree, 2011-27.7

separation, permanent deformity, 2015-27.2

shoulder blade

chronic pain, 2023-27.5

fracture, 2012-40.6, 2012-44.1, 2013-6.7, 2013-45.3, 2020-27.4

shoulders—Cont'd

shoulder blade—Cont'd

muscle, torn pain, 2010-26.75

pain between, 2010-26.70, 2011-53B.43, 2014-53B.5, 2016-6.1, 2019-6.1

pinching, 2011-26.72

soft tissue injuries, 2022-27.11, 2022-27.13, 2022-27.15, 2022-27.18, 2023-27.11

supraspinatus tendon tear, 2022-27.6, 2022-53.36

soft tissue injuries, ongoing pain, 2014-50.1, 2014-53.44, 2014-53B.1, 2017-27.8, 2018-27.7, 2020-27.10, 2020-27.12, 2020-27.13, 2020-27.15, 2020-27.18, 2020-27.19, 2020-32.4, 2021-26.79, 2021-26.102, 2021-26.124, 2021-26.131, 2021-26.132, 2021-26.139, 2021-27.3, 2021-27.4, 2021-27.10, 2022-24.3, 2022-26.14, 2022-26.40, 2022-26.56, 2022-26.57, 2022-26.58, 2022-26.61, 2022-26.70, 2022-27.1, 2022-27.14, 2022-53A.8, 2023-27.6

soft tissue injuries aggravating pre-existing condition, 2019-52.32, 2021-26.147, 2022-26.62

stiffness, 2006-52.19, 2009-52.25

strain, 2010-26.71, 2020-27.2

strain and persistent pain, 2010-6.14, 2010-6.15

strain and reduced strength, 2005-52.334

subacromial impingement with intermittent subacromial subdeltoid bursitis, 2022-27.17

tendinopathy and myofascial pain, 2020-27.6

tendon and cartilage tears, 2012-53A.5, 2013-8.2

tendon tear, 2011-27.2, 2011-53B.6, 2015-27.4, 2020-27.14, 2020-27.20

tightness, aggravated by whiplash, 2005-52.323

torn ligament, 2010-26.69, 2010-27.12

sigmoid colon, injury, 2005-53.90

skiing accident resulting in severe multiple injuries, 2008-52.6

skin

bed bug bites causing painful, swollen spots, 2022-16B.1, 2022-53.1

skin—Cont'd

- grafts, multiple, **2010-17.5**
- grafts and surgery to legs, **2010-17.2, 2013-6.26**
- graft to arm, **2007-6.2**
- hyper-pigmentation, pre-existing skin condition aggravated, medical negligence, **2011-17.1, 2014-18.1, 2014-32.2, 2014-53.41, 2014-53A.15**
- multiple lacerations, **2018-16A.2**
- post-inflammatory hyper-pigmentation and scarring, **2011-53A.4**
- rash from pain relief medication, **2012-16B.6**
- road rash, **2021-26.95, 2021-53.32**
- scarring from defective medical product, graft required, **2015-16B.1, 2015-17.1**
- scarring on face from dog attack, **2019-16A.6**
- significant scarring to face caused by assault, **2019-16A.4**

skull

- crushed, bone fragments forced into brain tissue, **2011-3.6, 2011-53.125, 2011-53A.26**
- fracture
 - basal, **2013-7.5, 2013-8.8, 2013-16A.4, 2013-53.75, 2019-8.38**
 - brain injury, permanent, **2011-3.2, 2013-6.28, 2019-8.9, 2021-8.15**
 - comminuted, depressed, **2011-8.14, 2011-23.3, 2019-3.3**
 - compound depressed, **2007-53.17, 2011-7.1, 2011-53A.1**
 - depressed, **2019-8.3, 2019-8.5, 2019-8.39**
 - general, **2005-55.389, 2007-53.12, 2007-53A.11, 2007-53A.12, 2011-6.1, 2011-16B.1, 2011-19.1, 2011-33.3, 2012-16B.2, 2020-53.85, 2022-8.7**
 - part of skull removed, **2021-3.3, 2021-8.35**
 - undisplaced, **2022-6.6, 2022-24.10, 2022-25.3**
- laceration, deep, **2011-53A.1**
- pain across top and back of, **2005-52.339**

sleep apnea, pre-existing, 2009-53B.12

- aggravated, **2022-45.1, 2022-52.32**

INDEX

sleep disturbance, 2006-52.25, 2007-52.5,
2007-52.7, 2007-53.31, 2007-53A.5,
2007-53A.10, 2008-52.28, 2008-53.5,
2008-53.11, 2008-53.15, 2008-53.27,
2008-53.28, 2009-52.3, 2009-52.15,
2009-52.25, 2009-52.52, 2009-52-67,
2009-53.2, 2009-53.17, 2009-53.27,
2009-53B.25, 2009-53B.31, 2010-6.35,
2010-7.7, 2010-16A.8, 2010-26.3,
2010-26.32, 2010-26.35, 2010-26.55,
2010-26.66, 2010-26.67, 2010-27.9,
2010-27.11, 2010-52.30, 2010-52.32,
2010-52.34, 2010-52.46, 2010-52.67,
2010-53.29, 2010-53.34, 2010-53.70,
2010-53A.3, 2010-53A.15,
2010-53B.19, 2010-53B.20, 2010-69.6,
2011-6.14, 2011-6.17, 2011-6.48,
2011-7.6, 2011-8.9, 2011-23.2,
2011-26.30, 2011-26.31, 2011-26.58,
2011-26.69, 2011-26.77, 2011-26.79,
2011-26.80, 2011-32.3, 2011-52.11,
2011-52.26, 2011-53.19, 2011-53.28,
2011-53.68, 2011-53.106,
2011-53B.10, 2011-55.4, 2012-16A.4,
2012-23.2, 2012-24.5, 2012-26.9,
2012-26.26, 2012-26.33, 2012-26.37,
2012-26.85, 2012-28.2, 2012-28A.20,
2012-46.9, 2012-52.41, 2012-53B.6,
2012-53B.14, 2012-53B.26, 2012-69.1,
2013-24.3, 2013-25.5, 2013-25.9,
2013-26.21, 2013-26.26, 2013-26.29,
2013-26.34, 2013-26.37, 2013-26.53,
2013-26.86, 2013-26.98, 2013-53.72,
2013-53A.10, 2013-69.7, 2014-6.23,
2014-6.25, 2014-6.35, 2014-26.15,
2014-26.21, 2014-26.52, 2014-26.63,
2014-26.64, 2014-26.74, 2014-27.10,
2014-28.2, 2014-53.21, 2014-53A.16,
2015-6.19, 2015-6.24, 2015-8.2,
2015-14.1, 2015-26.33, 2015-52.9,
2015-53.13, 2016-8.9, 2016-26.8,
2019-6.20, 2019-8.22, 2020-26.10,
2020-26.88, 2020-26.101, 2020-26.112,
2020-26.139, 2020-26.142, 2020-27.18,
2020-32.3, 2020-52.45, 2020-53.68,
2020-53B.15, 2020-53B.19, 2021-6.4,
2021-6.16, 2021-8.14, 2021-8.17,
2021-23.4, 2021-26.72, 2021-26.83,
2021-26.89, 2021-26.93, 2021-26.94,
2021-26.103, 2021-26.124,
2021-26.125, 2021-26.140,
2021-26.141, 2021-26.158,

2021-26.159, 2021-26.161, 2021-27.5,
2021-28A.9, 2021-53.28, 2021-53.31,
2021-53.53, 2021-53.60, 2021-53A.11,
2021-53A.30, 2021-53A.31,
2021-53B.5, 2021-53B.6, 2021-53B.8,
2021-53B.12, 2021-53B.19, 2022-6.2,
2022-6.8, 2022-24.15, 2022-24.22,
2022-26.3, 2022-26.9, 2022-26.11,
2022-26.12, 2022-26.13, 2022-26.15,
2022-26.25, 2022-28A.2, 2022-52.6,
2022-53.40, 2022-53.44, 2022-53.69,
2022-53A.6, 2022-53B.2, 2022-53B.3,
2023-6.3, 2023-7.2, 2023-24.6,
2023-26.5, 2023-26.26, 2023-27.6,
2023-27.17, 2023-53.1, 2023-53.2,
2023-53.19

pre-existing, 2019-52.57

small intestine, laceration of, 2005-53.90

small intestine, perforation, 2012-16B.1,
2012-27.1

social anxiety, 2022-53.70

social anxiety disorder, 2005-53.79,
2021-27.5, 2021-53.28

social isolation, 2009-6.7, 2009-52.16

soft tissue injuries

multiple, 2010-24.11, 2010-25.4, 2010-
26.49, 2010-26.53, 2010-26.67,
2010-28A.16, 2010-52.2, 2010-
52.59, 2010-53A.12, 2010-53B.20,
2011-25.11, 2011-26.26, 2011-26.42,
2011-26.44, 2011-26.59, 2011-33.4,
2011-47.4, 2011-52.28, 2011-53B.9,
2011-53B.26, 2012-26.1, 2012-26.8,
2012-26.13, 2012-26.27, 2012-26.46,
2012-26.53, 2012-26.62, 2012-26.72,
2012-26.73, 2012-26.74, 2012-26.77,
2012-26.90, 2012-28A.10, 2012-
28A.26, 2012-42.4, 2012-52.33,
2012-52.34, 2012-52.43, 2012-56.3,
2012-56.4, 2013-6.8, 2013-6.36,
2013-26.2, 2013-26.9, 2013-26.11,
2013-26.27, 2013-26.31, 2013-26.49,
2013-26.60, 2013-26.87, 2013-26.92,
2013-28A.7, 2013-28A.10, 2013-
30.1, 2013-30.2, 2013-31.5, 2013-
32.2, 2013-34.5, 2013-39.1, 2013-
41.1, 2013-52.22, 2013-52.44, 2013-
52.65, 2013-52.67, 2013-53.68,
2013-56.12, 2014-26.4, 2014-26.18,
2014-26.40, 2014-26.82, 2014-

soft tissue injuries—Cont'd

28A.3, 2014-28A.11, 2014-31.5,
2014-47.3, 2014-52.4, 2014-52.11,
2014-52.50, 2014-52.54, 2014-53.45,
2014-53.52, 2015-26.24, 2015-26.32,
2015-47.1, 2019-6.5, 2019-6.7,
2021-26.92, 2022-6.9, 2022-26.22,
2023-7.1

pre-existing, aggravated, 2013-52.5,
2014-52.40, 2014-52.56, 2015-52.23,
2015-52.24, 2016-26.5, 2016-52.1,
2019-52.39, 2020-52.9, 2021-24.3,
2021-28A.15, 2021-52.41, 2022-6.8,
2022-28.2, 2022-53B.7

pre-existing, symptomatic, 2013-26.35,
2013-52.8

soft tissue pain

chronic, 2012-26.40, 2013-26.61, 2014-
26.90, 2015-6.9, 2021-6.16, 2021-
26.97, 2021-26.159, 2021-53B.19,
2022-7.6, 2022-7.10, 2022-53B.10,
2023-7.7

ongoing, 2012-26.83, 2013-26.58, 2013-
26.106, 2014-53A.9, 2015-53A.6,
2021-26.102, 2021-27.15, 2021-
52.21, 2021-52.51, 2021-53.24,
2021-53.25, 2021-53.75, 2022-6.3,
2022-7.1, 2022-26.19, 2022-46.1,
2022-53B.4

pre-existing, aggravated, 2014-26.59,
2014-26.85, 2015-6.12, 2015-52.32,
2021-26.114, 2021-52.52, 2021-
53A.39

somatic symptom disorder, 2018-53B.12,
2019-6.19, 2019-8.31, 2019-52.3,
2019-52.5, 2019-52.15, 2020-6.13,
2020-8.5, 2020-8.9, 2020-8.19,
2020-8.24, 2020-13.5, 2020-23.6,
2020-26.84, 2020-26.103, 2020-26.125,
2020-26.136, 2020-26.142, 2021-25.4,
2021-26.10, 2021-26.105, 2021-26.137,
2021-26.141, 2021-28A.16, 2021-48.1,
2021-51.1, 2021-53.34, 2021-53.36,
2021-53.59, 2021-53A.16,
2021-53A.18, 2021-53A.40,
2021-53B.10, 2021-53B.21, 2022-6.4,
2022-6.10, 2022-6.11, 2022-8.9,
2022-8.18, 2022-8.20, 2022-8.28,
2022-19.2, 2022-24.14, 2022-24.21,
2022-25.7, 2022-26.27, 2022-26.34,
2022-26.77, 2022-26.83, 2022-26.85,
2022-52.35, 2022-53.41, 2022-53.51,
2022-53.82, 2023-24.1, 2023-26.6,
2023-26.16, 2023-26.21, 2023-27.2,
2023-53.9, 2023-53.14, 2023-53.17,
2023-53.29

somatoform disorder

conversion disorder, 2009-53.4, 2009-
53A.3, 2010-52.45, 2011-53A.2,
2014-53B.19, 2019-55.1

conversion disorder, pre-existing, 2011-
19.2

general, 2010-6.4, 2010-7.7, 2010-26.7,
2010-26.46, 2010-52.67, 2010-53.70,
2010-53B.4, 2011-7.6, 2011-52.26,
2011-53.68, 2019-6.4, 2022-7.4,
2022-24.6, 2022-53.39

pain condition, pre-existing, 2009-52.18,
2009-53A.9

spasticity

episodes increased, 2009-52.45

exacerbation of, 2009-52.7, 2009-55.1

ongoing, 2014-53.53

quadriplegic, 2019-3.4

speech

difficulties, 2013-53A.7, 2020-21.1

dysarthria, 2005-5.55

impediment arising from surgery for oral
carcinoma, 2010-10.3

loss of control over lower lip, 2010-10.1

slurred, 2015-53A.6

slurred and garbled, 2010-26.19, 2010-
52.17, 2011-26.37, 2011-52.21

spinal cord

compression, 2006-6.3, 2007-52.12, 2008-52.49, 2009-52.84, 2014-25.6, 2014-53.53, 2014-53B.19
infection causing further damage, 2011-2.1
muscles surrounding injured, 2007-52.40
permanently damaged, 2007-52.9, 2007-55.6, 2013-1.1, 2015-25.5

spinal disc

bulging in lower back, 2009-52.29
chronic discogenic pain, 2010-52.14, 2010-53B.10
degenerative disc disease, pre-existing, 2005-52.332, 2005-52.340, 2005-52.341, 2008-52.8, 2008-52.17, 2008-52.42, 2008-52.46, 2009-52.12, 2009-52.19, 2009-52.49, 2009-52.60, 2009-52.66, 2009-52.78, 2009-52.83, 2010-6.28, 2010-6.32, 2010-26.34, 2010-52.19, 2010-52.23, 2010-52.24, 2010-52.30, 2010-52.32, 2010-52.47, 2010-52.57, 2010-53B.21, 2012-24.1, 2012-24.2, 2012-26.50, 2013-6.22, 2013-26.77, 2013-26.78, 2013-26.93, 2013-29.1, 2014-6.24, 2014-28.4
disc bulge, 2012-26.80, 2013-26.58, 2013-53A.1
disc bulge in thoracic spine, 2012-28A.3
fracture, 2008-53B.12
herniation, 2007-53A.13, 2007-53B.7, 2009-53B.14, 2010-6.43, 2010-24.12, 2011-8.10, 2011-53.78, 2012-6.11, 2012-32.6, 2012-52.18, 2015-53.19, 2022-25.4, 2023-8.11, 2023-26.28
herniation, pre-existing, 2008-52.29, 2008-52.40, 2008-53B.16, 2009-52.4, 2010-52.41
herniation, pre-existing, requiring surgery, 2013-26.13
herniation putting pressure on esophagus, 2012-25.6, 2012-26.57
herniation requiring surgery, 2011-53B.19, 2012-26.71
rupture, surgery required, 2006-53B.3

spine, general

asymptomatic condition rendered symptomatic, 2010-26.25, 2010-28.5, 2010-28A.7, 2011-53B.22,

spine, general—Cont'd

2012-26.19, 2013-26.14, 2013-26.69, 2014-26.33, 2014-26.70, 2015-26.31, 2015-52.44, 2016-6.2, 2016-26.1, 2016-52.2, 2022-28.10, 2022-32.1
cervical rhizotomy, medical negligence, stroke resulting, 2013-55.1
condition, pre-existing, 2007-52.27, 2007-52.34, 2008-52.15, 2008-52.22, 2008-52.25, 2008-52.49, 2009-52.28, 2017-52.6
degeneration, pre-existing, 2009-53.14, 2009-53.33, 2009-53B.1, 2010-6.18, 2010-26.73, 2010-46.12, 2010-52.26, 2010-52.27, 2010-52.31, 2010-52.37, 2010-52.45, 2010-52.61, 2010-52.63, 2010-53.26, 2010-53.32, 2010-53B.15, 2011-6.27, 2011-24.11, 2011-26.52, 2011-26.64, 2011-26.81, 2011-52.24, 2011-52.25, 2011-52.29, 2011-52.37, 2011-52.59, 2012-28A.9, 2012-52.25, 2016-52.28, 2017-52.7, 2017-52.13, 2018-52.22, 2019-6.11, 2019-52.13, 2019-52.16, 2019-52.19, 2019-52.20, 2020-52.23, 2020-52.59, 2021-24.6, 2021-26.128, 2021-52.37, 2022-8.14
degeneration, pre-existing, negligence in surgery to address degeneration and deformities, pre-existing, 2009-52.63, 2009-53B.37
fracture
burst fracture L1, 2010-25.8, 2015-6.10, 2015-8.8, 2021-25.9, 2021-26.156, 2021-53.72
C6 and C7 crushed, 2011-1.1
D6, D7, D8, 2015-6.13
failure to diagnose, 2006-53A.18, 2007-53B.24
general, 2007-52.20, 2008-52.54, 2009-52.16, 2011-30.7, 2012-8.6, 2013-16B.10, 2013-17.1
lower spine compression fracture, 2010-16A.2, 2012-28A.17, 2013-27.6, 2019-25.2, 2022-16A.4, 2022-25.2
multiple, 2008-53A.5, 2010-53A.6, 2020-6.14, 2020-25.7
pre-existing compression fractures aggravated, 2013-26.113
rods and screws inserted to stabilize, 2012-25.5, 2015-8.8
sacrum, 2009-53B.52

spine, general—Cont'd

fracture—Cont'd

T2, L1, L2, **2013-8.3**T-4 compression fracture, **2009-52.17, 2022-25.1**thoracic spine, **2020-25.6, 2020-25.8, 2021-25.1, 2021-25.3, 2022-8.23, 2022-25.1**thoracic spine compression fracture, **2021-25.7, 2021-27.7, 2021-32.2**thoracic vertebral endplate fracture, **2022-6.7, 2022-8.11, 2022-25.5**transverse process fractures, **2015-8.8**
vertebra, **2010-1.1, 2010-52.54, 2012-33.5, 2012-34.4, 2013-6.18, 2015-25.4**radiculopathy, chronic, **2013-26.77, 2013-52.32, 2021-26.90**range of motion decreased, **2012-26.72, 2021-26.70, 2021-52.20**sacral nerve injury affecting bladder function, **2012-8.11**spasm along spine, pain radiating into leg, **2019-6.9**surgery, recovering from when involved in collision, **2010-26.30, 2010-52.29, 2017-52.12**surgery resulting in permanent scarring, **2015-25.7****spleen**injury, **2006-6.52, 2020-6.2, 2020-33.1**ruptured, **2013-6.7, 2014-8.15**severed, **2005-53.80**splenectomy, **2013-6.7, 2013-45.3****spondylolisthesis, pre-existing,****2009-52.60, 2010-26.15, 2010-52.6, 2017-52.16, 2021-28A.11, 2021-52.47****spondylosis, cervical, pre-existing,****aggravated and rendered symptomatic, 2014-26.51, 2014-53A.14, 2020-52.14, 2021-24.12, 2021-28A.12****sternum**fracture, **2006-6.50, 2008-6.43, 2008-53.30, 2008-55.9, 2009-6.24, 2009-52.36, 2009-53A.13, 2010-32.4, 2010-42.3, 2010-53A.14, 2011-25.7, 2011-26.14, 2012-45.1, 2013-6.18, 2013-6.25, 2013-8.3, 2013-25.4, 2013-48.5, 2013-52.38, 2013-52.46,****sternum—Cont'd****2013-52.52, 2014-6.37, 2014-52.51, 2014-53.52, 2018-32.2, 2020-32.1, 2021-25.7, 2021-27.7, 2021-31.6, 2021-32.3, 2022-28A.18, 2022-29.2**injury, **2009-52-67, 2022-26.19, 2022-52.31****stomach**medical negligence in weight loss surgery resulting in need to remove stomach, **2021-33.2, 2021-54A.3**pre-existing ulcer, aggravated, **2018-52.23****stroke, 2005-5.55, 2010-55.2, 2013-55.1**embolization of thrombus to brain causing stroke, **2018-6.7, 2018-8.16****stroke, medical negligence, 2010-55.2, 2012-55.1****stuttering, 2011-53.19**pre-existing condition aggravated, **2015-52.27****substance abuse, pre-existing, aggravated,****2018-52.17, 2018-52.19, 2018-52.27, 2021-28A.6, 2021-55.2****suicidal ideation/attempts, 2005-53.93,****2005-53A.6, 2006-53.21, 2006-53.41, 2006-53A.1, 2006-53A.3, 2006-53A.7, 2006-53A.9, 2007-53.12, 2008-6.9, 2008-53A.5, 2009-6.13, 2009-53A.17, 2010-6.4, 2010-6.42, 2010-8.9, 2010-12.1, 2010-19.1, 2010-26.7, 2010-26.47, 2010-47.6, 2010-53.9, 2010-53.37, 2010-53A.1, 2010-53A.15, 2010-53A.17, 2010-53A.19, 2010-53B.4, 2010-53B.26, 2010-53B.37, 2010-69.1, 2011-6.38, 2011-8.21, 2011-16A.4, 2011-19.2, 2011-49.3, 2011-53.12, 2011-53.46, 2011-53.55, 2011-53.100, 2011-53.106, 2011-53A.2, 2011-53A.12, 2011-53A.15, 2011-53A.22, 2011-53A.24, 2011-53B.32, 2011-69.12, 2012-53.16, 2012-53.25, 2012-53A.4, 2012-53B.7, 2012-69.2, 2013-6.7, 2013-8.10, 2013-12.2, 2013-19.1, 2013-53.72, 2013-53.76, 2013-53A.9, 2014-6.15, 2014-8.4, 2014-53.6, 2014-53.9, 2014-53.43, 2014-53A.3, 2014-53A.16, 2014-69.3, 2020-6.13, 2020-6.15, 2020-8.21,**

- 2020-20.1, 2020-26.103, 2020-26.127, 2020-26.130, 2020-27.10, 2020-46.9, 2020-52.37, 2020-53.54, 2020-53.64, 2020-53.75, 2020-53A.15, 2020-53A.16, 2020-53B.14, 2020-69.6, 2020-69.7, 2020-69.8, 2021-6.9, 2021-6.15, 2021-8.27, 2021-8.32, 2021-26.153, 2021-26.157, 2021-52.39, 2021-52.49, 2021-53.46, 2021-53.51, 2021-53A.21, 2021-53A.25, 2021-53A.34, 2021-53B.14, 2021-69.1, 2022-8.22, 2022-8.25, 2022-8.28, 2022-26.88, 2022-53.3, 2022-53.88, 2022-69.1, 2023-53.11, 2023-53.24
- syringomyelia, pre-existing, 2010-52.42**
- teeth**
- all teeth lost to delay in cancer diagnosis, **2010-16A.5**
 - all teeth lost to infection from dog bite to cheek, **2010-16A.8, 2010-53.62**
 - broken, **2005-53.80, 2008-53A.12, 2008-53B.17, 2009-52.76, 2018-10.1, 2018-10.2, 2019-7.2, 2019-10.1, 2019-10.3, 2019-10.4, 2020-10.3, 2020-10.4, 2022-8.8, 2022-10.2, 2022-56.7**
 - dental bridge damaged, **2019-10.2, 2019-10.3**
 - dentures, poorly fitted causing pain, **2020-14.1**
 - dislocation, **2021-9.4, 2022-10.2**
 - dislocation of 4 upper teeth, **2009-53B.46, 2010-6.21, 2010-8, 2010-26.8, 2010-52.8, 2010-53.1, 2010-53A.13, 2012-8.14, 2015-8.1**
 - extensive, painful dental surgery, **2005-6.337, 2005-6.338, 2005-6.340, 2009-52.16, 2009-53.6, 2010-8.1, 2010-53.1, 2015-10.4, 2016-10.1**
 - extensive oral surgery required, **2015-10.4, 2016-10.1, 2018-14.1, 2019-10.4, 2020-10.2**
 - fracture resulting in extraction, bone grafting, implants, **2022-10.4, 2022-26.82**
 - fracture resulting in need for root canal surgery, surgery unsuccessful and tooth removed, **2015-48.1**
 - infections after negligent removal of all remaining teeth, **2020-10.1**
 - knocked loose, removed and replaced with implants, **2011-28.6**
- teeth—Cont'd**
- loosened, **2012-45.4, 2013-6.35, 2013-26.15**
 - loss of teeth, **2005-56.104, 2008-53B.15, 2012-38.2, 2016-10.1, 2016-10.2, 2016-14.1**
 - medical negligence during treatment, **2022-10.1, 2022-10.3, 2022-14.1, 2022-17.1**
 - molar fractures, **2010-53.1**
 - sheared, **2009-6.7**
- tendon condition, pre-existing, 2007-52.4**
- testicle, medical negligence leading to loss, of, 2020-34.2**
- testicle, surgically removed after vicious assault, 2008-53.31**
- testicles, assault causing bruising and swelling, 2022-34.2**
- testicles swollen to size of grapefruit, 2012-6.14**
- thigh**
- dog bite causing scars, **2005-53.84, 2011-16B.6**
 - hamstring injured, **2013-52.7**
 - heterotropic bone formation resulting from surgery to repair fracture, **2013-53B.13**
 - meralgia paresthetica, **2014-26.61**
 - numbness, **2013-26.72**
 - numbness aggravated, **2013-6.32**
 - soft tissue injury, **2013-53A.5**
- thoracic outlet syndrome**
- general, **2007-6.38, 2007-6.41, 2007-52.43, 2007-53.35, 2007-53B.22, 2009-6.30, 2009-52.61, 2009-53B.35, 2009-55.9, 2010-5.3, 2010-6.20, 2010-9.4, 2010-26.37, 2010-52.38, 2010-53B.22, 2010-53B.24, 2011-8.5, 2011-24.4, 2011-26.23, 2011-26.69, 2011-27.5, 2011-52.45, 2012-8.8, 2012-13.1, 2012-52.15, 2012-53.18, 2013-7.1, 2013-26.43, 2013-26.45, 2013-52.17, 2013-53B.5, 2014-6.9, 2014-26.90, 2014-27.5, 2015-6.11, 2015-26.51, 2015-26.81, 2015-32.4, 2018-32.3, 2019-32.2, 2020-6.10, 2020-32.1, 2020-32.3, 2021-8.23, 2021-26.117, 2021-26.129, 2021-30.1, 2021-32.2, 2021-**

thoracic outlet syndrome—Cont'd

32.4, 2021-53.43, 2022-32.4, 2023-7.4, 2023-26.15, 2023-27.4
 neurogenic thoracic outlet syndrome, 2009-52.76, 2009-53B.46, 2022-24.2, 2022-32.1, 2022-52.5, 2022-53A.4
 pain radiating down arm, 2022-27.16
 post-traumatic, 2012-9.7, 2012-26.40, 2015-26.67, 2015-32.3
 pre-existing, 2010-52.6, 2010-52.50
 pre-existing, aggravated, 2010-26.52, 2012-23.3, 2012-26.89, 2014-6.28, 2014-55.3, 2021-52.11
 severe, 2021-26.135, 2021-53B.13, 2022-26.46, 2022-32.2
 surgery required, 2019-6.16, 2019-32.1
 trauma-induced, 2013-8.7

thorax

bruising, 2011-24.10, 2013-53.52
 bruising, extensive, 2008-6.43, 2008-53.30
 burns, 2007-53.36
 contusions, 2005-53A.3
 haemothorax, 2015-32.2, 2019-32.3
 lacerations, scarring, 2011-16B.13
 thoracic, cervical, and lumbar injuries, 2005-52.339, 2005-55.386, 2010-53.29, 2010-53A.10

throat, bitten in dog attack, 2011-44.3

thyroid, misdiagnosed and removed unnecessarily, 2006-53.3

tibia

fracture
 comminuted, 2010-32.2, 2010-53.28
 complex, 2010-16B.1, 2010-46.3
 compound, 2005-6.341
 exacerbated by psychological difficulties, 2005-52.327
 extending into knee, 2012-46.10, 2012-51.1
 general, 2007-52.30, 2009-53B.10, 2010-52.43, 2010-53.57, 2010-53A.9, 2011-8.13, 2013-6.9, 2014-6.34, 2014-46.8, 2014-52.46
 near ankle, 2011-48.4, 2022-6.12
 open, 2013-6.5
 open, with segmental fractures of midshaft tibia, 2009-53B.26

tibia—Cont'd

fracture—Cont'd
 plafond, 2022-48.2
 post-traumatic periostitis and, 2010-48.4, 2010-50.1
 spiral, 2010-47.4, 2011-52.61, 2012-47.2, 2020-47.2
 surgery required to repair, 2005-6.335, 2010-53.46, 2011-8.24, 2011-16B.9, 2011-47.6, 2012-40.6, 2013-47.2, 2014-53A.11, 2015-26.2, 2018-47.6, 2018-47.7, 2018-47.8, 2018-47.9, 2019-6.12, 2019-47.1, 2019-47.2, 2019-47.3, 2020-44.1, 2020-47.2, 2020-47.3, 2020-47.4, 2023-46.2
 tibial tendon severed, 2011-47.1

tongue, lacerated, 2005-6.335, 2010-16B.6, 2010-53.46, 2011-8.24, 2011-14.1, 2006-6.3, 2011-16B.9, 2011-47.1, 2011-47.6, 2012-40.6, 2013-47.2, 2014-16A.4, 2014-52.25, 2014-53A.11, 2015-26.2

tonsils

medical negligence during tonsillectomy, 2011-14.1, 2011-21.1, 2014-16B.2, 2014-32.1

tracheotomy, 2010-6.5

trapezius, injury, 2013-52.40, 2019-6.1, 2021-24.13, 2021-27.16, 2022-26.41

trochanteric bursitis, chronic, 2011-53B.23, 2018-31.3

upper body, 2010-34.1, 2011-34.2

bruising and swelling, 2012-48.1
 crush injury, 2010-9.6, 2010-16A.6

ureter

section removed, medical negligence, 2010-33.5
 transected, medical negligence, 2010-33.1, 2012-34.3, 2014-16B.3, 2014-34.1

ureter negligently removed, 2010-52.55

urinary tract bleeding, 2011-6.42

uterus

negligence in failure to remove IUD during surgery, discovered 2 decades later, 2019-33.1

INDEX

uterus—Cont'd

negligence in myomectomy, fallopian tubes damaged, **2022-34.2**
negligence in surgical repair resulting in need for hysterectomy, **2013-53.23**
negligent removal, **2019-34.3**
perforated by IUD, **2013-34.3**
ruptured, medical negligence during birth, **2010-53.60, 2011-53.67, 2013-3.3, 2013-33.5**

vagina

nodule, **2005-52.343**
pain, **2006-53.4**
ulcers, **2019-34.2**

vascular damage arising from surgical negligence, 2007-53B.15, 2009-52.26, 2009-53B.30

vertigo, 2008-6.2, 2008-6.12, 2008-52.11, 2008-53.31, 2010-28.10, 2010-52.26, 2010-53B.36, 2011-26.31, 2012-52.64, 2015-52.12, 2016-23.3, 2020-8.15, 2022-24.12, 2023-23.1, 2023-26.19

vestibular

dysfunction, **2011-8.20, 2011-9.6, 2011-32.4, 2011-52.45, 2014-6.23, 2014-26.37, 2014-26.86**
impairment, **2005-55.392, 2014-53.24, 2014-55.1, 2021-19.3, 2021-23.6, 2021-24.2**
impairment resulting in intermittent positional dizziness, **2014-8.3**
injury, **2009-53.16, 2011-52.32, 2016-9.1, 2016-23.2**
problems affecting balance and co-ordination, **2013-26.116, 2016-26.6, 2020-23.3, 2021-23.1**

whiplash

developing into pain disorder, **2015-52.15, 2017-26.60, 2018-26.1, 2018-26.25, 2019-26.46, 2019-26.47, 2019-26.62, 2019-26.75, 2019-26.88, 2019-26.96, 2019-26.100, 2019-26.101, 2019-26.104, 2020-26.1, 2020-26.2, 2020-26.7, 2020-26.10, 2020-26.11, 2020-26.14, 2020-26.15, 2020-26.16, 2020-26.19, 2020-26.21, 2020-26.22, 2020-26.26, 2020-26.28, 2020-26.29, 2020-26.50, 2020-26.51, 2020-26.52, 2020-26.116, 2020-26.144, 2020-26.162, 2020-26.167,**

whiplash—Cont'd

2020-26.169, 2020-26.170, 2021-26.4, 2021-26.5, 2021-26.19, 2021-26.23, 2021-26.34, 2021-26.36, 2021-26.127

general, **2010-5.4, 2010-6.31, 2010-7.8, 2010-24.8, 2010-53A.7, 2010-53B.17, 2010-56.5, 2011-6.7, 2011-6.17, 2011-6.43, 2011-7.7, 2011-8.5, 2011-8.26, 2011-9.2, 2011-9.5, 2011-26.43, 2011-26.45, 2011-26.55, 2011-27.4, 2011-28A.3, 2011-28A.6, 2011-28A.14, 2011-28A.15, 2011-52.4, 2011-52.13, 2011-52.49, 2011-53B.16, 2011-53B.24, 2012-6.7, 2012-9.5, 2012-9.7, 2012-26.41, 2012-28A.4, 2012-28A.12, 2012-28A.15, 2012-52.35, 2012-53B.10, 2012-53B.12, 2012-53B.15, 2013-6.10, 2013-25.3, 2013-26.7, 2013-26.8, 2013-26.9, 2013-26.10, 2013-26.12, 2013-27.11, 2013-28A.2, 2013-28A.8, 2013-31.2, 2013-32.5, 2013-52.14, 2013-52.26, 2013-52.54, 2013-53B.8, 2013-56.5, 2013-56.9, 2014-8.9, 2014-26.45, 2014-46.2, 2014-52.17, 2014-52.30, 2014-53.35, 2014-53A.10, 2015-26.17, 2015-26.18, 2015-26.19, 2015-26.20, 2015-26.22, 2015-26.23, 2015-26.24, 2015-26.25, 2015-26.26, 2015-26.27, 2015-26.28, 2015-26.29, 2015-26.30, 2015-26.31, 2015-26.32, 2015-26.34, 2015-26.35, 2015-26.36, 2015-26.37, 2015-26.39, 2015-26.40, 2015-26.41, 2015-26.42, 2015-26.43, 2015-26.44, 2015-26.45, 2015-26.46, 2015-26.48, 2015-26.49, 2015-26.50, 2015-26.51, 2015-26.52, 2015-26.53, 2015-26.54, 2015-26.55, 2015-26.57, 2015-26.58, 2015-26.60, 2015-26.65, 2015-26.67, 2015-26.68, 2015-26.69, 2015-26.71, 2015-26.72, 2015-26.74, 2015-26.75, 2015-26.77, 2015-26.78, 2015-26.79, 2015-26.80, 2015-26.81, 2015-26.82, 2015-26.83, 2015-26.84, 2015-26.86, 2015-26.87, 2015-26.88, 2015-26.89, 2015-26.90, 2015-26.91, 2015-26.95, 2015-26.96, 2015-52.11, 2015-53B.3, 2016-26.2, 2016-26.3, 2016-26.18, 2016-26.37, 2016-26.38, 2016-26.40, 2016-26.41, 2016-26.42, 2016-26.43, 2016-26.44, 2016-26.45, 2016-26.46, 2016-26.47, 2016-26.48,**

DAMAGES FOR PERSONAL INJURY AND DEATH—CONSOLIDATED TABLES

whiplash—Cont'd

2016-26.49, 2016-26.50, 2016-26.51,
2016-26.52, 2016-26.53, 2016-26.54,
2016-26.55, 2016-26.56, 2016-26.57,
2016-26.58, 2016-26.59, 2016-26.60,
2016-26.61, 2016-26.62, 2016-26.63,
2016-26.64, 2016-26.65, 2016-26.66,
2016-26.67, 2016-26.68, 2016-26.69,
2016-26.70, 2017-26.1, 2017-26.2,
2017-26.3, 2017-26.4, 2017-26.6,
2017-26.7, 2017-26.8, 2017-26.9,
2017-26.10, 2017-26.11, 2017-26.12,
2017-26.13, 2017-26.14, 2017-26.15,
2017-26.16, 2017-26.17, 2017-26.18,
2017-26.19, 2017-26.20, 2017-26.21,
2017-26.22, 2017-26.24, 2017-26.25,
2017-26.26, 2017-26.27, 2017-26.28,
2017-26.29, 2017-26.37, 2017-26.39,
2017-26.41, 2017-26.42, 2017-26.44,
2017-26.45, 2017-26.46, 2017-26.47,
2017-26.49, 2017-26.50, 2017-26.51,
2017-26.52, 2017-26.53, 2017-26.54,
2017-26.55, 2017-26.56, 2017-26.57,
2017-26.58, 2017-26.59, 2017-26.61,
2017-26.62, 2017-26.63, 2017-26.64,
2017-26.65, 2017-26.66, 2017-26.67,
2017-26.68, 2017-26.69, 2017-26.70,
2017-26.71, 2017-26.72, 2018-26.2,
2018-26.3, 2018-26.4, 2018-26.5,
2018-26.6, 2018-26.7, 2018-26.8,
2018-26.9, 2018-26.10, 2018-26.11,
2018-26.12, 2018-26.13, 2018-26.14,
2018-26.15, 2018-26.16, 2018-26.17,
2018-26.18, 2018-26.19, 2018-26.20,
2018-26.21, 2018-26.22, 2018-26.23,
2018-26.24, 2018-26.26, 2018-26.27,
2018-26.28, 2018-26.31, 2018-26.32,
2018-26.33, 2018-26.34, 2018-26.36,
2018-26.37, 2018-26.38, 2018-26.39,
2018-26.40, 2018-26.41, 2018-26.42,
2018-26.43, 2018-26.44, 2018-26.45,
2018-26.46, 2018-26.47, 2018-26.48,
2018-26.49, 2018-26.50, 2018-26.51,
2018-26.52, 2018-26.53, 2018-26.54,
2018-26.55, 2018-26.56, 2018-26.57,
2018-26.58, 2018-26.59, 2018-26.60,
2018-26.61, 2018-26.62, 2018-26.63,
2018-26.64, 2018-26.66, 2018-26.67,
2019-6.4, 2019-6.16, 2019-26.1,
2019-26.2, 2019-26.3, 2019-26.4,
2019-26.5, 2019-26.6, 2019-26.7,
2019-26.8, 2019-26.9, 2019-26.10,
2019-26.11, 2019-26.12, 2019-26.13,
2019-26.14, 2019-26.15, 2019-26.16,

whiplash—Cont'd

2019-26.17, 2019-26.18, 2019-26.19,
2019-26.20, 2019-26.21, 2019-26.22,
2019-26.23, 2019-26.24, 2019-26.25,
2019-26.26, 2019-26.27, 2019-26.28,
2019-26.30, 2019-26.31, 2019-26.32,
2019-26.33, 2019-26.34, 2019-26.35,
2019-26.36, 2019-26.37, 2019-26.39,
2019-26.40, 2019-26.41, 2019-26.42,
2019-26.44, 2019-26.45, 2019-26.48,
2019-26.49, 2019-26.50, 2019-26.51,
2019-26.55, 2019-26.56, 2019-26.57,
2019-26.58, 2019-26.59, 2019-26.61,
2019-26.65, 2019-26.67, 2019-26.68,
2019-26.69, 2019-26.70, 2019-26.71,
2019-26.72, 2019-26.73, 2019-26.74,
2019-26.76, 2019-26.77, 2019-26.78,
2019-26.79, 2019-26.84, 2019-26.85,
2019-26.86, 2019-26.87, 2019-26.89,
2019-26.90, 2019-26.91, 2019-26.93,
2019-26.94, 2019-26.95, 2019-26.97,
2019-26.98, 2019-26.103, 2020-26.3,
2020-26.4, 2020-26.5, 2020-26.9,
2020-26.20, 2020-26.23, 2020-26.24,
2020-26.27, 2020-26.30, 2020-26.32,
2020-26.34, 2020-26.35, 2020-26.37,
2020-26.38, 2020-26.39, 2020-26.40,
2020-26.42, 2020-26.43, 2020-26.44,
2020-26.47, 2020-26.48, 2020-26.49,
2020-26.53, 2020-26.54, 2020-26.55,
2020-26.56, 2020-26.57, 2020-26.58,
2020-26.59, 2020-26.60, 2020-26.61,
2020-26.62, 2020-26.63, 2020-26.64,
2020-26.65, 2020-26.68, 2020-26.69,
2020-26.70, 2020-26.71, 2020-26.72,
2020-26.73, 2020-26.75, 2020-26.76,
2020-26.78, 2020-26.79, 2020-26.80,
2020-26.83, 2020-26.84, 2020-26.85,
2020-26.89, 2020-26.90, 2020-26.91,
2020-26.93, 2020-26.95, 2020-26.96,
2020-26.97, 2020-26.98, 2020-26.99,
2020-26.102, 2020-26.107, 2020-
26.109, 2020-26.110, 2020-26.112,
2020-26.113, 2020-26.114, 2020-
26.115, 2020-26.117, 2020-26.120,
2020-26.121, 2020-26.122, 2020-
26.123, 2020-26.124, 2020-26.125,
2020-26.127, 2020-26.129, 2020-
26.130, 2020-26.131, 2020-26.132,
2020-26.135, 2020-26.136, 2020-
26.138, 2020-26.140, 2020-26.141,
2020-26.147, 2020-26.148, 2020-
26.149, 2020-26.151, 2020-26.152,
2020-26.153, 2020-26.155, 2020-

whiplash—Cont'd

26.157, 2020-26.159, 2020-26.161, 2020-26.163, 2020-26.164, 2020-26.165, 2021-26.1, 2021-26.2, 2021-26.3, 2021-26.7, 2021-26.9, 2021-26.10, 2021-26.11, 2021-26.12, 2021-26.15, 2021-26.16, 2021-26.18, 2021-26.20, 2021-26.24, 2021-26.25, 2021-26.26, 2021-26.27, 2021-26.28, 2021-26.30, 2021-26.31, 2021-26.32, 2021-26.35, 2021-26.37, 2021-26.38, 2021-26.40, 2021-26.41, 2021-26.42, 2021-26.43, 2021-26.44, 2021-26.45, 2021-26.46, 2021-26.47, 2021-26.48, 2021-26.52, 2021-26.53, 2021-26.56, 2021-26.59, 2021-26.61, 2021-26.62, 2021-26.64, 2021-26.65, 2021-26.66, 2021-26.67, 2021-26.68, 2021-26.69, 2022-8.30, 2022-24.8, 2022-26.35, 2022-26.68, 2022-26.98, 2022-27.16, 2023-24.5, 2023-26.22, 2023-28.3, 2023-28A.1

Grade 2, 2015-9.1, 2015-26.38, 2015-26.47

pre-existing whiplash aggravated, 2010-9.4, 2011-6.37, 2011-53B.39, 2012-52.12, 2014-52.18, 2015-26.59, 2015-26.61, 2015-26.62, 2015-26.63, 2015-26.64, 2015-26.66, 2015-26.70, 2015-26.73, 2015-26.76, 2015-26.85, 2016-26.1, 2019-26.29, 2019-26.38, 2019-26.43, 2019-26.52, 2019-26.53, 2019-26.54, 2019-26.60, 2019-26.63, 2019-26.64, 2019-26.66, 2019-26.80, 2019-26.81, 2019-26.82, 2019-26.83, 2019-26.92, 2019-26.99, 2019-26.100, 2019-26.102, 2020-26.6, 2020-26.8, 2020-26.12, 2020-26.13, 2020-26.18, 2020-26.25, 2020-26.31, 2020-26.33, 2020-26.36, 2020-26.41, 2020-26.45, 2020-26.46, 2020-26.66, 2020-26.67, 2020-26.74, 2020-26.77, 2020-26.81, 2020-26.82, 2020-26.86, 2020-26.87, 2020-26.88, 2020-26.92, 2020-26.94, 2020-26.100, 2020-26.101, 2020-26.103, 2020-26.104, 2020-26.105, 2020-26.106, 2020-26.108, 2020-26.111, 2020-26.118, 2020-26.119, 2020-26.126, 2020-26.128, 2020-26.133, 2020-26.134, 2020-26.137, 2020-26.139, 2020-26.142, 2020-26.143, 2020-26.145, 2020-26.146, 2020-26.150, 2020-26.154, 2020-26.156, 2020-26.158,

whiplash—Cont'd

2020-26.160, 2020-26.166, 2020-26.168, 2021-26.1, 2021-26.6, 2021-26.8, 2021-26.13, 2021-26.14, 2021-26.21, 2021-26.29, 2021-26.33, 2021-26.39, 2021-26.49, 2021-26.50, 2021-26.54, 2021-26.55, 2021-26.57, 2021-26.58, 2021-26.60, 2021-26.63, 2021-26.119, 2021-52.34, 2022-26.97

whiplash associated disorder, 2010-7.2, 2010-28A.8, 2022-26.49, 2022-26.70, 2022-53B.13, 2022-53B.19, 2023-26.9

wrist

abrasions, 2010-56.5

asymptomatic condition rendered symptomatic, requiring surgery, 2021-40.4, 2021-42.1

degenerative arthritis, pre-existing, 2019-52.64

De Quervain's tenosynovitis, 2020-40.6
disfigurement, 2010-52.64

flexor tendonitis, 2008-52.53

fracture

chronic pain, 2022-40.3

dislocation requiring external fixation, 2007-6.2

general, 2006-53.43, 2007-52.20, 2008-52.8, 2008-52.15, 2010-31.1, 2010-40.3, 2011-30.4, 2011-40.2, 2012-49.2, 2012-53A.3, 2012-53B.3, 2013-6.27, 2015-40.1, 2018-40.2, 2019-40.1, 2019-40.2, 2019-40.3, 2020-6.21, 2020-40.1, 2020-40.3, 2020-40.4, 2021-40.2, 2021-40.3

improper healing arising from medical negligence requiring surgery, 2010-40.6, 2010-52.64, 2011-6.18, 2011-48.5, 2012-8.1, 2012-44.1, 2013-40.1, 2013-53A.3, 2013-53B.13, 2014-40.1, 2018-40.3, 2019-40.5

requiring surgery, 2020-40.5, 2020-40.7, 2021-6.5, 2021-40.1, 2022-16B.3

requiring surgery, deterioration, 2012-6.1, 2020-40.8

general, 2010-6.11, 2012-28A.5, 2013-26.72, 2013-48.4, 2013-52.25, 2018-40.1, 2020-40.2

DAMAGES FOR PERSONAL INJURY AND DEATH—CONSOLIDATED TABLES

wrist—Cont'd

injury, **2009-52.30, 2009-52.77, 2010-52.9**
 numbness, **2023-26.4, 2023-26.5**
 pain, ongoing, **2021-40.4, 2021-42.1, 2022-40.1**
 pre-existing injury aggravated, **2010-46.8, 2016-52.37, 2020-52.41, 2021-28.2, 2021-52.50**
 radial nerve injury, **2010-52.3, 2021-16A.3**
 radial nerve severed, surgery required, **2021-36.1, 2021-52.36**
 requiring surgery, **2013-27.8**
 soft tissue, **2010-26.9, 2010-26.20, 2010-46.15, 2011-24.9, 2012-26.11, 2013-52.64, 2019-40.4, 2021-26.112**
 sprain, **2006-55.7**

wrist—Cont'd

strain, **2011-46.10**
 surgery, medical negligence leading to loss of grip strength, **2010-41.2, 2011-41.2**
 torn cartilage surgery required, **2012-40.7**
 trapezium, **2022-26.78**
wrongful birth, 2005-53.91, 2005-53.96, 2005-55.390, 2005-55.394, 2005-55.395, 2005-55.396, 2010-34, 2011-53.54
wrongful conviction, psychological effects arising from, 2011-53.98
wrongful dismissal, psychological effects arising from, 2021-53.53, 2021-53.54, 2022-53.8, 2022-53.37