

INDEX

INDEX

Notes:

The locators appearing in this index refer to section or “rule” numbers.

Please use the following guideline to identify legislation that appears in this index:

“Act” refers to the *Occupational Health and Safety Act*, S.A. 2020, c. O-2.2

“Reg 184/2021” refers to Alberta Reg. 184/2021, Occupational Health and Safety Regulation

Where no abbreviation appears before a section locator (number), the number refers to the Occupational Health and Safety Code, Alta. Reg. 191/2021.

A

abate, defined, 1

abrasive blasting, crystalline silica used in, 39(1)

Access Scaffolding for Construction Purposes (CSA), 323

acetaldehyde, exposure limits, Schedule 1 Table 2

acetic acid, exposure limits, Schedule 1 Table 2

acetic anhydride, exposure limits, Schedule 1 Table 2

acetone, exposure limits, Schedule 1 Table 2

acetone cyanohydrin, exposure limits, Schedule 1 Table 2

acetonitrile, exposure limits, Schedule 1 Table 2

acetophenone, exposure limits, Schedule 1 Table 2

acetylene, exposure limits, Schedule 1 Table 2

acetylene dichloride, exposure limits, Schedule 1 Table 2

acetylsalicylic acid (Aspirin), exposure limits, Schedule 1 Table 2

acrolein, exposure limits, Schedule 1 Table 2

acrylamide, exposure limits, Schedule 1 Table 2

acrylic acid, n-butyl ester(n-butyl acrylate), exposure limits, Schedule 1 Table 2

acrylic acid, ethyl ester (ethyl acrylate), exposure limits, Schedule 1 Table 2

acrylic acid, methyl ester (methyl acrylate), exposure limits, Schedule 1 Table 2

acrylonitrile (vinyl cyanide), exposure limits, Schedule 1 Table 2

actively transmitting, defined, 1

actuated fastening tool, defined, 1

administrative penalty

defined, in relation to person, Act 1(a)

failure to pay, Act 44(5)

maximum amount of, Act 44(2)

notice of, Act 44(1), (4)

payment negates charge, Act 44(3)

adipic acid, exposure limits, Schedule 1 Table 2

adiponitrile, exposure limits, Schedule 1 Table 2

advanced care paramedic (ACP), defined, 1

advanced first aider, defined, 1

aerial device, defined, 1

aerial devices. *See* elevating platforms and aerial devices

airborne concentration measurements, 20(1)—(4)

Alberta Fire Code, 1, 170.1(3), 171(1)

Alberta Municipal Affairs, standards used in Code

Alberta Fire Code (1997), 1

Code for Electrical Installations at Oil and Gas Facilities (2006), 162.1

Compressed and liquified gas, 171(1)

Spray operations, 170.1(3)

Standard on Electric Utility Workplace Electrical Safety for Generation, Transmission, and Distribution, 227

aldrin, exposure limits, Schedule 1 Table 2

aliphatic Hydrocarbon gases, Alkane (C2-C4), exposure limits, Schedule 1 Table 2

allyl alcohol, exposure limits, Schedule 1 Table 2

allyl chloride, exposure limits, Schedule 1 Table 2

all-terrain vehicles, 1, 236(1)—(4), 280—282(2)

allyl glycidyl ether, exposure limits, Schedule 1 Table 2

allyl propyl disulfide, exposure limits, Schedule 1 Table 2

alumina (aluminum oxide), exposure limits, Schedule 1 Table 2

aluminum (metal Dust, Pyro powders, as Al, Soluble salts, as Al, Alkyls, not otherwise specified as Al), exposure limits, Schedule 1 Table 2

aluminum oxide (Alumina), exposure limits, Schedule 1 Table 2

Index

- American National Standards Institute (ANSI), defined 1
- American National Standard for Ladders — Wood — Safety Requirements (ANSI Standard), 135
- American National Standard for Ladders — Portable Metal — Safety Requirements (ANSI Standard), 135(c)
- American National Standard for Ladders — Portable Reinforced Plastic — Safety Requirements (ANSI Standard), 135(d)
- American Petroleum Institute (API), defined 1
- American Society for Testing Materials (ASTM), defined, 1
- American Society of Mechanical Engineers (ASME), defined 1
- American Society of Safety Engineers, defined 1
- aminoethanol (ethanolamine), exposure limits, Schedule 1 Table 2
- aminopyridine, exposure limits, Schedule 1 Table 2
- amino-1,2,4 triazole (amitrole), exposure limits, Schedule 1 Table 2
- amitrole, exposure limits, Schedule 1 Table 2
- ammonia, exposure limits, Schedule 1 Table 2
- ammonium chloride, exposure limits, Schedule 1 Table 2
- ammonium perfluorooctanoate, exposure limits, Schedule 1 Table 2
- ammonium persulfate (persulfates), exposure limits, Schedule 1 Table 2
- ammonium sulfamate, exposure limits, Schedule 1 Table 2
- amosite (asbestos), exposure limits, Schedule 1 Table 2
- anchors
defined, 1
boom supported work platforms aerial devices, 156(1)-(2)
dumping block, 460, 542
emergency escape route, 762(2)
fall protection, 152(1)-152.4
outrigger scaffolds, 338(3)
rope access work, 813(2), 828-830, 843
scaffolds and temporary work platforms, 324(1), 324(4)
suspended scaffolds, 341(5)
swingstage scaffolds, 345(5)
wells, 780(2)
- anchorage, defined, 1
- aniline, exposure limits, Schedule 1 Table 2
- o-anisidine, exposure limits, Schedule 1 Table 2
- p-anisidine, exposure limits, Schedule 1 Table 2
- ANSI Standards, adoption under Code
- A10.11-1989 (R1998), Construction and Demolition Operations — Personnel and Debris Nets, 320(1)(a)
- A10.32-2004, Fall Protection Systems — American National Standard for Construction and Demolition Operations, 142.1(a)(ii)
- A14.1-2007, American National Standard for Ladders — Wood — Safety Requirements, 135(b)
- A14.2-2007, American National Standard for Ladders — Portable Metal — Safety Requirements, 135(c)
- A14.5-2007, American National Standard for Ladders — Portable Reinforced Plastic — Safety Requirements, 135(d)
- A92.3-2006, Manually Propelled Elevating Aerial Platforms, 347(4)
- A92.5-2006, Boom-Supported Elevating Work Platforms, 374(1)(b)
- A92.6-2006, Self-Propelled Elevating Work Platforms, 347(3)(b)
- A92.8-1993 (R1998), Vehicle-Mounted Bridge Inspection and Maintenance Devices, 347(7)
- A92.9-1993, Mast-Climbing Work Platforms, 347(6)
- ALCTV-2006, American National Standard for Automotive Lifts — Safety Requirements for Construction, Testing and Validation, 112(a)
- ALOIM-2000, Automotive Lifts — Safety Requirements for Operation, Inspection and Maintenance, 112(b)
- S1.25-1991 (R2020), Specification for Personal Noise Dosimeters, 219(2)(a)
- S3.6-2018, Specification for Audiometers, 223(3)(a)
- Z26.1 (1996), Safety Glazing Material for Glazing Motor Vehicles and Motor Vehicle Equipment Operating on Land Highways — Safety Standard, 265(2)
- Z87.1-2003, Occupational and Educational Personal Eye and Face Protection Devices, 229(2.3), 229(3)(b)(i)
- Z87.1-1989, Practice for Occupational and Educational Eye and Face Protection, 229(2.2), 229(3)(b)(ii)
- Z89.1-2003, American National Standard for Industrial Head Protection, 234(1)-(2), 831(1), 844
- Z359.1-2007, Safety requirements for personal fall arrest systems, subsystems and components
connectors, carabiners, snap hooks, 143(1)(b)
fall arresters, 144(b)

- fixed ladders and climbable structures, 154(1)
 full body harness, 142(1), 834, 848
 shock absorber 142.3(1)(b)
 lanyard, 142.1(b)
 life safety rope, 147(1)
antimony & compounds, as Sb, exposure limits, Schedule 1 Table 2
antimony hydride, exposure limits, Schedule 1 Table 2
ANTU (a-naphthylthiourea), exposure limits, Schedule 1 Table 2
appeals
 appeal body, Act 45(1), (5)
 hearing, Act 46
 notice, Act 45(3)
 order, Act 45(6)
 who may appeal, Act 45(2)
application of Code, general
 designated person to prepare plan, 2.2
 domestic workers, 1.2(1)—1.2(2)
 farming and ranching operations, 1.1
approvals, Act 22
approved by a Director, defined, 1
approved to, defined, 1
approved training agency, 1, 177
argon, exposure limits, Schedule 1 Table 2
arsenic, exposure limits, Schedule 1 Table 2
arsine, exposure limits, Schedule 1 Table 2
asbestos, defined, 1
asbestos waste, defined, 1
asbestos
 air distribution systems, 33
 building to be demolished, 34
 encapsulation, enclosure or removal, 35
 exposure limits, Schedule 1 Table 2
 generally, 28
 health assessment for exposed workers, 40(1)—(13)
 contents of report, 40(2)
 costs, 40(11), 40(13)
 employer cannot force employee to refuse assessment, 40(10)
 frequency of assessments, 40(6)-(8)
 information to worker, 40(3)
 performed during work hours, 40(12)
 privacy of information, 40(5)
 refusal by worker, 40(9)
 retention of records, 40(4)
 prohibitions, 32(1)—32(2)
 protective clothing, 30(1)—30(3)
 release, 31(1)—31(2)
 removal, notice of, 36(1)—36(2)
 restricted area and protective clothing, 30(1)—30(3)
 waste, defined, 1
 waste containment and labelling, 38(1)—38(2)
 worker training, 37(1)—37(2)
asphalt (petroleum; bitumen), fume, exposure limits, Schedule 1 Table 2
atmospheric testing, confined spaces, 52(1)—(6)
atrazine, exposure limits, Schedule 1 Table 2
audiometer, defined, 1
audiometric technician, defined, 1
audiometric testing, 221, 223—224
azinphos-methyl (Guthion), exposure limits, Schedule 1 Table 2
B
band saw blade crack limits, 378(1)-(4); Schedule 8 Table 2
barium and soluble compounds, as Ba, exposure limits, Schedule 1 Table 2
barium sulfate, exposure limits, Schedule 1 Table 2
basic first aider, defined, 1
benomyl, exposure limits, Schedule 1 Table 2
benzene, exposure limits, Schedule 1 Table 2
p-benzoquinone (quinone), exposure limits, Schedule 1 Table 2
benzotrichloride, exposure limits, Schedule 1 Table 2
benzoyl chloride, exposure limits, Schedule 1 Table 2
benzoyl peroxide, exposure limits, Schedule 1 Table 2
benzyl acetate, exposure limits, Schedule 1 Table 2
benzyl chloride, exposure limits, Schedule 1 Table 2
benzyl trichloride (benzotrichloride), exposure limits, Schedule 1 Table 2
beryllium and compounds, as Be, exposure limits, Schedule 1 Table 2
biohazardous material
 defined, 1
 exposure control, 525.1
 limited exposure, 529
 post-exposure management, 530
biological hazards. See chemical hazards, biological hazards and harmful substances
biphenyl (diphenyl), exposure limits, Schedule 1 Table 2
bis (2-dimethylaminoethyl) ether, exposure limits, Schedule 1 Table 2
bismuth telluride, exposure limits, Schedule 1 Table 2
bitumen (asphalt fume), exposure limits, Schedule 1 Table 2

Index

- blast hole, defined, 1**
blaster, defined, 1
blaster's certificate
 employer records of, 468.5
 issuance of, 468.1
 loss or theft of explosives, 468.52
 report, 468.51
 suspension and cancellation of, 468.3
blasting area, defined, 1, Reg 1(e)
blasting circuit, defined, 1
blasting machine, defined, 1
blasting mat, defined, 1
blood borne pathogens, 525.1
boatswain's chair, defined, 1
body belt, defined, 1, 142.1
boom, defined, 1
boom trucks,
 counterweights and outriggers, 90
 defined, 1
 load capacity, 63(1)
 preventing damage, 92(1)-(3)
booster fans in mines, 722
bootleg,
 defined, 1
 drilling, 486(1)-(2)
borates, tetra, sodium salts, exposure limits, Schedule 1 Table 2
bore hole, defined 1
boron oxide, exposure limits, Schedule 1 Table 2
boron tribromide, exposure limits, Schedule 1 Table 2
boron trifluoride, exposure limits, Schedule 1 Table 2
bromoethane (ethyl bromide), exposure limits, Schedule 1 Table 2
boatswain's chair, 1, 351(1)—351(4)
bracket scaffolds, 332(1)—332(2)
bracing, 324(1), 457(1)-458(4)
bridges as "high hazard work", Schedule 2 Table 2
British Standards Institute (BSI), defined, 1
bromacil, exposure limits, Schedule 1 Table 2
bromine, exposure limits, Schedule 1 Table 2
bromine pentafluoride, exposure limits, Schedule 1 Table 2
bromochloromethane (chlorobromomethane), exposure limits, Schedule 1 Table 2
bromoethane (ethyl bromide), exposure limits, Schedule 1 Table 2
bromoform (tribromomethane), exposure limits, Schedule 1 Table 2
1-bromopropane, exposure limits, Schedule 1 Table 2
bromotrifluoromethane (trifluorobromomethane), exposure limits, Schedule 1 Table 2
building shaft
 defined, 1
 demolitions, 422
 hoist, 98
 safeguards, 318(7)
 work platforms, 313(1)-313(3)
bulk shipment, defined, 394.1
1,3-butadiene, exposure limits, Schedule 1 Table 2
butane, exposure limits, Schedule 1 Table 2
butanethiol (n-tyl mercaptan), exposure limits, Schedule 1 Table 2
n-butanol (n-butyl alcohol), exposure limits, Schedule 1 Table 2
sec-butanol (sec-butyl alcohol, exposure limits, Schedule 1 Table 2
tert-butanol (tert-butyl alcohol), exposure limits, Schedule 1 Table 2
2-butanone (methyl ethyl ketone), exposure limits, Schedule 1 Table 2
3-buten-2-one (methyl vinyl ketone), exposure limits, Schedule 1 Table 2
2-butoxyethanol (ethylene glycol monobutyl ether), exposure limits, Schedule 1 Table 2
n-butoxyethyl acetate, exposure limits, Schedule 1 Table 2
n-butyl acetate, exposure limits, Schedule 1 Table 2
sec-butyl acetate, exposure limits, Schedule 1 Table 2
tert-butyl acetate, exposure limits, Schedule 1 Table 2
n-butyl acrylate, exposure limits, Schedule 1 Table 2
n-butylamine, exposure limits, Schedule 1 Table 2
butylated hydroxytoluene (BHT), exposure limits, Schedule 1 Table 2
tert-butyl chromate as CrO3, exposure limits, Schedule 1 Table 2
n-butyl glycidyl ether, exposure limits, Schedule 1 Table 2
n-butyl lactate, exposure limits, Schedule 1 Table 2
butyl mercaptan (butanethiol), exposure limits, Schedule 1 Table 2
o-sec-butylphenol, exposure limits, Schedule 1 Table 2
p-tert-butyltoluene, exposure limits, Schedule 1 Table 2

C

cable clip requirements on wire rope, Schedule 5

cadmium, elemental cadmium compounds as Cd, respirable, exposure limits, Schedule 1 Table 2

calcium carbonate, exposure limits, Schedule 1 Table 2

calcium chromate, as Cr, exposure limits, Schedule 1 Table 2

calcium cyanamide, exposure limits, Schedule 1 Table 2

calcium hydroxide, exposure limits, Schedule 1 Table 2

calcium oxide, exposure limits, Schedule 1 Table 2

calcium silicate, (synthetic, nonfibrous), exposure limits, Schedule 1 Table 2

calcium sulphate, exposure limits, Schedule 1 Table 2

camphor, synthetic, exposure limits, Schedule 1 Table 2

Canadian Electrical Code, 3
classification of work sites, 162.1
defined, 1
industrial furnaces and fired heaters, 168(4)-(5)
internal combustion engines, 166 (5)-(7)
overhead cranes standards, 93

Canadian General Standards Board (CGSB)
defined, 1
life jackets and personal flotation devices, 240

cantilever hoist, 1, 76

camphor, synthetic, exposure limits, Schedule 1 Table 2

caprolactam, exposure limits, Schedule 1 Table 2

captafol, exposure limits, Schedule 1 Table 2

captan, exposure limits, Schedule 1 Table 2

carabiner, defined, 1

carbaryl, exposure limits, Schedule 1 Table 2

carbofuran, exposure limits, Schedule 1 Table 2

carbon black, exposure limits, Schedule 1 Table 2

carbofuran, exposure limits, Schedule 1 Table 2

carbon disulfide, exposure limits, Schedule 1 Table 2

carbon monoxide, exposure limits, Schedule 1 Table 2

carbon tetrachloride (tetrachloromethane), exposure limits, Schedule 1 Table 2

carbonyl chloride(phosgene), exposure limits, Schedule 1 Table 2

carbonyl fluoride, exposure limits, Schedule 1 Table 2

CAS Registry Number, defined, 394.1

catechol, exposure limits, Schedule 1 Table 2

cathead, defined, 1

cellulose, exposure limits, Schedule 1 Table 2

CEN (European Committee for Standardization), 1

CEN Standards adopted under Code
EN 341: 1997, Personal protective equipment against falls from height — Descender devices, 146, 148.1, 839
EN 353-2: 2002, Personal protective equipment against falls from a height — Part 2: Guided type fall arresters including a flexible anchor line, 144, 838
EN 354: 2002, Personal protective equipment against falls from a height — Lanyards, 142.2(1), 819(2)
EN 355: 2002, Personal protective equipment against falls from a height — Energy absorbers, 142.3(1)
EN 358: 2000, Personal protective equipment for work positioning and prevention of falls from a height — Belts for work positioning and restraint and work positioning lanyards, 142.1, 148
EN 361: 2007, Personal protective equipment against falls from a height — Full body Harness, 142(1), 795(1)
EN 362: 2004, Personal protective equipment against falls from height Connectors, 835
EN 397: 2006, Specification for industrial safety helmets, 831(2)
EN 567: 1997, Mountaineering equipment — Rope clamps — Safety requirements and test Methods, 837, 838
EN 813: 1997, Personal protective equipment for prevention of falls from a height — Sit Harnesses, 795, 847
EN 892: 2004, Mountaineering equipment — Dynamic mountaineering ropes — Safety requirements and test methods, 818, 819
EN 1891: 1998, Personal protective equipment for the prevention of falls from a height — Low stretch kernmantel ropes, 817
EN 12275: 1998, Mountaineering equipment — Connectors — Safety requirements and test Methods, 143(1), 835, 849
EN 12277: 1998, Mountaineering equipment — Harnesses — Safety requirements and test Methods, 847
EN 12492: 2000, Mountaineering equipment — Helmets for mountaineers — Safety requirements and test method, 831(1), 844

Index

- EN 1677-1: 2000, Components for slings — Part 1: Forged steel components grade 8, 292(1)
- certified by professional engineer, 1, 14(1)-(2), 60**
- cesium hydroxide, exposure limits, Schedule 1 Table 2**
- chemical hazards, biological hazards and harmful substances**
- airborne concentration measurements, 20(1)—(4)
 - asbestos, waste containment and labelling, 38(1)—(2)
 - asbestos, silica, coal dust, lead, general provisions for, 28
 - asbestos in air distribution systems, 33
 - asbestos in building to be demolished, 34
 - asbestos worker training, 37(1)—(2)
 - crystalline silica in abrasive blasting, 39(1)
 - emergency baths, showers eye wash equipment, immediate access to, 24
 - encapsulation, enclosure or removal of asbestos, 35
 - exposure during shifts longer than 8 hours, 18(1)—(3)
 - exposure to multiple hazards, 17
 - health assessment for workers exposed to asbestos, silica or coal dust, 40(1)—(13)
 - lead
 - air monitoring, 42(1)—(3)
 - medical monitoring, 43(1)—(6)
 - lead exposure control plan, 41(1)—(3)
 - mould exposure, controlling, 43.1
 - notice of project requiring removal, 36(1)—(2)
 - overexposure, 22(1)—(3)
 - informing joint work site health and safety committee, 22(3)
 - potential exposure, 21(1)—(3)
 - preventing uncontrolled release of, 26(2)
 - prohibited activities, 25(1)—(2)
 - prohibitions related to asbestos, 32(1)—(2)
 - release of asbestos, 31(1)—(2)
 - restricted area, 29(1)—(5)
 - protective clothing where asbestos or lead, 30(1)—(3)
 - review of exposure limits, 19(1)—13)
 - storage, handling use and disposal codes of practice, 26(1)
 - storage of harmful substances, 27
 - worker decontamination, 23
 - worker exposure, 16(1)—(4)
- chemical substances, Schedule 1**
- occupational exposure limits, Schedule 1 Table 2
 - substances and process requiring code of practice, Schedule 1 Table 1
- chimney hoist, 1, 77-79**
- chimney hoist climbable structure, defined, 1**
- chlordan, exposure limits, Schedule 1 Table 2**
- chlorine trifluoride, exposure limits, Schedule 1 Table 2**
- chloroacetaldehyde, exposure limits, Schedule 1 Table 2**
- chloroacetone, exposure limits, Schedule 1 Table 2**
- 2-chloroacetophenone, exposure limits, Schedule 1 Table 2**
- chloroacetylchloride, exposure limits, Schedule 1 Table 2**
- chlorobenzene, exposure limits, Schedule 1 Table 2**
- o-chlorobenzylidenemalononitrile, exposure limits, Schedule 1 Table 2**
- chlorobromomethane, exposure limits, Schedule 1 Table 2**
- 2-chloro-1,3-butadiene(-chloroprene), exposure limits, Schedule 1 Table 2**
- chlorodifluoromethylchlorodiphenyl, exposure limits, Schedule 1 Table 2**
- chlorodiphenyl, exposure limits, Schedule 1 Table 2**
- 1-chloro-2,3-epoxypropane (epichlorohydrin), exposure limits, Schedule 1 Table 2**
- chloroethane(ethyl chloride), exposure limits, Schedule 1 Table 2**
- 2-chloroethanol(ethylene chlorohydrin), exposure limits, Schedule 1 Table 2**
- chloroethylene(vinyl chloride), exposure limits, Schedule 1 Table 2**
- chloroform(trichloromethane), exposure limits, Schedule 1 Table 2**
- p-chloronitrobenzene (p-Nitrochlorobenzene), exposure limits, Schedule 1 Table 2**
- 1-chloro-1-nitropropane, exposure limits, Schedule 1 Table 2**
- chloropentafluoroethane, exposure limits, Schedule 1 Table 2**
- chloropicrin(trichloronitromethane), exposure limits, Schedule 1 Table 2**
- 1-chloro-2-propanol and 2-chloro-1-propanol, exposure limits, Schedule 1 Table 2**
- chloroprene, exposure limits, Schedule 1 Table 2**
- 2-chloropropionic acid, exposure limits, Schedule 1 Table 2**
- o-chlorostyrene, exposure limits, Schedule 1 Table 2**

- o-chlorotoluene, exposure limits,**
 Schedule 1
 Table 2
2-chloro-6-(trichloromethyl), exposure
limits, Schedule 1 Table 2
chlorpyrifos, exposure limits, Schedule 1
Table 2
chromite ore processing(Chromate),
 as Cr, exposure limits, Schedule 1 Table
 2
chromium, exposure limits, Schedule 1 Table
2
chromyl chloride, exposure limits,
 Schedule 1 Table 2
chrysotile(asbestos), exposure limits,
 Schedule 1 Table 2. *See also*
 asbestos.
circular saw blade crack limits, Schedule 8
Table 1
claim for disclosure exemption, defined, 408
clopidol, exposure limits, Schedule 1
Table 2
close work site, defined, 1
coal dust
 defined, 1
 exposure limits, Schedule 1 Table 2
 health assessment for workers exposed to,
 40(1)—(13)
coal tar pitch volatiles, as benzene
solubles,exposure limits, Schedule 1
Table 2
cobalt, exposure limits, Schedule 1 Table 2
code of practice, 26, 44, 245
Code for Electrical Installations at Oil and
Gas Utilities, 162.1(1)(b)
collective agreement, defined, Act 1(c)
combustible dust, defined, 1
combustible liquid, defined, 1
communication systems
 electrical utility works, 803
 first aid room requirements, Schedule 2 Table 4
 mine outlets, 701(3)
 voice in combined operations, 697
 administrative penalty, Act 44
competent, in relation to a person,
 defined, Act 1(d)
compliance and enforcement
 acceptances, Act 20
 administrative penalty, Act 44
 allowances, Act 22
 approvals, Act 22
 awarding costs, Act 43
 enforcement of compliance with order, Act 42
 health and safety program established, Act 16
 identification, Act 35
 injury or incident, investigation of, Act 33(5)-(6)
 inspection, Act 34
 inspection of work site, Act 15
 interjurisdictional recognition, Act 23
 licence issuance or cancellation, Act 24
 order to ensure compliance, Act 38
 prohibition from hindering officer, Act 37
 stop use orders, Act 40
 stop work orders, Act 39
concrete pump truck, defined, 1
confined spaces
 atmospheric testing, 52(1)—(6)
 code of practice, 44(1)—(3)
 defined, 1
 emergency response, 55(1)—(3)
 entry and exit, 57
 entry permit system, 47(1)—(4)
 hazard assessment, 45
 inerting, 54(1)—(2)
 retaining records, 58
 safety and protection, generally, 48(1)—(3)
 tending worker, 56(1)—(7)
 traffic hazards, 51
 training, 46(1)—(3)
 unauthorized entry, 50
 ventilation and purging, 53(1)—(5)
 worker protection against hazardous
 substances and energy, 49(1)—(3)
Construction and Demolition Operations —
Personnel and Debris Nets (ANSI
Standards), 142.1, 320(1)
construction work site, defined, Act 1(e)
container, defined, 1, 394.1
contaminant, defined, 1
contaminated, defined, 1
contaminated environment, defined, 1
contracting employer
 defined, Act 1(f)
 obligations, Act 8
contractor, prime
 defined, Act 1(II)
 obligations of, Act 10, Act 12
control system isolating device, defined, 1
control zone, defined, 1
controlled blasting, defined, 1
conveyor, defined, 1
conveyors in mines
 combustible dust, 601(1)—(2)
 distance surrounding, 600
 fire resistance, 598
 inspection, 604
 riding conveyor belts, 603(1)—(2)
 stopping, 599(1)—(2)
copperfumedusts/mists, as Cu, exposure
limits, Schedule 1 Table
cotton, dust, raw, exposure limits,
 Schedule 1 Table 2
coumaphos, exposure limits, Schedule 1
Table 2
cow's tail, defined, 1

CPSC (Consumer Product Safety Commission)

defined, 1
 head protection, 235(1)
crane, defined, 1
crane boom, inspection, 290(1)—(3)
cranes, hoists and lifts
 A-frames and gin poles, 75
 application, 59(1)—(4)
 cantilever hoists, installation and use, 76
 chimney hoists
 climbable structure, defined, 1
 defined, 1
 equipment requirements, 77
 operator responsibilities, 78(1)—(2)
 personnel basket, 79
 components identification, 61
 containers for hoisting, 74(1)—(2)
 hand signals, 71
 hand-operated hoists, holding suspended load, 80
 lift calculation, 68.1
 load charts, 63(1)—(2)
 load weight, 68
 loads over work areas, 69(1)—(4)
 log books, 65(1)—(6)
 material hoists
 gate interlocks, 83
 hoist brakes, 86
 location protected, 87
 operator responsibilities, 84
 rider restriction, 82(1)—(2)
 safety code, 81
 signal systems, 85(1)—(2)
 mobile cranes and boom trucks
 counterweights and outriggers, 90
 damage preventions, 92
 load blocks, 92.1
 non-destructive testing, 89
 outriggers, 92.2
 personnel baskets, 88.1
 safety code for mobile cranes, 88
 warning device, 91
 not commercially manufactured, 60
 operator requirements, 64(1)—(4)
 overhead cranes
 controls, 95.1
 electrical components and functions, 93
 maintenance and inspections, 94
 safe movement, 95
 personnel hoists, 96
 preventing collisions, 67
 preventing unsafe lift, 66
 rated load capacity, 62(1)—(3)
 remote control operator visibly distinguishable, 72(3)
 repairs and modifications, 73(1)—(2)
 roofer's hoists, 97(1)—97(7)

suspended personnel baskets, 75.1(1)—(2)
 tag and hoisting lines, 70(1)—(3)
 tower and building shaft hoists
 design, 99
 protective enclosure, 98
 tower cranes
 changing components, 103(1)—(2)
 limit devices, 101(1)—(2)
 multiple cranes, 107
 operation, 102
 safety code, 100
 structural testing and examinations, 105(1)—(3)
 test weights, 104(1)—(2)
 wind and temperature limitations, 106(1)—(2)
 underground shaft hoists
 hoist cage, 110(1)—(2)
 operator responsibilities, 109(1)—(2)
 safety requirements, 108(1)—(4)
 unguided suspended cage, 111(1)—(3)
 vehicle hoists
 safe use, 113(1)—(3)
 safety standards, 112
 winching operations, safe practices, 114

cresol, exposure limits, Schedule 1**Table 2****cristobalite, respirable, exposure limits, Schedule 1 Table 2****crocidolite(asbestos), exposure limits, Schedule 1 Table 2. See also asbestos****crotonaldehyde, exposure limits, Schedule 1 Table 2****cruformate, exposure limits, Schedule 1 Table 2****CSA (Canadian Standards Association), 1**
CSA Standards adopted under Code

B352.0-95 (R2006), Rollover Protective Structures (ROPS) for Agricultural, Construction, Earthmoving, Forestry, Industrial and Mining Machines — Part 1: General Requirements, 270(2)

B352.1-95 (R2006), Rollover Protective Structures (ROPS) for Agricultural, Construction, Earthmoving, Forestry, Industrial and Mining Machines — Part 2: Testing Requirements for ROPS on Agricultural Tractors, 270(2)(a)(i)

B352.2-95 (R2006), Rollover Protective Structures (ROPS) for Agricultural, Construction, Earthmoving, Forestry, Industrial and Mining Machines — Part 3: Testing Requirements for ROPS on Construction, Earthmoving, Forestry, Industrial and Mining Machines, 270(a)(ii)

B376-M1980 (R2008), Portable Containers for Gasoline and Other Petroleum Fuels, 163(2)

- C22.1-06, Canadian Electrical Code, Part 1, Safety Standard for Electrical Installations, 1
- C22.2 No. 33-M1984 (R2004), Construction and Test of Electric Cranes and Hoists, 93
- CAN/CSA Z259.10-18, Full Body Harnesses, 142(1), 795(1), 834, 848
- CAN/CSA Z259.1-05, Body belts and saddles for work positioning and travel restraint, 142.1
- CAN/CSA Z94.1-15, Industrial Protective Headwear, 234(1)(a), 831(1)-(2)
- CAN/CSA-B167-96 (R2007), Safety Standard for Maintenance and Inspection of Overhead Cranes, Gantry Cranes, Monorails, Hoists and Trolleys, 94
- CAN/CSA-B354.1-04, Portable elevating work platforms, 347
- CAN/CSA-B354.2-01 (R2006), Self-Propelled Elevating Work Platforms, 347(3), 374(a)
- CAN/CSA-B354.4-02, Self-Propelled Boom-Supported Elevating Work Platforms, 374(b)
- CAN/CSA-C225-00 (R2005), Vehicle-Mounted Aerial Device, 347(5)
- CAN/CSA-D113.2-M89 (R2004), Cycling Helmets, 235(1)
- CAN/CSA-M421-16, Use of Electricity in Mines, 560
- CAN/CSA-M422-M87 (R2007), Fire-Performance and Antistatic Requirements for Ventilation Materials, 724(2)
- CAN/CSA-M424.3-M90 (R2020), Braking Performance — Rubber-Tired, Self-Propelled Underground Mining Machines, 574(1)
- CAN/CSA-O141-05, Softwood Lumber, 1
- CAN/CSA-S269.2-M87 (R2003), Access Scaffolding for Construction Purposes, 323
- CAN/CSA-Z150-98 (R2004), Safety Code on Mobile Cranes, 88
- CAN/CSA-Z185-M87 (R2006), Safety Code for Personnel Hoists, 96
- CAN/CSA-Z256-M87 (R2006), Safety Code for Material Hoists, 81
- CAN/CSA-Z259.2.4-15, Fall arresters and vertical rigid rails, 144, 147(1), 154(1)
- CAN/CSA-Z259.2.2-17, Self-retracting devices, 145
- CAN/CSA-Z259.2.3-99 (R2004), Descent Control Devices, 146, 148.1
- CAN/CSA-Z259.2.4-15, Fall arresters and vertical rigid rails, 147(1)
- CAN/CSA-Z271-98 (R2004), Safety Code for Suspended Elevating Platforms, 348(1)
- CAN/CSA-Z275.1-05, Hyperbaric Facilities, 424
- CAN/CSA-Z275.2-04, Occupational Safety Code for Diving Operations, 424
- CAN/CSA-Z275.4-02, Competency Standard for Diving Operations, 424, 437
- CAN/CSA-Z321-96 (R2006), Signs and Symbols for the Workplace, 781(3)
- CAN3-Z11-M81 (R2005), Portable Ladders, 135
- O121-08, Douglas Fir Plywood, 457(1)
- O151-04, Canadian Softwood Plywood, 457(1)
- S269.1-1975 (R2003), Falsework for Construction Purposes, 352(1)
- W117.2-06, Safety in welding, cutting and allied processes, 171.1(1), 172(1)
- Z107.56-18 Measurement of Exposure, 219(1)
- Z180.1-00 (R2005), Compressed Breathing Air and Systems, 249
- Z195-14, Protective Footwear, 233
- Z248-04, Code for Tower Cranes, 100
- Z259-11.17, Personal energy absorbers and lanyards, 142.2(1), 142.3(1), 148
- Z259.2.5-17, Fall arresters and vertical lifelines, 143(1), 144(a.1), 147(1), 154(1)
- Z259.13-04, Flexible Horizontal Lifeline Systems, 153(1)
- Z259.14-01, Fall Restrict Equipment for Wood Pole Climbing, 149(1)
- Z259.16-04, Design of Active Fall-Protection Systems, 153(1), 156(1)
- Z259.3-M1978 (R2004), Lineman's Body Belt and Lineman's Safety Strap, 149(1)
- Z434-03 (R2008), Industrial Robots and Robot Systems — General Safety Requirements, 384(1)
- Z94.2-14 (R2019), Hearing Protection Devices — Performance, Selection, Care, and Use, 222
- Z94.3-15, Eye and Face Protectors, 229
- Z94.4-02, Selection, Use and Care of Respirators, 247, 250(1)
- cumene, exposure limits, Schedule 1 Table 2**
- cyanamide, exposure limits, Schedule 1 Table 2**
- cyanide, exposure limits, Schedule 1 Table 2**
- cyanogen, exposure limits, Schedule 1 Table 2**
- cyclohexane, exposure limits, Schedule 1 Table 2**
- cyclohexanol, exposure limits, Schedule 1 Table 2**
- cyclohexanone, exposure limits, Schedule 1 Table 2**
- cyclohexene, exposure limits, Schedule 1 Table 2**
- cyclohexylamine, exposure limits, Schedule 1 Table 2**
- cyclonite(RDX), exposure limits, Schedule 1 Table 2**
- cyclopentadiene, exposure limits, Schedule 1 Table 2**

Index

Cyclopentane, exposure limits, Schedule 1 Table 2	dibenzoyl peroxide, (benzoyl peroxide), exposure limits, Schedule 1 Table 2
cyhexatin (tricyclohexyltinhydroxide), exposure limits, Schedule 1 Table 2	diborane, exposure limits, Schedule 1 Table 2
D	dibrom(naled), exposure limits, Schedule 1 Table 2
2,4-D (2,4-dichlorophenoxyacetic acid), exposure limits, Schedule 1 Table 2	2-N-dibutylaminoethanol, exposure limits, Schedule 1 Table 2
dangerous work and discriminatory action	2,6-di-tert-butyl-pcresol (butylated hydroxytoluene,BHT), exposure limits, Schedule 1 Table 2
employee cannot be forced to work under, Act 17(10)	dibutyl phenyl phosphate, exposure limits, Schedule 1 Table 2
inspection of alleged undue hazard, Act 17(8)—(9)	dibutyl phosphate, exposure limits, Schedule 1 Table 2
report of dangerous condition to employer or supervisor, Act 17(4)	dibutyl phthalate, exposure limits, Schedule 1 Table 2
right to refuse, Act 17	dichloroacetic acid, exposure limits, Schedule 1 Table 2
disciplinary action complaint, Act 19	dichloroacetylene, exposure limits, Schedule 1 Table 2
prohibition of disciplinary action, Act 18	dichlorobenzene, exposure limits, Schedule 1 Table 2
temporary assignment because of, Act 17(6)—(7)	1,4-dichloro-2-butene, exposure limits, Schedule 1 Table 2
written report by employer after inspection, Act 17(11)—(12)	dichlorodifluoromethane, exposure limits, Schedule 1 Table 2
day box, defined, 1	1,3-dichloro-5,5-dimethylhydantoin, exposure limits, Schedule 1 Table 2
dBa, defined, 1	dichlorodiphenyl-trichloroethane (DDT), exposure limits, Schedule 1 Table 2
DDT (dichlorodiphenyl trichloroethane), exposure limits, Schedule 1 Table 2	dichloroethane, exposure limits, Schedule 1 Table 2
decaborane, exposure limits, Schedule 1 Table 2	dichloroethyl ether, exposure limits, Schedule 1 Table 2
demeton, exposure limits, Schedule 1 Table 2	dichloroethylene, exposure limits, Schedule 1 Table 22
demeton-s-methyl(methyl demeton), exposure limits, Schedule 1 Table 2	dichlorofluoromethane (dichloromonofluoromethane), exposure limits, Schedule 1 Table 2
demolition	dichloromethane (methylene chloride), exposure limits, Schedule 1 Table 2
building shaft demolitions, 422	1,1-dichloro-1-nitroethane, exposure limits, Schedule 1 Table 2
defined, 1	2,4-diclorophenoxyaceticacid, exposure limits, Schedule 1 Table 2
disconnecting services, 419	1,2-dichloropropane (propylene dichloride), exposure limits, Schedule 1 Table 2
dismantling buildings, 421(1)—(2)	1,1-dichloro-1-nitroethane, exposure limits, Schedule 1 Table 2
equipment location, 416	1,3-dichloropropene, exposure limits, Schedule 1 Table 2
explosives, 418	2,2-dichloropropionic Acid, exposure limits, Schedule 1 Table 2
hazardous substances, 417	dichlorvos, exposure limits, Schedule 1 Table 2
materials chute, 420(1)—(2)	
worker in charge, 415	
designated radiation equipment, defined, 1	
designated organizations, Act 58	
designated signaller, defined, 1	
detonating cord, defined, 1	
detonator, defined, 1	
diacetone alcohol, exposure limits, Schedule 1 Table 2	
4,4-diaminodiphenylmethane , exposure limits, Schedule 1 Table 2	
1,2-diaminoethane(ethylenediamine), exposure limits, Schedule 1 Table 2	
diazinon, exposure limits, Schedule 1 Table 2	
diazomethane, exposure limits, Schedule 1 Table 2	

dicrotophos, exposure limits, Schedule 1 Table 2	2,6-dimethyl-4-Heptanone(diisobutyl ketone), exposure limits, Schedule 1 Table 2
dicyclopentadiene, exposure limits, Schedule 1 Table 2	1,1-dimethylhydrazine, exposure limits, Schedule 1 Table 2
dicyclopentadienyliron(ferrocene), exposure limits, Schedule 1 Table 2	dimethyl phthalate, exposure limits, Schedule 1 Table 2
diethanolamine, exposure limits, Schedule 1 Table 2	1,1-dimethylpropyl Acetate(tert-Amyl acetate), exposure limits, Schedule 1 Table 2
diethylamine, exposure limits, Schedule 1 Table 2	dimethyl sulfate, exposure limits, Schedule 1 Table 2
2-diethylaminoethanol, exposure limits, Schedule 1 Table 2	dimethyl sulfide, exposure limits, Schedule 1 Table 2
diethylene dioxide(1,4-Dioxane), exposure limits, Schedule 1 Table 2	dinitolmide, Schedule 1 Table 2
diethylene triamine, exposure limits, Schedule 1 Table 2	dinitro-o-cresol, exposure limits, Schedule 1 Table 2
diethyl ether(ethyl ether), exposure limits, Schedule 1 Table 2	3,5-dinitro-otoluamide(dinitolmide), exposure limits, Schedule 1 Table 2
di(2-ethylhexyl)phthalate(DEHP, di-sec-octylphthalate), exposure limits, Schedule 1 Table 2	dinitrotoluene, exposure limits, Schedule 1 Table 2
diethyl ketone, exposure limits, Schedule 1 Table 2	1,4-dioxane(diethylene dioxide), exposure limits, Schedule 1 Table 2
diethyl phthalate, exposure limits, Schedule 1 Table 2	dioxathion, exposure limits, Schedule 1 Table 2
difluorodibromomethane, exposure limits, Schedule 1 Table 2	1,3-dioxolane, exposure limits, Schedule 1 Table 2
diglycidyl ether, exposure limits, Schedule 1 Table 2	diphenyl(biphenyl), exposure limits, Schedule 1 Table 2
dihydroxybenzene(hydroquinone), exposure limits, Schedule 1 Table 2	diphenylamine, exposure limits, Schedule 1 Table 2
diisobutyl ketone, exposure limits, Schedule 1 Table 2	diphenyl ether,vapour(phenyl ether), exposure limits, Schedule 1 Table 2
diisopropylamine, exposure limits, Schedule 1 Table 2	diphenylmethane-4,4'diisocyanate, exposure limits, Schedule 1 Table 2
dimethoxymethane(methylal), exposure limits, Schedule 1 Table 2	dipropylene glycolmethyl ether, exposure limits, Schedule 1 Table 2
N,N-Ddmethylacetamide, exposure limits, Schedule 1 Table 2	dipropyl ketone, exposure limits, Schedule 1 Table 2
dimethylamine, exposure limits, Schedule 1 Table 2	diquat, exposure limits, Schedule 1 Table 2
dimethylaminobenzene, exposure limits, Schedule 1 Table 2	direct supervision, defined, 1
bis(2-dimethylamino-ethyl) ether (DMAEE), exposure limits, Schedule 1 Table 2	Director, powers of, Act 27, Act 41
dimethylaniline, exposure limits, Schedule 1 Table 2	Director of Medical Services, appointment, Act 26(1)
dimethylbenzene, exposure limits, Schedule 1 Table 2	discard, defined, 1
dimethylbutane, exposure limits, Schedule 1 Table 2	disciplinary action, Act 1(j)
dimethylethoxysilane, exposure limits, Schedule 1 Table 2	complaint of, Act 19
dimethylformamide, exposure limits, Schedule 1 Table 2	prohibition of, Act 18
	di-sec-octylphthalate(DEHP, di-sec-octylphthalate), exposure limits, Schedule 1 Table 2
	distant work site, defined, 1
	disulfiram, exposure limits, Schedule 1 Table 2
	disulfoton, exposure limits, Schedule 1 Table 2

diuron, exposure limits, Schedule 1**Table 2****diving operations**

- application, 423(1)—(3)
- employer responsibilities, 424
- intakes, 437
- pipes, 437
- tunnels, 437

divinyl benzene, exposure limits,**Schedule 1 Table 2****dodecyl mercaptan, exposure limits,****Schedule 1 Table 2****domestic workers**

- application of Code, general, 1.2(1)—(2)
- defined, 1.2(1)(b)

double-pole scaffolds, 333(1)—(2),**Schedule 6 Tables 1-4****drill stem test, defined, 1****duties of Minister regarding OHSA, Act 25****E****effective dose, defined, 1****electric arc welding, damage to rigging, 308****electric detonator, defined, 1****electrical systems, mining**

- drills, hand held electrical, 572
- standards, 560

electric utility, defined, 1**electrical utility workers. See utility****workers, electrical****electrician, defined, 1****electromagnetic radiation, defined, 1****elevating platforms and aerial devices**

- Boom-Supported Elevating Work Platforms* (ANSI Standard), 347(1)
- boatswain's chairs, 351(1)—(4)
- fly form deck panels, 353(1)—(6)
- fork-mounted work platforms, 349(1)—(4)
- Manually Propelled Elevating Aerial Platforms (ANSI Standard)*, 347(4)
- permanent suspension powered work platforms, 348(1)—(2)
- standards, 347(1)—(8)
- temporary supporting structures, 352(1)—(4)
- worker safety, 346(1)—(2)

emergency baths, showers eye wash**equipment, immediate access to, 24****emergency control of hazard, 10(1)—(2)****emergency medical responder, defined, 1****emergency preparedness and response**

- emergency response plan
 - contents, 116
 - defined, 1
 - establishment of, 115(1)—(3)
- protective clothing and equipment, 118(1)—(2)
- rescue and evacuation, 117(1)—(4)

Emery, exposure limits, Schedule 1**Table 2****employer**

- defined, Act 1(k)
- meetings with health and safety representative, 199.2
- obligations of, Act 3, Act 12

employer duties

- asbestos worker training, 37(1)—(2)
- comply with modified specifications, 13(1)—(2)
- equipment, 12
- equipment approval visibly marked, 15
- equipment meets standards at time of manufacture, 3.1
- equipment specifications followed generally, 12, 15.1
- noise exposure reduction, 216

employer records, blaster's certificate, 468.5**employer responsibilities, diving operations, 424****endosulfan, exposure limits, Schedule 1****Table 2****endrin, exposure limits, Schedule 1****Table 2****enflurane, exposure limits, Schedule 1****Table 2****enforcement of compliance with order, Act 42****entrances**

- doors, 120(1)—(2)
- safe entry and exit, 119(1)—(5)

enzymes, proteolytic(subtilisins),**exposure limits, Schedule 1 Table 2****epichlorohydrin, exposure limits,****Schedule 1 Table 2****1,2-epoxypropane(propylene oxide),****exposure limits, Schedule 1 Table 2****2,3-epoxy-1-propanol(glycidol), exposure****limits, Schedule 1 Table 2****equipment, Act 1(l)****equipment specifications**

- employer's duty to follow, 12
- manufacturers and professional engineers, 13(1)—(2)

equivalent dose, defined, 1**ethane, exposure limits, Schedule 1****Table 2****ethanethiol(ethyl mercaptan), exposure limits, Schedule 1 Table 2****ethanol(ethyl alcohol), exposure limits, Schedule 1 Table 2****ethanolamine(2-aminoethanol), exposure limits, Schedule 1 Table 2****ethion, exposure limits, Schedule 1****Table 2****2-ethoxyethanol(ethylene glycolmonoethyl ether), exposure limits, Schedule 1 Table 2****2-ethoxyethyl acetate(ethylene glycolmonoethyl etheracetate), exposure limits, Schedule 1 Table 2**

- ethyl acetate, exposure limits, Schedule 1 Table 2
- ethyl acrylate(acrylic acid, ethylester), exposure limits, Schedule 1 Table 2
- ethyl alcohol(ethanol), exposure limits, Schedule 1 Table 2
- ethyl amyl ketone, exposure limits, Schedule 1 Table 2
- ethyl benzene, exposure limits, Schedule 1 Table 2
- ethyl bromide(bromoethane), exposure limits, Schedule 1 Table 2
- ethyl butyl ketone, exposure limits, Schedule 1 Table 2
- ethyl chloride, exposure limits, Schedule 1 Table 2
- ethyl cyanoacrylate, exposure limits, Schedule 1 Table 2
- ethyl ether, exposure limits, Schedule 1 Table 2
- ethyl formate, exposure limits, Schedule 1 Table 2
- ethyl tert-butyl ether (ETBE), exposure limits, Schedule 1 Table 2
- ethylamine, exposure limits, Schedule 1 Table 2
- ethylene, exposure limits, Schedule 1 Table 2
- ethylenedichlorohydrin, exposure limits, Schedule 1 Table 2
- ethylene dichloride, exposure limits, Schedule 1 Table 2
- ethylene glycol, exposure limits, Schedule 1 Table 2
- ethylene oxide, exposure limits, Schedule 1 Table 2
- ethylenediamine, exposure limits, Schedule 1 Table 2
- ethylenimine, exposure limits, Schedule 1 Table 2
- 2-ethylhexanoic acid, exposure limits, Schedule 1 Table 2
- ethylidene chloride, exposure limits, Schedule 1 Table 2
- ethylidenenorbornene, exposure limits, Schedule 1 Table 2
- ethyl mercaptan, exposure limits, Schedule 1 Table 2
- N-ethylmorpholine, exposure limits, Schedule 1 Table 2
- ethyl silicate, exposure limits, Schedule 1 Table 2
- excavating and tunnelling**
- buried facilities
 - exposing, 448(1)—(7)
 - locating, 447(1)—(5)
 - concrete-embedded facilities, locating, 447(1)—(5)
 - cutting back walls, 451
 - disturbing the ground, 441
 - dumping block, 460
 - entry and exit, safe, 455(1)—(2)
 - exemptions, 449
 - installation of shoring, stringers or bracers, 458(1)—(4)
 - loose materials, 452
 - marking excavation, 444
 - methods of protection, 450(1)—(2)
 - power pole support, 454
 - powered mobile equipment, access for, 459
 - shoring component dimensions, Schedule 9
 - soil stabilization, 443(1)—(3)
 - soil type classification, 442(1)—(4)
 - spoil piles, 453
 - temporary protective structures, 456(1)—(3)
 - alternatives to, 457(1)—(7)
 - tunnel, 464(1)—(2)
 - underground shafts, 461(1)—(5)
 - drilled or bored, 462(1)—(4)
 - prohibition to enter, 463
 - water hazard, 445
 - worker access, 446(1)—(3)
- excavation, defined, 1**
- excess noise, defined, 1**
- exposed worker, defined, 1**
- explosive, defined, Act 1(l.1)**
- explosive atmosphere, defined, 1**
- explosives**
- access, 470.3
 - adverse weather, 484
 - avalanche control, 515(1)—(5)
 - blaster's certificate, 468.1—468.52
 - blasters, 468(1)—(5)
 - burning material, 466(1)—(3)
 - drilling
 - bootleg, 486(1)—(2)
 - location, 485
 - safe positioning, 488
 - size of bore hole, 487
 - firing
 - above-ground explosive, 502
 - blast protection, 499
 - blasting machine, 505(1)—(3)
 - burning explosives, 499.1
 - community protection, 498
 - electromagnetic radiation, 501
 - length of fuse assembly, 504
 - radiofrequency transmitters, 503(1)—(3)
 - shunting the blasting cable, 506
 - signs, 498.1
 - handling
 - Canadian guidelines, 470
 - cartridge explosives, 479(1)—(2)
 - deteriorated, damaged or unsafe, 475
 - detonators, 483
 - display fireworks and pyrotechnics, 517.1

Index

- drilling, 485
- intermittent storage, 470.2(1)
- oldest used first, 474
- priming, 481(1)—(4)
- quantities, appropriate, 477(1)—(3)
- tools, equipment and machinery, 480
- transporting, 473-473.2
- water damage, 486.1
- loading
 - connecting down lines to trunk cords, 497
 - electrical energy, 490
 - firing, sequential, 492
 - ignition precautions, 497.1
 - quantity, 488.1
 - secondary blasting, 517.2
 - stemming and leg wires, 494
 - tamping, 491(1)—(2)
 - testing blasting machines, 495(1)-(2)
 - testing circuits, 495(1)—(2)
 - testing detonators, 495(1)—(2)
 - unwinding detonator leg wires, 489(1)—(2)
- mines and mine sites, 517.3-517.91
- misfire
 - destroying, 511(1)—(6)
 - waiting period, 509
 - withdrawing, 510(1)—(2)
 - working around, 510.1, 510.2
- oil well blasting and perforating, 516(1)—(5)
- removal from magazine, 470.4
- reporting incidents, 469
- seismic blasting, 517(1)—(3)
- underground mines, 517.92—517.9991
- waste removal, 513
- exposure limits, review, 19(1)—(3)**
- exposure limits, chemical, Schedule 1**
 - Table 3**
- F**
- fall arrest system, scaffolds and temporary work platforms, 345(4)—(5)**
- fall arresting device, defined, 1**
- fall protection**
 - anchors, 152(1)—(4)
 - duty to use, 152.2(1)—(5)
 - personal fall arrest anchor not attached to other support anchors, 152.3
 - temporary anchors, strength of, 152.1(1)—(2)
 - wire rope sling as anchor, 152.4
- body belt, 142.1
- boom-supported work platforms and aerial devices, 156(1)—(4)
- clearance, maximum arresting force and swing, 151(1)—(6)
- connectors, carabiners, snap hooks, 143(1)—(2)
- control zones, 161(1)—(8)
- descent control device, 146
- equipment compatibility, 150
- fall arresters, 144
- fall protection plan, 140(1)—(4)
- fixed ladders and climbable structures, 154(1)—(2)
- full body harness, 142(1)—(2)
- inspection and maintenance, 150.1
- lanyard, 142.2(1)—(3)
 - adjustable for work positioning, 148
- leading edge, 158
- life jacket use with, 157
- life safety rope, 147(1)—(4)
- lifeline systems
 - flexible and horizontal, specifications and standards, 153(1)—(2)
 - horizontal, installation of, 153.1
- portable ladders, 137(1)—(3)
- procedures instead of, 159(1)—(2)
- prusik knot, use of, 150.3
- removal from service, 150.2(1)—(3)
- rescue personnel exemption, 138
- rope adjustment device for work positioning, 148.1
- self-retracting device, 145
- shock absorber, 142.3(1)—(4)
- vehicles and loads, 155(1)—(3)
- wood pole climbing, 149(1)—(2)
- work positioning system, 160(1)—(3)
- worker instruction / training, 141(1)—(3)
- worker protections generally, 139(1)—(8)
- fall protection system, defined, 1**
- Fall Protection Systems — American National Standard for Construction and Demolition Operations (ANSI Standard), 142.1, 320(1)**
- fall restrict equipment, defined, 1**
- fall restrict system, defined, 1**
- falling objects protection, safeguards, 318(1)—(8)**
- family member, Act 1(m)**
- farming and ranching exemption from OHS Code, 1.1(1)—1.1(2)**
- farm and ranch**
 - application of Code, 1.1
 - exemption from OHS Code, 1.1(1)—1.1(2)
 - noise control design, 217(1)—(2)
 - powered mobile equipment
 - rollover protective structures, 271(1)—(2)
 - recapping needles, 527
- fenamiphos, exposure limits, Schedule 1**
 - Table 2**
- fensulfothion, exposure limits, Schedule 1**
 - Table 2**
- fenthion, exposure limits, Schedule 1**
 - Table 2**
- ferbam, exposure limits, Schedule 1**
 - Table 2**
- ferrocene, exposure limits, Schedule 1**
 - Table 2**

**ferrovanadium dust, exposure limits,
Schedule 1 Table 2**

fibre, defined, 1

fire and explosion hazards

- classification of work sites, 162.1(1)—(2)
- contaminated clothing and skin, 164(1)—(2)
- flammable or explosive atmospheres hazard, 161.1
- flares, flare stacks, pits, 167
- gas, compressed and liquified, 171(1)—(8)
- gas welding or allied process, 171.2(1)—(2)
- hot taps, 170(1)—(4)
- hot work, 169(1)—(3)
- industrial furnaces and fired heaters, 168(1)—(6)
- internal combustion engines, 166(1)—(7)
- isolating pipes and pipelines
- procedures and precautions, 163(2)—(2.1)
- procedures and precautions, protective, 165(3)—(6)
- prohibitions, 162(1)—(6)
- spray operations, 170.1(1)—(6)
- welding, generally, 171.1(1)—(6)
- welding services from vehicles
 - compressed gas cylinder, horizontal, 173(1)—(3)
 - handling cylinders, 174(1)—(4)
 - storage compartments, 172(1)—(5)

**fire prevention and emergency response
in mining**

- fire fighting training, 547(1)—(2)
- rescue and emergency workers, 546

first aid

- access to records, 184(1)—(3)
- defined, 1
- emergency transportation, 180(1)—(4)
- high hazard work, Schedule 2 Table 3, Schedule 2 Table 7
- location, 179
- low hazard work, Schedule 2 Table 1, Schedule 2 Table 5
- medium hazard work, Schedule 2, Table 2, Schedule 2 Table 6
- providers, 181(1)—(4)
- record of injury or illness, 183(1)—(3)
- reporting injury or illness, 182
- room requirements, Schedule 2 Table 4
- services, supplies, equipment, 178(1)—(4)
- training standards, 177(1)—(2)

**first aid equipment and supplies,
Schedule 2 Table 3**

**first aid room requirements, Schedule 2
Table 4—Table 7**

first aider, defined, 1

fixed ladder

- defined, 1
- fall protection, 154(1)—(2)

flammable liquid, defined, 1

flammable substance, defined, 1

flash point, defined, 1

fly form deck panel, defined, 1

free fall distance, defined, 1

free-standing scaffolds, 334(1)—(3)

**flour dust, exposure limits, Schedule 1
Table 2**

**fluorides, as F, exposure limits,
Schedule 1 Table 2**

**fluorine, exposure limits, Schedule 1
Table 4**

**fluorotrichloromethane(trichlorofluoro-
methane), exposure limits, Schedule 1
Table 2**

**fonofos, exposure limits, Schedule 1
Table 2**

**formaldehyde, exposure limits,
Schedule 1 Table 2**

**formamide, exposure limits, Schedule 1 Table
2**

forestry

- felling and bucking, 518(1)—(6)
- hand felling, 519
- mechanized feller or limber, 520
- operator protector structures, 521
- partially cut trees, 523
- road warnings, 522
- logging trucks, 524(3)
- traffic safety, 525(1)—(4)

**formic acid, exposure limits, Schedule 1
Table 2**

fugitive emission, 394.1

full body harness, defined, 1

**furfural, exposure limits, Schedule 1
Table 2**

**furfuryl alcohol, exposure limits,
Schedule 1 Table 2**

G

**gallium arsenide, respirable particulate,
exposure limits, Schedule 1 Table 2**

**gasoline exposure limits, Schedule 1
Table 2**

**germaniumtetrahydride, exposure limits,
Schedule 1 Table 2**

**Glass Fibres,exposure limits, Schedule 1
Table 2**

**glutaraldehyde,activated and inactivated,
exposure limits, Schedule 1 Table 2**

**glycerin mist, exposure limits, Schedule 1
Table 2**

**glycidol, exposure limits, Schedule 1
Table 2**

**glycol monoethylether,exposure limits,
Schedule 1 Table 2**

**glyoxal, exposure limits, Schedule 1
Table 2**

gob, defined, 1

grain dust (oat,wheat, barley), exposure limits, Schedule 1 Table 2
 graphite, respirable (all forms except graphite fibres), exposure limits, Schedule 1 Table 2
 grinder accessory, defined, 1
 guardrails, 315(1)—(3)
 guthion1(azinphos-methyl), exposure limits, Schedule 1 Table 2
 GVV, defined, 1
 gypsum, exposure limits, Schedule 1 Table 2

H

hafnium and compounds, as Hf, exposure limits, Schedule 1 Table 2
 half-horse scaffolds, 335(1)—(3)
 halothane, exposure limits, Schedule 1 Table 2
 hand expose zone, defined, 1
 hand tool, defined, 1
 handrails, 123(1)—(4)
 handling, defined, 1
 harassment, Act 1(n)
 harmful substance, Act 1(o)
 harmful substances. *See* chemical hazards, biological hazards and harmful substances
 hazard, Act 1(p)
 farming and ranching exemption, 1.1(1)—1.1(2)
 hazard assessment, 7(1)—(4), 21
 defined, 1
 worker participation, 8(1)
 hazard class, defined, 394.1
 hazard elimination and control
 emergency control, 10(1)—(2)
 existing or potential hazard, 9(1)—(4)
 hazard information, defined, 394.1
 hazardous energy, defined, 1
 hazardous energy, managing the control of
 equipment, isolation, 212(1)—(2)
 equipment specifications, isolation verification, 213
 piping or pipelines
 isolating piping, 215.4
 isolation requirements, 215.5(1)—(5)
 pigging and testing of pipelines, 215.6
 securing isolation
 assigning personal locks, 214(1)—(4)
 complex group control procedures, 215.1(1)—(6)
 group, 215(1)—(7)
 individual workers, 214.1(1)—(5)
 remotely controlled systems, 215.2(1)—(3)
 returning to operation, 215.3(1)—(3)
 hazardous location, defined, 1
 hazardous occupation, Act 1(q)

hazardous product, defined, 394.1
 hazardous waste, defined, 394.1
 hazardous work site, Act 1(r)
 HCFC-1231,1,1-trifluoro-2,
 2-dichloroethane, exposure limits, Schedule 1 Table 2
 health and safety program
 defined, Act 1(s)
 employer to establish, Act 16
 health and safety representative. *See also* joint health and safety committee
 designation of, Act 14(1)—(2)
 duties of, Act 14(4)
 entitlement to pay, 199.3
 inspection of work site with officer, Act 15
 meetings with employer, 199.2
 posting name of, 199.1
 present at work site inspection, Act 15
 time away from regular duties, 199.3
 training of, 201
 health assessment for workers exposed to asbestos
 contents of report, 40(2)
 costs, 40(11), 40(13)
 employer cannot force employee to refuse assessment, 40(10)
 frequency of assessments, 40(6)-(8)
 information to worker, 40(3)
 performed during work hours, 40(12)
 privacy of information, 40(5)
 refusal by worker, 40(9)
 retention of records, 40(4)
 health care and industries with biological hazards
 exposure control, 525.1
 limited exposure, 529
 medical sharps, 525.2(1)—(6)
 containers, 526(1)—(3)
 recapping needles, 527
 policies and procedures, 528(1)—(2)
 post-exposure management, 530
 health care facility, defined, 1
 health services provider, Act 1(u)
 hearing protection device, defined, 1
 heavy duty scaffold, defined, 1
 helium, exposure limits, Schedule 1 Table 2
 heptane, all isomers, exposure limits, Schedule 1 Table 2
 2-heptanone, exposure limits, Schedule 1 Table 2
 3-heptanone, exposure limits, Schedule 1 Table 2
 hexachlorobenzene, exposure limits, Schedule 1 Table 2
 hexachlorobutadiene, exposure limits, Schedule 1 Table 2

- g-hexachlorocyclohexane, exposure limits, Schedule 1 Table 2
- hexachlorocyclopentadiene, exposure limits, Schedule 1 Table 2
- hexachloronaphthalene, exposure limits, Schedule 1 Table 2
- hexafluoroacetone, exposure limits, Schedule 1 Table 2
- hexahydrophthalicanhydride, all isomers, exposure limits, Schedule 1 Table 2
- 1,6-hexamethylenediisocyanate, exposure limits, Schedule 1 Table 2
- n-hexane, exposure limits, Schedule 1 Table 2
- hexane, exposure limits, Schedule 1 Table 2
- 1,6-hexanediamine, exposure limits, Schedule 1 Table 2
- 2-hexanone(methyl n-butylketone), exposure limits, Schedule 1 Table 2
- 1-hexene, exposure limits, Schedule 1 Table 2
- hexone(Methyl isobutylketone), exposure limits, Schedule 1 Table 2
- Sec-hexyl acetate, exposure limits, Schedule 1 Table 2
- hexylene glycol, exposure limits, Schedule 1 Table 2
- high hazard work, Schedule 2 Table 2
- high pressure pipeline, defined, 1
- high visibility safety apparel, defined, 1
- hoist, defined, 1. *See also* cranes, hoists and lifts
- horizontal lifeline system, defined, 1
- hot tap, defined, 1
- hot work, defined, 1
- hours of darkness, defined, 1
- hydrazine, exposure limits, Schedule 1 Table 2
- hydrogen, exposure limits, Schedule 1 Table 2
- hydrogenatedterphenyls, exposure limits, Schedule 1 Table 2
- hydrogen bromide, exposure limits, Schedule 1 Table 2
- hydrogen chloride, exposure limits, Schedule 1 Table 2
- hydrogen cyanide and cyanide salts, as CN, exposure limits, Schedule 1 Table 2
- Hydrogen fluoride, exposure limits, Schedule 1 Table 2
- hydrogen peroxide, exposure limits, Schedule 1 Table 2
- hydrogen selenide, as Se, exposure limits, Schedule 1 Table 2
- hydrogen sulphide, exposure limits, Schedule 1 Table 2
- hydroquinone, exposure limits, Schedule 1 Table 2
- 2-hydroxypropylacrylate, exposure limits, Schedule 1 Table 2
- I**
- IEC (International Electrotechnical Commission), defined, 1
- illness or injury, defined, 1
- immediately dangerous to life or health, defined, 1
- incidents
- investigation, Act 33(5)—(6), Act 36
- reporting, Act 33(1)—(4)
- incombustible dust, defined, 1
- indium & compounds, as In, exposure limits, Schedule 1 Table 2
- industrial power producer, defined, 1
- industrial rope access work, defined, 1
- inerting, defined, 1
- information, availability of
- duty to provide information, Act 3(4)
- posting orders and notices, Act 55
- information exchange and programs
- advisors, Act 52
- agreements re research and educational programs, Act 51
- designated organizations, Act 58
- funded organizations, Act 57
- furthering occupational health and safety, Act 59
- information exchange, Act 53
- posting orders, reports, plans and procedures, Act 55
- publication of employee information, Act 54
- injuries and incidents, reporting to
- Director, Act 33
- inspection of work site, Act 15, Act 34
- intermediate first aider, defined, 1
- iodine, exposure limits, Schedule 1 Table 2
- iodoform, exposure limits, Schedule 1 Table 2
- ionizing radiation, defined, 1
- ionizing radiation equipment, defined, 1
- iron oxide (Fe₂O₃), respirable, exposure limits, Schedule 1 Table 2
- iron pentacarbonyl, as Fe, exposure limits, Schedule 1 Table 2
- iron salts, soluble, as Fe, exposure limits, Schedule 1 Table 2
- ISO (International Organization for Standardization) standards adopted under Code
- 3450: 2011, Earth-moving machinery — Wheeled or high-speed rubber-tracked machines — Performance requirements and test procedures, 574(2)

Index

3471: 2000, Earth-moving machinery—
Roll-over, protective structures—Laboratory
tests and performance requirements,
270(2)(d)

**isoamyl acetate(isopentyl acetate),
exposure limits, Schedule 1 Table 2**

**isoamyl alcohol, exposure limits,
Schedule 1 Table 2**

**isobutyl acetate, exposure limits,
Schedule 1 Table 2**

**isobutyl alcohol, exposure limits,
Schedule 1 Table 2**

**isobutyl nitrite, exposure limits, Schedule 1
Table 2**

**isooctyl alcohol, exposure limits,
Schedule 1 Table 2**

isolated, defined, 1

isolated work site, defined, 1

**isopentane, exposure limits, Schedule 1
Table 2**

**isopentyl acetate, exposure limits,
Schedule 1 Table 2**

**isophorone, exposure limits, Schedule 1
Table 2**

**isophoronediiisocyanate, exposure limits,
Schedule 1 Table 2**

**isopropanol, exposure limits, Schedule 1
Table 2**

**isopropoxyethanol, exposure limits,
Schedule 1 Table 2**

**isopropyl acetate, exposure limits,
Schedule 1 Table 2**

**isopropyl alcohol, exposure limits,
Schedule 1 Table 2**

**isopropylamine, exposure limits,
Schedule 1 Table 2**

**N-isopropylaniline, exposure limits,
Schedule 1 Table 2**

**isopropyl ether, exposure limits, Schedule 1
Table 2**

**isopropyl glycidylether, exposure limits,
Schedule 1 Table 2**

J

jib, defined, 1

joint health and safety committee
application re, s. 13, 196
duties of, Act 13(6)
entitlement to pay, 199.3
establishment of, Act 13(1)-(5), 14(6)
inspection of work site with officer, Act 15
meetings of, 198, Act 13(7)
membership, 196.1-196.2, Act 13(4)
number of workers, determination of, Act 13(2)
posting names of members of, 199.1
quorum, 199
terms of reference, 197
time away from regular duties, 199.3

training standards, 201

K

**kaolin respirable, exposure limits,
Schedule 1 Table 2**

**kerosene/Jet fuels, as total hydrocarbon
vapour, exposure limits, Schedule 1
Table 2**

**ketene, exposure limits, Schedule 1
Table 2**

L

label, defined, 394.1

laboratory sample, defined, 394.1

ladderjack scaffold, defined, 1; 336(1)–(5)

ladders
American National Standard for Ladders —
Wood — Safety Requirements (ANSI Stan-
dard), 135(b)
American National Standard for Ladders —
Portable Metal — Safety Requirements
(ANSI Standard), 135(c)
American National Standard for Ladders —
Portable Reinforced Plastic — Safety
Requirements (ANSI Standard), 135(d)
crawl board or roof ladder, 129
extending booms, use on, 128(1)–(2)
fixed ladders
design criteria, 130(1)–(7)
manholes, use in, 131
rest platform exemption, 132
painting prohibition, 126(1)–(2)
portable
constructed, 134(1)–(2)
fall protection, 137(1)–(3)
manufactured, 135
prohibition, 133(1)–(2)
securing and positioning, 136
single rail prohibition, 125
use near energized electrical equipment, 127
use restriction, 124
vertical ladder on scaffold, 327(1)–(5)

lanyard, defined, 1

laser, defined, 1

**lead arsenate, as Pb(AsO₄)₂, exposure limits,
Schedule 1 Table 2**

**lead chromate, as Pb as Cr, exposure limits,
Schedule 1 Table 2**

lead, defined, 1
Lead elemental & inorganic compounds, as Pb,
exposure limits, Schedule 1 Table 2

lead exposure
air monitoring, 41(1)–(3)
control plan, 41(1)–(3)
exposure limits, Schedule 1 Table 2
medical monitoring, 43(1)–(6)

lead wire, defined, 1

leading edge, defined, 1

leg wire, defined, 1
lex, defined, 1
licence, Act 1(w)
life jacket, defined, 1
lifeline, defined, 1
lifting and handling loads
 equipment, 208(1)—(4)
 heavy or awkward loads, 209
 manual handling hazards, assessing,
 210(1)—(3)
 musculoskeletal injuries, 211
 training to prevent, 211.1(1)—(2)
 patient / client/ resident handling, 209.2(1)—(4)
 work site design, health care facilities,
 209.1(1)—(3)
light duty scaffold, defined, 1
limestone (calcium carbonate), exposure
 limits, Schedule 1 Table 2
lindane (g-hexachlorocyclohexane),
 exposure limits, Schedule 1 Table 2
lithium hydride, exposure limits,
 Schedule 1 Table 2
low hazard work, Schedule 2 Table 1
lower explosive limit, defined, 1
L.P.G. (liquified petroleum gas), exposure
 limits, Schedule 1 Table 2
lumber, defined, 1

M
machinery, defined, 1
magazine, defined, 1
magnesium oxide fume, exposure limits,
 Schedule 1 Table 2
malathion, exposure limits, Schedule 1 Table
 2
maleic anhydride, exposure limits,
 Schedule 1 Table 2
manganese, elemental & inorganic com-
 pounds, exposure limits, Schedule 1 Ta-
 ble 2
manganese cyclopentadienyl tricarbonyl, as
 Mn, exposure limits, Schedule 1 Table 2
Manually Propelled Elevating Aerial
Platforms (ANSI Standard), 347(4)
manufactured article, defined, 394.1
manufacturer's rated capacity, defined, 1
manufacturer's specifications, Act 1(x)
marble (calcium carbonate), exposure
 limits, Schedule 1 Table 2
material hoist, defined, 1
medical assessments
 examinations, Act 29
 medical reports used for enforcement, Act 31
 notice of findings, Act 30
 occupational health surveillance, Act 56
 workers exposed to hazards, Act 32
medical sharp, defined, 1

medium hazard work, 1, Schedule 2
 Table 6
metal scaffolding, 331
mercury, as Hg, exposure limits, Schedule 1
 Table 2
mesityl oxide, exposure limits, Schedule 1
 Table 2
methacrylic acid, exposure limits,
 Schedule 1 Table 2
methacrylic acid, methyl ester (methyl metha-
 crylate), exposure limits, Schedule 1
 Table 2
methanethiol (methyl mercaptan),
 exposure limits, Schedule 1 Table 2
methanol (methyl alcohol), exposure
 limits, Schedule 1 Table 2
methomyl, exposure limits, Schedule 1
 Table 2
methoxychlor, exposure limits, Schedule 1
 Table 2
2-methoxyethanol (ethylene glycol mono-
 methyl ether), exposure limits,
 Schedule 1 Table 2
2-methoxyethyl acetate (ethylene
 glycol mono-methyl ether acetate),
 exposure limits, Schedule 1 Table 2
4-methoxyphenol, exposure limits,
 Schedule 1 Table 2
1-methoxy-2-propanol (propylene
 glycol mono-methyl ether), exposure
 limits, Schedule 1 Table 2
methyl acetate, exposure limits,
 Schedule 1 Table 2
methyl acetylene (propyne), exposure
 limits, Schedule 1 Table 2
methyl acetylenepropadiene Mixture
 (MAPP), exposure limits, Schedule 1 Ta-
 ble 2
methyl acrylate (acrylic acid, methylester),
 exposure limits, Schedule 1 Table 2
methyl amyl alcohol, exposure limits,
 Schedule 1 Table 2
methyl n-amyl ketone, exposure limits,
 Schedule 1 Table 2
N-methyl aniline, exposure limits,
 Schedule 1 Table 2
methyl bromide, exposure limits,
 Schedule 1 Table 2
methyl cellosolve, exposure limits,
 Schedule 1 Table 2
methyl chloride, exposure limits,
 Schedule 1 Table 2
methyl chloroform, exposure limits, Schedule
 1 Table 2
methyl demeton (demeton-methyl),
 exposure limits, Schedule 1 Table 2
methyl ethyl ketone, exposure limits,
 Schedule 1 Table 2

- methyl ethyl ketone peroxide, exposure limits, Schedule 1 Table 2
 methyl formate(formic acid, methyl ester), exposure limits, Schedule 1 Table 2
 5-methyl-3-heptanone (ethyl amyl ketone), exposure limits, Schedule 1 Table 2
 methyl hydrazine, exposure limits, Schedule 1 Table 2
 methyl iodide, exposure limits, Schedule 1 Table 2
 methyl isoamyl Ketone, exposure limits, Schedule 1 Table 2
 methyl isobutyl Carbinol (methyl amyl alcohol), exposure limits, Schedule 1 Table 2
 methyl isobutyl Ketone (hexone), exposure limits, Schedule 1 Table 2
 methyl isocyanate, exposure limits, Schedule 1 Table 2
 methyl isopropyl ketone, exposure limits, Schedule 1 Table 2
 methyl mercaptan (methanethiol), exposure limits, Schedule 1 Table 2
 methyl mercury, as Hg (mercury, alkyl compounds), exposure limits, Schedule 1 Table 2
 methyl methacrylate, exposure limits, Schedule 1 Table 2
 methyl parathion, exposure limits, Schedule 1 Table 2
 methyl propyl ketone (2-pentanone), exposure limits, Schedule 1 Table 2
 methyl silicate, exposure limits, Schedule 1 Table 2
 a-methyl styrene, exposure limits, Schedule 1 Table 2
 methyl styrene (vinyl toluene, amethyl styrene), exposure limits, Schedule 1 Table 2
 methyl vinyl ketone (3-Buten-2-one), exposure limits, Schedule 1 Table 2
 methylal(dimethoxymethane), exposure limits, Schedule 1 Table 2
 methylamine, exposure limits, Schedule 1 Table 2
 2-methylaziridine, exposure limits, Schedule 1 Table 2
 1-methylbutylacetate(2-pentyl acetate, secamylacetate), exposure limits, Schedule 1 Table 2
 3-methylbutylacetate(isopentyl acetate, isoamyl acetate), exposure limits, Schedule 1 Table 2
 methyl-tert-butylether, exposure limits, Schedule 1 Table 2
 methyl n-butyl ketone, exposure limits, Schedule 1 Table 2
 methyl-2-cyanoacrylate, exposure limits, Schedule 1 Table 2
 methylcyclohexane, exposure limits, Schedule 1 Table 2
 methylcyclohexanol, exposure limits, Schedule 1 Table 2
 o-methylcyclohexanone, exposure limits, Schedule 1 Table 2
 methylacrylonitrile, exposure limits, Schedule 1 Table 2
 methylene bisphenyl isocyanate, exposure limits, Schedule 1 Table 2
 methylene chloride (dichloromethane), exposure limits, Schedule 1 Table 2
 2-methylpentane(hexane), exposure limits, Schedule 1 Table 2
 3-Methylpentane, exposure limits, Schedule 1 Table 2
 4-methyl-2-pentanol(methyl amyl alcohol), exposure limits, Schedule 1 Table 2
 metribuzin, exposure limits, Schedule 1 Table 2
 mevinphos, exposure limits, Schedule 1 Table 2
 micaRespirable, exposure limits, Schedule 1 Table 2
 millisievert, defined, 1
 mine, Act 1(y)
 mine level, defined, 1
 mine material, defined, 1
 mine plan, defined, 1
 mine shaft, defined, 1
 mine site, Act 1(z)
 mine tunnel, defined, 1
 mine wall, defined, 1
minimum separation distances
 minimum separation distances between explosives and fixed radiofrequency transmitters, Schedule 10 Table 1
 minimum separation distances between explosives and mobile radiofrequency transmitters and cellular telephones, Schedule 10 Table 2
mining
 application, 531
 building safety, 532
 conveyors
 combustible dust, 601(1)—(2)
 distance surrounding, 600
 fire resistance, 598
 inspection, 604
 riding conveyor belts, 603(1)—(2)
 stopping, 599(1)—(2)
 dumping block, 542
 dust from drilling, 537
 electrical systems
 drills, hand held electrical, 572
 standards, 560
 excavation, 535(1)—(2)
 fire fighting training, 547

- rescue and emergency workers, 546
- haul roads, 539
- mine material and discards, 536
- mine plans, 533
- mine walls, 541(1)—(3)
- oil and gas wells
 - application, 750
 - controlling pressure hazards, 776.1
 - counterweights above derrick or mast floor, 775
 - derricks or masts, 753—754
 - drawworks, 766(1)—(2)
 - drawworks, brakes, 767(1)—(3)
 - drill stem testing, 779(1)—(5)
 - drilling rig
 - catheads, 771(1)—(2)
 - exits from enclosures, 761(1)—(2)
 - inspection, 758(1)—(3)
 - weight indicators, 768
 - emergency escape route, 762(1)—(3)
 - firefighting equipment, 752.3
 - fluid pumping and piping system, 776
 - gas sample containers, 784
 - guy lines and anchors, 763(1)—(2)
 - health and safety orientation, 751.1
 - purging lines, 752.2
 - reports for equipment inspections and repairs, 755
 - reports for rented or leased equipment
 - inspection and repairs, 755.1
 - rig tank or pit enclosures, 777
 - rotary table danger zone, 773
 - sliding prohibited, 756
 - work site organization, 752.1
- service rig
 - catheads, 771(1)—(2)
 - inspection, 758(1)—(2)
 - weight indicators, 768
- servicing wells, 781(1)—(4)
- snubbing unit
 - exits from enclosures, 761(1)—(3)
 - inspection, 758(1)—(2)
- surface rig
 - exits from enclosures, 761(1)—(3)
 - tong safety, 774
- reporting dangerous occurrences, 544
- reports, 534
- rubber-tired, self-propelled machines
 - autonomous equipment, 574.1
 - clearance lights, 592(1)—(3)
 - design safety factors, 591(1)—(2)
 - dual brake system, 579
 - emergency energy, 577
 - hydraulic brakes, 578
 - light, 594(1)—(2)
 - line of sight, 593
 - periodic service brake testing, 585(1)—(4)
 - pump, auxiliary, 589
 - standards, 574(1)
 - steering, auxiliary, 588
 - steering standards, auxiliary, 590(1)—(2)
- specifications and procedures, 533.1
- tubular storage, 765
- tugger, 770(1)—(3)
- underground coal mines
 - annual plan, 681
 - clearances for rubber-tired, self-propelled equipment, 697.3
 - emergency response station, 703.3
 - emergency warning system, 703.1
 - equipment
 - batteries, 697.1
 - bulk fuel storage, 696
 - diesel-powered, 697.4
 - propane installations, 695(1)—(2)
 - respiratory protective equipment, 703.4
 - switchgear, 697.2
 - voice communication system, 697
 - escape ways, 702
 - explosion control
 - drill holes, 748
 - explosion barriers, 745(1)—(2)
 - shaft access and hoisting equipment, 749.1
 - spacing between adjoining operations, 747
 - water or gas, 749
- fire prevention
 - carbon monoxide monitors, 693.9
 - fire detection and suppression, 693.6
 - fire precautions, 693.3
 - firefighting equipment, 693.7
 - fireproofing, 693.4
 - ignition source restricted, 693
 - light metal alloys, 693.1
 - marking ignition hazards, 694
 - monitoring of flammability hazards, 693.2
 - protection around conveyors, 693.5
 - water supply system, 693.8
- gas and dust control
 - airborne dust, 742(1)—(4)
 - degassing procedures, 733(1)—(2)
 - detection equipment, 738
 - diesel vehicle roads, 732(1)—(4)
 - flammable gas levels, 731
 - gas inspections, 730(1)—(2)
 - incombustible dust, 743(1)—(5)
 - roof bolting, 741
- outlets, 701(1)—(4)
- portal, 700(1)—(3)
- protection from contact with moving equipment, 703
- roof and side support
 - pillar extractions, 708
 - support system, 707(1)—(5)
- refuge stations, 702.1

Index

- vehicles
 - diesel fuel, 705(1)—(4)
 - equipment control, 706(1)—(3)
 - underground fuel stations, 704(1)—(3)
- ventilation system, certified, 711(1)—(5)
- ventilation systems
 - air velocity, 712(1)—(4)
 - airlock doors, 714
 - brattice, vent tubes, 724(1)—(2)
 - chutes, 717
 - fans, 719
 - fans, auxiliary, 723(1)—(4)
 - fans, booster, 722
 - fans, surface, 721(1)—(3)
 - fans, ventilation, 725
 - operating in split, 729
 - return airway, 713
 - reverse flows, 720
 - seals, 716(1)—(4)
 - splits, 718(1)—(2)
 - stoppings, 715
- workers
 - combined operations, 686
 - no smoking warnings, 694
 - shift change, 689
 - supervision, 683
 - underground manager, 685
 - unsafe areas, 689
 - working alone, 687(1)—(2)
 - work shift report and inspection, 690
- well stimulation, 782(1)—(4)
- well swabbing, 780(1)—(6)
- worker lifting and rescue, 770
- mining certificate**
 - defined, 1
 - suspension and cancellation of, 749.8
 - underground coal mine manager's, 749.4
- misfire, defined, 1**
- mobile crane, defined, 1**
- mobile cranes and boom trucks**
 - counterweights and outriggers, 90
 - damage preventions, 91(1)—(3)
 - load blocks, 92.1
 - non-destructive testing, 89
 - outriggers, 92.2
 - personnel baskets, 88.1
 - safety code for mobile cranes, 88
 - warning device, 91
- molybdenum, exposure limits, Schedule 1 Table 2**
- monochloroacetic acid, exposure limits, Schedule 1 Table 2**
- monochlorobenzene (chlorobenzene), exposure limits, Schedule 1 Table 2**
- monocrotophos, exposure limits, Schedule 1 Table 2**
- morpholine, exposure limits, Schedule 1 Table 2**
- mould, exposure control, 43.1**
- musculoskeletal injury, defined, 1**
- N**
- naled (dibrom), exposure limits, Schedule 1 Table 2**
- naphtha (rubber solvent), exposure limits, Schedule 1 Table 2**
- naphthalene exposure limits, Schedule 1 Table 2**
- a-naphthylthiourea (ANTU), exposure limits, Schedule 1 Table 2**
- National Dose Registry, defined, 1**
- natural rubber latex, as total proteins, exposure limits, Schedule 1 Table 2**
- needle-beam scaffolds, 337(1)—(4)**
- neon, exposure limits, Schedule 1 Table 2**
- NFPA (National Fire Protection Association)**
 - defined, 1
 - fall protection, 146, 147(1)
 - foot protection, 233(5)
- nickel, exposure limits, Schedule 1 Table 2**
- nickel carbonyl, as Ni, exposure limits, Schedule 1 Table 2**
- nickel subsulfide, as Ni, exposure limits, Schedule 1 Table 2**
- Nicotine**
- NIOSH (National Institute for Occupational Safety and Health), defined, 1**
- nitrapyrin (2-chloro-6-trichloromethyl pyridine), exposure limits, Schedule 1 Table 2**
- nitric acid, exposure limits, Schedule 1 Table 2**
- nitric oxide, exposure limits, Schedule 1 Table 2**
- p-nitroaniline, exposure limits, Schedule 1 Table 2**
- nitrobenzene, exposure limits, Schedule 1 Table 2**
- p-nitrochlorobenzene, exposure limits, Schedule 1 Table 2**
- nitroethane, exposure limits, Schedule 1 Table 2**
- nitrogen, exposure limits, Schedule 1 Table 2**
- nitrogen dioxide, exposure limits, Schedule 1 Table 2**
- nitrogen trifluoride, exposure limits, Schedule 1 Table 2**
- nitroglycerin (NG), exposure limits, Schedule 1 Table 2**
- nitromethane, exposure limits, Schedule 1 Table 2**

- 1-nitropropane, exposure limits, Schedule 1 Table 2
- 2-nitropropane, exposure limits, Schedule 1 Table 2
- nitrotoluene, allisomers, exposure limits, Schedule 1 Table 2
- nitrotrichloromethane, exposure limits, Schedule 1 Table 2
- nitrous oxide, exposure limits, Schedule 1 Table 2
- NLGA (National Lumber Grades Authority), defined, 1
- noise, defined, 1
- noise exposure
- assessment of, 219(1)—(3)
 - Specification for Personal Noise Dosimeters* (ANSI Standard), 219(2)(a)
 - Specifications for Integrating-Averaging Sound Level Meters* (ANSI Standard), 219(2)(b)(i)
 - audiometric testing and credit of time worked, 223—224
 - employer duty to reduce, 216
 - hearing protection, 222
 - noise control design, 217(1)—(2)
 - noise exposure limits, Schedule 3 Table 1
 - noise management program, 221(1)—(3)
 - reduction, 216
 - results recorded, 220(1)—(2)
 - worker exposure, maximum levels of, 218
- nonane, all isomers, exposure limits, Schedule 1 Table 2
- non-industrial rope access work, defined, 1
- non-ionizing radiation, defined, 1
- non-mining blasting operations
- notifiable disease, Act 1(bb)
- nurse, defined, 1
- O**
- occupation, Act 1(cc)
- occupational disease, Act 1(dd)
- occupational exposure limit (OEL), Schedule 1 Table 2
- Occupational Health and Safety Advisory Council, dissolved, Act 67
- occupational exposure limits for chemical substances, Schedule 1 Table 2
- occupational rope access, defined, 1
- octachloronaphthalene, exposure limits, Schedule 1 Table 2
- octane, all isomers, exposure limits, Schedule 1 Table 2
- OEL (Occupational Exposure limit), Schedule 1 Table 2
- oil and gas work site, defined, Act 1(gg)
- oil mist, mineral, exposure limits, Schedule 1 Table 2
- offences, Act 47
- officer
- defined, Act 1(ee)
 - hindering, Act 37
 - inspection by, Act 15, Act 34
 - investigation, Act 36
 - order to ensure compliance, Act 38
- operate, defined, 1
- OSHA (Occupational Safety and Health Administration), defined, 1
- osmium tetroxide, as Os, exposure limits, Schedule 1 Table 2
- outlet, defined, 1
- outrigger scaffold, defined, 1; 338(1)—(4)
- overhead cranes
- controls, 95.1
 - electrical components and functions, 93
 - maintenance and inspections, 94
 - safe movement, 95
- overhead power lines
- safe limit approach distance, 225(1)—(5), Schedule 4 Table 1
 - transported buildings, 226
 - transported equipment, 226
 - transported loads, 226
 - utility worker exemption, 227
- owner
- defined, Act 1(hh)
 - obligations of, Act 9, Act 12
- oxalic acid, exposure limits, Schedule 1 Table 2
- oxygen difluoride, exposure limits, Schedule 1 Table 2
- ozone, exposure limits, Schedule 1 Table 2
- P**
- paraffin wax fume, exposure limits, Schedule 1 Table 2
- paraquat, exposure limits, Schedule 1 Table 2
- parathion, exposure limits, Schedule 1 Table 2
- parenteral contact, defined, 1
- particulate not otherwise regulated
- defined, 1
 - exposure limits, Schedule 1 Table 2
- particulate polycyclicaromatic hydrocarbons, exposure limits, Schedule 1 Table 2
- PCBs, exposure limits, Schedule 1 Table 2
- penalties, Act 48—50
- pentaborane, exposure limits, Schedule 1 Table 2
- pentachloronitrobenzene, exposure limits, Schedule 1 Table 2
- pentachlorophenol, exposure limits, Schedule 1 Table 2

Index

- pentaerythritol, exposure limits, Schedule 1 Table 2**
- pentane, exposure limits, Schedule 1 Table 2**
- 2-Pentanone, exposure limits, Schedule 1 Table 2**
- 1-Pentyl acetate (n-amyl acetate), exposure limits, Schedule 1 Table 2**
- 2-Pentyl acetate (sec-amyl acetate), exposure limits, Schedule 1 Table 2**
- perchloroethylene (tetrachloroethylene), exposure limits, Schedule 1 Table 2**
- perchloromethyl mercaptan, exposure limits, Schedule 1 Table 2**
- perchloryl fluoride, exposure limits, Schedule 1 Table 2**
- perfluorobutyl ethylene, exposure limits, Schedule 1 Table 2**
- perfluoroisobutylene, exposure limits, Schedule 1 Table 2**
- perforating, defined, 1**
- permanent suspension powered work platform, defined, 1**
- permanent, defined, 1**
- permitted explosive, defined, 1**
- personal fall arrest system, defined, 1**
- personal flotation device, defined, 1**
- personal protection equipment**
defined, 1
duty to use
employee, 228(2)
employer, 228(1)
- eye and face protectors**
compliance with standards, 229(1)—(3)
contact lenses, 230
electric arc welding, 231
Occupational and Educational Personal Eye and Face Protection Devices (ANSI Standard), 229(2.3), 229(3)(b)(i)
Practice for Occupational and Educational Eye and Face Protection (ANSI Standard), 229(2.2), 229(2.3), 229(3)(b)(ii)
prescription, 229(2)—(2.3)
- flame resistant clothing, 232(1)—(2)**
- foot protection, footwear, 233(1)—(5)**
- headwear**
American National Standard for Industrial Head Protection, 234(1)-(2), 831(1)-(2), 844
bump hat, 238
exemption from wearing, 239(1)—(2)
firefighters, 237
helmets when using all-terrain or snow vehicles or motorcycles, 236(1)—(4)
helmets when using bicycles and skates, 235(1)—(2)
industrial, 234(1)—(2), 831(1)-(2)
rope access, 844
- life jackets**
compliance with standards, 240
use of, 241(1)—(3)
- limb and body protection, 242**
- personal flotation devices**
compliance with standards, 240
use of, 241(3)
- respiratory protective equipment**
abrasive blasting operations, 255
air purifying, 253
approval, 246
breathing air quality, 249(1)—(2)
code of practice, 245(1)—(2)
dangers of, 244(1)—(4)
defined, 1
emergency escape, 254(1)—(2)
facial seal, 250(1)—(2)
immediate danger use, 251
no immediate danger present or predicted, 252
selection, 247
storage and use, 248(1)—(2)
safety of, employer duty to ensure, 228(3)
skin protection, 243
- persulphates, exposure limits, Schedule 1 Table 2**
- phenacyl chloride**
(2-chloroacetophenone), exposure limits, Schedule 1 Table 2
- phenol, exposure limits, Schedule 1 Table 2**
- phenothiazine, exposure limits, Schedule 1 Table 2**
- o-phenylenediamine, exposure limits, Schedule 1 Table 2**
- m-phenylenediamine, exposure limits, Schedule 1 Table 2**
- p-phenylenediamine, exposure limits, Schedule 1 Table 2**
- phenyl ether, vapour, exposure limits, Schedule 1 Table 2**
- phenylethylene(styrene, monomer), exposure limits, Schedule 1 Table 2**
- phenyl glycidyl ether(PGE), exposure limits, Schedule 1 Table 2**
- phenylhydrazine, exposure limits, Schedule 1 Table 2**
- phenyl mercaptan, exposure limits, Schedule 1 Table 2**
- phenylphosphine, exposure limits, Schedule 1 Table 2**
- phorate, exposure limits, Schedule 1 Table 2**
- phosgene(carbonyl chloride), exposure limits, Schedule 1 Table 2**
- phosphine, exposure limits, Schedule 1 Table 2**

- phosphoric acid, exposure limits, Schedule 1 Table 2
- phosphorous(yellow), exposure limits, Schedule 1 Table 2
- phosphorusoxychloride, exposure limits, Schedule 1 Table 2
- phosphoruspentachloride, exposure limits, Schedule 1 Table 2
- phosphoruspentasulphide, exposure limits, Schedule 1 Table 2
- phosphorus trichloride, exposure limits, Schedule 1 Table 2
- phthalic anhydride, exposure limits, Schedule 1 Table 2
- m-phthalodinitrile, exposure limits, Schedule 1 Table 2
- picloram, exposure limits, Schedule 1 Table 2
- picric acid, exposure limits, Schedule 1 Table 2
- pig, defined, 1
- pigcatcher, defined, 1
- pigging, defined, 1
- Pindone, exposure limits, Schedule 1 Table 2
- PIP (Process Industry Practices), defined 1
- pipeline, defined, 1
- piperazinedihydrochloride, exposure limits, Schedule 1 Table 2
- pit, defined, 1
- 2-pivalyl-1,3-indandione(pindone), exposure limits, Schedule 1 Table 2
- plaster of Paris(calcium sulfate:gypsum), exposure limits, Schedule 1 Table 2
- platinummetalsoluble salts, as Pt, exposure limits, Schedule 1 Table 2
- polymethylenepolyphenyl isocyanate(PAPI), exposure limits, Schedule 1 Table 2
- portable ladder, defined, 1
- portable power cables, defined, 1
- portal, defined, 1
- portland cement, exposure limits, Schedule 1 Table 2
- potassiumhydroxide, exposure limits, Schedule 1 Table 2
- potassiumpersulfate(persulfates), exposure limits, Schedule 1 Table 2
- powered mobile equipment
- access during excavating and tunnelling, 459
 - all-terrain vehicles, 236(1)-(4), 280—282(2)
 - defined, 1
 - bulkheads, 268
 - concrete pump trucks, safety requirements, 290.2(1)—(5)
 - dangerous movement, 258(1)—(3)
 - falling objects protective structures, 272(1)—(3)
 - forklift trucks, 283—284
 - fuel tank in cab, 274
 - guards and screens, 269
 - hazardous loads, 277(1)—(3)
 - inspection, 260(1)—(5)
 - inspection, records of, 260(5)
 - inspection, visual
 - generally, 257(1)—(4)
 - lights, 264(1)—(2)
 - maintenance, records of, 260(5)
 - maintenance, 260(3)(b)—(5)
 - maintenance of elevated parts, 261
 - operator responsibilities, 256(1)—(3)
 - pedestrian traffic, 259(1)—(2)
 - personal vehicle for work, licensing and mechanical inspection, 290.1
 - pile driving equipment and practices
 - brakes and clutches, 288
 - chocking, 285
 - crane boom inspection, 290(1)—(3)
 - pile hoisting, 286(1)—(2)
 - restraining hoses and connections, 287
 - timber piles, 289
 - recertification after modification, 273
 - refuelling, 279(1)—(4)
 - riding on loads prohibition, 276
 - rollover protective structures
 - generally, 270(1)—(3)
 - safety equipment, other, 266
 - snow vehicles, 281—(2)
 - starting engines, 262(1)—(3)
 - tank trucks, 278(1)—(2)
 - unattended equipment, 263(1)—(2)
 - warning signal, 267(1)—(2)
 - windows and windshields, 265(1)—(4)
 - Safety Glazing Material for Glazing Motor Vehicles and Motor Vehicle Equipment Operating on Land Highways — Safety Standard (ANSI Standard), 265(2)
 - worker transportation
 - generally, 275(1)—(4)
- powers of court to make directions**
- additional, Act 49
 - effect of non-payment, Act 50
- preventing work site illnesses and injuries**
- approvals, Act 22
 - designated organizations, Act 58
 - research programs, Act 49(1)
 - surveillance programs, Act 56
 - training, Act 49(1), Act 51
- primary care paramedic, defined, 1**
- prime, defined, 1**
- prime contractor**
- defined, Act 1(II)
 - obligations, Act 8

processing plant, defined, 1
 professional engineer, defined, 1
 programs, approvals and designated organizations
 approvals, Act 22
 designated organizations, Act 58
 research and education programs, Act 49(1), Reg. 184/2021, 2
 surveillance programs, Act 56, Reg. 184/2021, 3
 training, Act 49(1), Act 51
 propane, exposure limits, Schedule 1 Table 2
 n-propanol(n-propyl alcohol), exposure limits, Schedule 1 Table 2
 2-propanol(isopropyl alcohol, isopropanol), exposure limits, Schedule 1 Table 2
 propargyl alcohol, exposure limits, Schedule 1 Table 2
 β-propiolactone, exposure limits, Schedule 1 Table 2
 propionaldehyde, exposure limits, Schedule 1 Table 2
 propionic acid, exposure limits, Schedule 1 Table 2
 propoxur, exposure limits, Schedule 1 Table 2
 n-propyl acetate, exposure limits, Schedule 1 Table 2
 n-propyl alcohol(n-propanol), exposure limits, Schedule 1 Table 2
 propylene, exposure limits, Schedule 1 Table 2
 propylene dichloride, exposure limits, Schedule 1 Table 2
 propylene glycol dinitrate, exposure limits, Schedule 1 Table 2
 propylene glycol monomethyl ether, exposure limits, Schedule 1 Table 2
 propyleneimine, exposure limits, Schedule 1 Table 2
 propylene oxide, exposure limits, Schedule 1 Table 2
 n-propyl nitrate, Schedule 1 Table 2
 propyne(methyl acetylene), exposure limits, Schedule 1 Table 2
 protective clothing where asbestos or lead, 30(1)—(3)
 protective headgear, defined, 1
 pulmonary function technician, defined, 1
 purge, defined, 1
 pyrethrum, exposure limits, Schedule 1 Table 2
 pyridine, exposure limits, Schedule 1 Table 2
 pyrocatechol (catechol), exposure limits, Schedule 1 Table 2

Q

quarry, defined, 1
 quartz respirable particulate, exposure limits, Schedule 1 Table 2
 quinone, exposure limits, Schedule 1 Table 2

R

radiation, defined, 1
 radiation equipment, defined, 1
 radiation exposure, prevention and protection, 291—291.7, Schedule 12
 radiation facility, defined, 1
 radiation source, defined, 1
 radiofrequency transmitters, defined, 1
 RCF(Refractory CeramicFibres), exposure limits, Schedule 1 Table 2
 RDX(cyclonite), exposure limits, Schedule 1 Table 2
 Refractory CeramicFibres(RCF), exposure limits, Schedule 1 Table 2
 registration certificate, defined, 1
 regulations and administration
 Act binds Crown, Act 66
 administration costs, Act 63
 liability of officials, Act 65
 Lieutenant Governor in council regulations, Act 60
 provisions affecting regulations and OHS codes, Act 62
 service of documents, Act 64
 remote monitoring station, defined, 1
 requirements applicable to all industries. *See* chemical hazards, biological hazards and harmful substances
 requirements applicable to specific industries and activities
 demolition, 415—422
 diving operations, 423, 424, 437
 respirable particulate, defined, 1
 restricted area, defined, 1
 restricted space, defined, 1
 resorcinol, exposure limits, Schedule 1 Table 2
 rhodium, as Rh, exposure limits, Schedule 1 Table 2
 rigging
 breaking strength, 292(1)—(2)
 cable clips, 300(1)—(4)
 compliance, 295
 ferrules, 301(1)—(2)
 inspection, 294
 load ratings, 293(1)—(2)
 makeshift rigging and welding, 304
 matching components, 302(1)—(5)
 protection, 296
 rejection criteria
 electric arc damage, 308

hooks, damaged, 309
 metal mesh slings, 307
 synthetic fibre slings, 305(1)—(4)
 wire rope, 306(1)—(4)
 rope wound on drum, 299(1)—(2)
 safety factors, 292.1(1)—(2)
 safety latches, 303(1)—(4)
 slings, 298(1)—(2)
 standards, 297(1)—(4)
rock wool fibres, exposure limits, Schedule 1 Table 2
rolling scaffolds, 334(1)—(3)
ronnel, exposure limits, Schedule 1 Table 2
rope access, work requiring
 ascenders, 837
 back-up devices, 838
 connecting components, 835—836
 cow's tail, 819(1)—(2)
 descenders, 839
 equipment compatibility, 814
 exemptions, 805—807
 full body harness, 834
 general requirements, 821—822
 head protection, 831(1)—833
 high stretch (dynamic) rope, 816, 818—819(2)
 inspection and maintenance, 815
 instruction of workers, 812
 logbook, worker's personal, 827(1)—(4)
 low stretch (static) rope, 816—817
 maximum arrest force, clearance, anchor strength, 828—829(2)
 non-industrial, 847-849
 removing equipment from service, 820(1)—(2)
 safe work plan, 808—810
 safe work practices, 811, 823—825
 safety line, 830(1)—(4)
 tools and equipment, 813(1)—(2)
 worker competency, 826
 worker rescue, 821—822
 non-industrial rope access work
 connecting components, 849
 fall factor, clearance, anchorage strength, 842—843(2)
 full body harness, 848
 head protection, 844—846
 safe work practices, 840
 sit harness, 847
 worker competency, 841
rope access system. See rope access, work requiring
rotary table, defined, 1
rotenone(commercial), exposure limits, Schedule 1 Table 2
rubber solvent(naphtha), exposure limits, Schedule 1 Table 2

rural electrification association, defined, 1

S

SAE (Society of Automotive Engineers)

defined, 1
 standards, 3

safe limit approach distances, re overhead power lines, Schedule 4, Table 1

safe patient/client/resident handling, defined, 1

safeguard, defined, 1

safeguards

alternative mechanism or system, 310(4)—(5)
 building shafts, 313(1)—(3)
 duty to provide, 310(2)—(4)
 falling objects protection, 318(1)—(8)
 guardrails, 315(1)—(3)
 hoppers, bins and chutes, 316
 machinery without safeguards, 312(1)—(2)
 machine failure, 317
 openings, covering, 314
 push stick or block, 319
 safety nets, 320(1)—(3)
 tampering with, 311(1)—(4)
 toe boards, 321(1)—(5)
 warning signs for automatic start machines, 310(6)
 wire mesh, 322

safety data sheet, defined, 394.1

safety engineered medical sharp, defined, 1

safety fuse, defined, 1

safety fuse assembly, defined, 1

safety precautions, general

housekeeping, 185
 ice, working on, 195(1)—(2)
 lighting, 186(1)—(4)
 pallets and storage racks, 187(1)—(4)
 restraining hoses and piping, 188(1)—(3)
 roofing material, placement of, 187.1(1)—(2)
 securing equipment and materials, 189
 signallers, 191(1)—(8)
 skeleton structures, 190(1)—(4)
 stabilizing masonry walls, 192
 tire servicing, 193(1)—(6)
 vehicle traffic control, 194(1)—(7)

safety-engineered medical sharp (Part 35), defined, 1

scaffold, defined, 1. See also scaffolds and temporary work platforms

scaffolds and temporary work platforms

aerial devices. *See* elevating platforms and aerial devices
 boatswain's chairs, 351(1)—(4)
 bracket scaffolds, 332(1)—(2)
 CSA Standard application, 323
 design, 324(1)—(5)

Index

- double-pole scaffolds, 333(1)—(2), Schedule 6 Tables 1-4
- elevating platforms and aerial devices
 - boatswain's chairs, 351(1)—(4)
 - fly form deck panels, 353(1)—(6)
 - fork-mounted work platforms, 349(1)—(4)
 - permanent suspension powered work platforms, 348(1)—(2)
 - standards, 347(1)—(8)
 - temporary supporting structures, 352(1)—(4)
 - worker safety, 346(1)—(2)
- free-standing scaffolds, 334(1)—(3)
- half-horse scaffolds, 335(1)—(3), Schedule 6 Tables 5-6
- ladder, working from, 328(1)—(2)
- ladder on scaffold, vertical, 327(1)—(5)
- ladderjack scaffolds, 336(1)—(5)
- load, 325(1)—(5)
- metal scaffolding, 331
- needle-beam scaffolds, 337(1)—(4)
- outrigger scaffolds, 338(1)—(4)
- planks, 329(1)—(5)
- platform, 330(1)
- rolling scaffolds, 334(1)—(3)
- roofing brackets, 339
- single-pole scaffolds, 340, Schedule 6 Tables 7-8
- suspended scaffolds, 341(1)—(7)
- swingstage scaffolds
 - employer duties regarding, 345(4)—(5)
 - generally, 342(1)—(2)
 - requirements, 343(1)—(8)
 - safety, 344(1)—344(7)
 - worker duties regarding, 345(1)—(3)
- tagging requirements, 326(1)—(7)
- scaffold dimensions, Schedule 6**
 - half-horse, 3-5m in height, Schedule 6 Table 6
 - half-horse, less than 3m in height, Schedule 6 Table 5
 - heavy duty double-pole, 6m or more in height, Schedule 6 Table 4
 - heavy duty double-pole, less than 6m in height, Schedule 6 Table 3
 - light duty double-pole, 6m or more in height, Schedule 6 Table 2
 - light duty double-pole, less than 6m in height, Schedule 6 Table 1
 - single-pole, 6-9m in height, Schedule 6 Table 8
 - single-pole, less than 6m in height, Schedule 6 Table 7
- secondary blasting, defined, 1**
- secure, defined, 1**
- seismic blasting, defined, 1**
- selenium and compounds, as Se, exposure limits, Schedule 1 Table 2**
- selenium hexafluoride, exposure limits, Schedule 1 Table 2**
- self-employed person**
 - obligations of, Act 12(4)
- service provider**
 - defined, Act 1(mm)
 - obligations, Act 7
- sesone, exposure limits, Schedule 1 Table 2**
- sharps, defined, 1**
- shock absorber, defined, 1**
- shoring component dimensions, Schedule 9**
- shunt, defined, 1**
- significant new data, defined, 394.1**
- significant threshold shift, defined, 1**
- silane, exposure limits, Schedule 1 Table 2**
- silica. See also hazardous occupation**
 - crystalline, use in abrasive blasting, 39(1)
 - defined, 1
 - exposure limits, Schedule 1 Table 2
 - health assessment for workers exposed to, 40(1)—(13)
- silicic acid, tetraethylester(ethyl silicate), exposure limits, Schedule 1 Table 2**
- silicon carbide, exposure limits, Schedule 1 Table 2**
- silicon tetrahydride, exposure limits, Schedule 1 Table 2**
- single-pole scaffolds, 340, Schedule 6 Table 7, Schedule 6 Table 8**
- silver metal soluble compounds, as Ag, exposure limits, Schedule 1 Table 2**
- slag wool fibres, exposure limits, Schedule 1 Table 2**
- small utility vehicle, defined, 1**
- snow vehicle, defined, 1**
- snubbing, defined, 1**
- snubbing unit, defined, 1**
- soapstone, exposure limits, Schedule 1 Table 2**
- sodium azide, exposure limits, Schedule 1 Table 2**
- sodium bisulfite, exposure limits, Schedule 1 Table 2**
- sodium-2,4-dichlorophenoxyethylsulfate (sesone), exposure limits, Schedule 1 Table 2**
- sodiumfluoroacetate, exposure limits, Schedule 1 Table 2**
- sodium hydroxide, exposure limits, Schedule 1 Table 2**
- sodiummetabisulfite, exposure limits, Schedule 1 Table 2**
- sodium persulfate(persulfates), exposure limits, Schedule 1 Table 2**
- specifications, defined, 1**
- split, defined, 1**
- spoil pile, defined, 1**
- stairways, 122(1)—(3)**
 - handrails, 123(1)—(3)

standards adopted under Code

Alberta Municipal Affairs

Code for Electrical Installations at Oil and Gas Facilities (2006), 162.1

Standard on Electric Utility Workplace Electrical Safety for Generation, Transmission, and Distribution, 227

Alberta Fire Code (1997), 1
Compressed and liquified gas, 171(1)

Spray operations, 170.1(3)

ANSI Standards

A10.11-1989 (R1998), Construction and Demolition Operations — Personnel and Debris Nets, 320(1)(a)

A10.32-2004, Fall Protection Systems — American National Standard for Construction and Demolition Operations, 142.1(a)(ii)

A14.1-2007, American National Standard for Ladders — Wood — Safety Requirements, 135(b)

A14.2-2007, American National Standard for Ladders — Portable Metal — Safety Requirements, 135(c)

A14.5-2007, American National Standard for Ladders — Portable Reinforced Plastic — Safety Requirements, 135(d)

A92.3-2006, Manually Propelled Elevating Aerial Platforms, 347(4)

A92.5-2006, Boom-Supported Elevating Work Platforms, 374(1)(b)

A92.6-2006, Self-Propelled Elevating Work Platforms, 347(3)(b)

A92.8-1993 (R1998), Vehicle-Mounted Bridge Inspection and Maintenance Devices, 347(7)

A92.9-1993, Mast-Climbing Work Platforms, 347(6)

ALCTV-2006, American National Standard for Automotive Lifts — Safety Requirements for Construction, Testing and Validation, 112(a)

ALOIM-2000, Automotive Lifts — Safety Requirements for Operation, Inspection and Maintenance, 112(b)

S1.4-2014/Part 1/IEC 61672-1:2013 (R2019), Specifications for Sound Level Meters, 219(2)(b)

S1.25-1991 (R2020), Specification for Personal Noise Dosimeters, 219(2)(a)

S3.6-2004, Specification for Audiometers, 219(2)(b)

Z26.1 (1996), Safety Glazing Material for Glazing Motor Vehicles and Motor Vehicle Equipment Operating on Land Highways — Safety Standard, 265(2)

Z87.1-2003, Occupational and Educational Personal Eye and Face Protection Devices, 229(2.3), 229(3)(b)(i)

Z87.1-1989, Practice for Occupational and Educational Eye and Face Protection, 229(2.2), 229(3)(b)(ii)

Z89.1-2003, American National Standard for Industrial Head Protection, 234(1)-(2), 831(1), 844

Z359.1-2007, Safety requirements for personal fall arrest systems, subsystems and Components

Connectors, carabiners, snap hooks, 143(1)(b)

Fall arresters, 144(b)

Fixed ladders and climbable structures, 154(1)

Full body harness, 142(1), 834, 848

Shock absorber 142.3(1)(b)

Lanyard, 142.1(b)

Life safety rope, 147(1)

API Recommended practice

RP 4G, Recommended Practice for Maintenance and Use of Drilling and Well Servicing Structures (2004), 763(1)

ASME Standard

B30.9-2006, Safety Standard for Cableways, Cranes, Derricks, Hoists, Hooks, Jack and Slings, 297(1)

B30.20-2006, Below the Hook Lifting Devices, 297(2)

B56.1-2000, Safety Standard for Low Lift and High Lift Trucks, 347(8)

Association of Mountain Climbing Guides

Climbing Gym Instructor Technical Manual (2003), 841

Technical Handbook for Professional Mountain Guides (1999), 841

ASTM Standards

C478-07, Standard Specification for Reinforced Concrete Manhole Sections, 131

D323-06, Standard Test Method for Vapour Pressure of Petroleum Products (Reid Method), 1

D2865-06, Standard Practice for Calibration of Standards and Equipment for Electrical Insulating Materials Testing, 799(3)

F1447-06 Standard Specification for Helmets Used in Recreational Bicycling or Roller Skating, 235(1)

F2413-05, Specifications for Performance Requirements for Protective Footwear, 233

Australian Rope Access Association

Industrial Rope Access Technique (2000), 823

British Columbia Cave Rescue, 841

British Columbia Cave Rescue Companion Rescue Workshop (2005), 841

Index

BSI Standards

BS 6658: 05, Specification for Protective Helmets for Vehicle Users, 236(1)

Canadian Cave Conservancy, 841

Cave Guiding Standards for British Columbia and Alberta (2003), 841

CEN Standards

EN 341: 1997, Personal protective equipment against falls from height — Descender devices, 839

EN 353-2: 2002, Personal protective equipment against falls from a height — Part 2: Guidedtype fall arresters including a flexible anchor line, 144, 838

EN 354: 2002, Personal protective equipment against falls from a height — Lanyards, 142.2(1), 819(2)

EN 355: 2002, Personal protective equipment against falls from a height — Energy absorbers, 142.3(1)

EN 358: 2000, Personal protective equipment for work positioning and prevention of falls from aheight — Belts for work positioning and restraint and work positioning lanyards, 142.1, 148

EN 361: 2007, Personal protective equipment against falls from a height — Full body Harness, 142(1), 795(1)

EN 362: 2004, Personal protective equipment against falls from height — Connectors, 835

EN 397: 2006, Specification for industrial safety helmets, 831(2)

EN 567: 1997, Mountaineering equipment — Rope clamps — Safety requirements and test Methods, 837

EN 813: 1997, Personal protective equipment for prevention of falls from a height — Sit Harnesses, 847

EN 892: 2004, Mountaineering equipment — Dynamic mountaineering ropes — Safety requirements and test methods, 818

EN 1891: 1998, Personal protective equipment for the prevention of falls from a height — Low stretch kernmantel ropes, 817

EN 12275: 1998, Mountaineering equipment — Connectors — Safety requirements and test Methods, 143(1), 849

EN 12277: 1998, Mountaineering equipment — Harnesses — Safety requirements and test Methods, 847

EN 12492: 2000, Mountaineering equipment — Helmets for mountaineers — Safety requirements and test method, 831(1)

EN 1677-1: 2000, Components for slings — Part 1: Forged steel components grade 8, 292(1)

CGSB Standards

CAN/CGSB 3.16-99 AMEND, *Mining Diesel Fuel*, 705(1)

CSA Standards

CAN/CSA-B167-96 (R2007), Safety Standard for Maintenance and Inspection of Overhead Cranes, Gantry Cranes, Monorails, Hoists and Trolleys, 94

B352.0-95 (R2006), Rollover Protective Structures (ROPS) for Agricultural, Construction, Earthmoving, Forestry, Industrial and Mining Machines — Part 1: General Requirements, 270(2)

B352.1-95 (R2006), Rollover Protective Structures (ROPS) for Agricultural, Construction, Earthmoving, Forestry, Industrial and Mining Machines — Part 2: Testing Requirements for ROPS on Agricultural Tractors, 270(2)(a)(i)

B352.2-95 (R2006), Rollover Protective Structures (ROPS) for Agricultural, Construction, Earthmoving, Forestry, Industrial and Mining Machines — Part 3: Testing Requirements for ROPS on Construction, Earthmoving, Forestry, Industrial and Mining Machines, 270(a)(ii)

B376-M1980 (R2008), Portable Containers for Gasoline and Other Petroleum Fuels, 163(2)

CAN/CSA-B354.1-04, Portable elevating work platforms, 347

CAN/CSA-B354.2-01 (R2006), Self-Propelled Elevating Work Platforms, 347(3), 374(a)

CAN/CSA-B354.4-02, Self-Propelled Boom-Supported Elevating Work Platforms, 374(b)

C22.1-06, Canadian Electrical Code, Part 1, Safety Standard for Electrical Installations, 1

C22.2 No. 33-M1984 (R2004), Construction and Test of Electric Cranes and Hoists, 93

CAN/CSA-C225-00 (R2005), Vehicle-Mounted Aerial Device, 347(5)

CAN/CSA-D113.2-M89 (R2004), Cycling Helmets, 235(1)

CAN/CSA-M421-16, Use of Electricity in Mines, 560

CAN/CSA-M422-M87 (R2007), Fire-Performance and Antistatic Requirements for Ventilation Materials, 724(2)

CAN/CSA-M424.3-M90 (R2020), Braking Performance — Rubber-Tired, Self-Propelled Underground Mining Machines, 574(1)

O121-08, Douglas Fir Plywood, 457(1)

CAN/CSA-O141-05, Softwood Lumber, 1

- O151-04, Canadian Softwood Plywood, 457(1)
 S269.1-1975 (R2003), Falsework for Construction Purposes, 352(1)
 CAN/CSA-S269.2-M87 (R2003), Access Scaffolding for Construction Purposes, 323
 W117.2-06, Safety in welding, cutting and allied processes, 171.1(1), 172(1)
 CAN3-Z11-M81 (R2005), Portable Ladders, 135
 CAN/CSA Z94.1-15, Industrial Protective Headwear, 234(1)(a), 831(1)—(2)
 Z94.2-14 (R2019), Hearing Protection Devices — Performance, Selection, Care, and Use, 222
 Z94.3-15, Eye and Face Protectors, 229(1)
 Z94.4-02, Selection, Use and Care of Respirators, 247, 250(1)
 Z107.56-19 Measurement of Noise Exposure, 219(1)
 CAN/CSA-Z150-98 (R2004), Safety Code on Mobile Cranes, 88
 Z180.1-00 (R2005), Compressed Breathing Air and Systems, 249
 CAN/CSA-Z185-M87 (R2006), Safety Code for Personnel Hoists, 96
 Z195-14, Protective Footwear, 233
 Z248-04, Code for Tower Cranes, 100
 CAN/CSA-Z256-M87 (R2006), Safety Code for Material Hoists, 81
 CAN/CSA Z259.1-05, Body belts and saddles for work positioning and travel restraint, 142.1
 CAN/CSA-Z259.2.5-17, Fall arresters and vertical lifelines, 144, 147(1), 154
 CAN/SCA-Z259.2.5-15, Fall arresters and vertical rigid rails, 144, 147(1), 154(1)
 CAN/CSA-Z259.2.2-17, Self-Retracting Devices, 145
 CAN/CSA-Z259.2.3-99 (R2004), Descent Control Devices, 146, 148.1
 Z259.3-M1978 (R2004), Lineman's Body Belt and Lineman's Safety Strap, 149(1)
 CAN/CSA Z259.10-18, Full Body Harnesses, 142(1), 795(1), 834, 848
 Z259.11-17, Personal energy absorbers and lanyards, 142.2(1), 142.3(1), 148
 Z259.2.5-17, Fall arresters and vertical lifelines, 143(1), 144(a.1), 147(1), 154(1)
 Z259.13-04, Flexible Horizontal Lifeline Systems, 153(1)
 Z259.14-01, Fall Restrict Equipment for Wood Pole Climbing, 149(1)
 Z259.16-04, Design of Active Fall-Protection Systems, 153(1), 156(1)
 CAN/CSA-Z271-98 (R2004), Safety Code for Suspended Elevating Platforms, 348(1)
 CAN/CSA-Z275.1-05, Hyperbaric Facilities, 424
 CAN/CSA-Z275.2-04, Occupational Safety Code for Diving Operations, 424
 CAN/CSA-Z275.4-02, Competency Standard for Diving Operations, 424, 437
 CAN/CSA-Z321-96 (R2006), Signs and Symbols for the Workplace, 781(3)
 Z434-03 (R2008), Industrial Robots and Robot Systems — General Safety Requirements, 384(1)
 CPSC Standard
 Title 16 Code of U.S. Federal Regulations Part 1203, *Safety Standard for Bicycle Helmets*, 235(1)
 IEC Standards
 61672-1:2013 (R2019), Electroacoustics — Sound Level Meters — Part 1: Specifications, 219(2)(b)(i)
 61672-2:2023 (R2019) Electroacoustics — Sound Level Meters — Part 2: Pattern evaluation tests, 219(2)(b)(ii)
 International Rope Access Trade Association
 61672-3:2013 (R2019) — Sound Level Meters — Part 3: Periodic Tests, 219(2)(b)(iii)
 General requirements for certification of personnel engaged in industrial rope access methods (2005), 826
 International guidelines on the use of rope access methods for industrial purposes (2001), 823
 ISO Standards
 3450: 2011, Earth-moving machinery — Wheeled or high-speed rubber-tracked machines — Performance requirements and test procedures, 574(2)
 3471: 2000, Earth-moving machinery—Roll-over, protective structures—Laboratory tests and performance requirements, 270(2)(d)
 Natural Resources Canada
 Blasting Explosives and Detonators — Storage, Possession, Transportation, Destruction and Sale (M82-8/1983), Revised 1993, 470, 508
 Magazines for Industrial Explosives (CAN/BMQ 2910-500/2015), 470.1(1)
 NFPA Standards
 30, Flammable and Combustible Liquids Code, 2008 Edition, 163(2)
 1971, Protective Ensemble for Structural Fire Fighting, 2007 Edition, 233(5), 237

Index

- 1977, Protective Clothing and Equipment for Wildland Fire Fighting, 2005 Edition, 233(5), 237
- 1983, Standard on Fire Service Life Safety Rope and System Components, 2006 Edition, 795(1), 834-835, 837, 839
- NLGA Standard, 3
- Standard Grading Rules for Canadian Lumber (2003), 1
- OSHA Standards
- 1928.52, Protective Frames for Wheel-type Agricultural Tractors — Tests, Procedures and Performance Requirements, 270(2)
- PIP Standard
- STF05501 (February 2002), *Fixed Ladders and Cages*, published by the Construction Industry Institute, 130(1)
- SAE Standards, Recommended Practices and Reports
- J167 (2002), Overhead Protection for Agricultural Tractors — Test Procedures and Performance Requirements, 272(2)
- J386 (2006), Operator Restraint System for Off-Road Work Machines, 271(1)
- J1029 (2007), Lighting and Marking of Construction, Earthmoving Machinery, 264(2)
- J1042 (2003), Operator Protection for General-Purpose Industrial Machines, 270(2), 272(2)
- J1084-APR80 (R2002), Operator Protective Structure Performance Criteria for Certain Forestry Equipment, 521
- J1194 (1999), Rollover Protective Structures (ROPS) for Wheeled Agricultural Tractors, 270(2)
- J1511 FEB94/ISO 5010, Steering for Off-Road, Rubber-Tired Machines, 590(1)
- J2042 (2003), Clearance, Sidemarker, and Identification Lamps for Use on Motor Vehicles 2032 mm or More in Overall Width, 592(1)
- J2042 July1996, Clearance, Sidemarker, and Identification Lamps for Use on Motor Vehicles 2032 mm or More in Overall Width, 592(1)
- J2292 (2006), Combination Pelvic/Upper Torso (Type 2) Operator Restraint Systems for Off-Road Work Machines, 271(1)
- J/ISO 3449 (2005), Earthmoving Machinery — Falling-Object Protective Structures — Laboratory Tests and Performance Requirements, 272(2)
- Snell Memorial Foundations
- B-90A, 1998 Standard for Protective Headgear for Use with Bicycles, 235(1)
- B-95A, 1998 Standard for Protective Headgear for Use with Bicycles, 235(1)
- M2005, 2005 Helmet Standard for Use in Motorcycling, 236(1)
- N-94, 1994 Standard for Protective Headgear For Use in Non-Motorized Sports, 235(1)
- Society of Professional Rope Access Technicians Certification Requirements for Rope Access Work (2005), 826
- Safe Practices for Rope Access Work (2003), 823
- Transportation Association of Canada
- Manual of Uniform Traffic Control Devices for Canada (1998), 194(7)
- UIAA Standards
- 101: 2004, Mountaineering and Climbing Equipment — Dynamic Ropes, 818-819
- 105: 2004, Mountaineering and Climbing Equipment — Harnesses, 847
- 106: 2004, Mountaineering and Climbing Equipment — Helmets, 831(1)-(2), 844
- 107: 2004, Mountaineering and Climbing Equipment — Low Stretch Ropes, 817
- 121: 2004, Mountaineering and Climbing Equipment — Connectors, 835, 849
- 126: 2004, Mountaineering and Climbing Equipment — Rope Clamps, 837-838
- ULC Standards
- C30-1995, Containers, Safety, 163(2)
- CAN/ULC-60832-99, Installing Poles (Insulating Sticks) and Universal Tool Attachment (Fittings) for Live Working, 799(1)
- CAN/ULC-D60855-00, Live Working — Insulating Foam-Filled Tubes and Solid Rods for Live Working, 799(1)
- CAN/ULC-60895-04, Live Working — Conductive Clothing for Use at Nominal Voltage Up to 800 kV A.C. and +/600 kV D.C., 799(1)
- CAN/ULC-60900-99, Hand Tools for Live Working up to 1000 V a.c. and 1500 V d.c., 799(1)
- CAN/ULC-60903-04, Live Working — Gloves of Insulating Materials, 799(1)
- CAN/ULC-D60984-00, Sleeves of Insulating Material for Live Working, 799(1)
- CAN/ULC-D61112-01, Blankets of Insulating Material for Electrical Purposes, 799(1)
- CAN/ULC-D61229-00, Rigid Protective Covers for Live Working on a.c. Installations, 799(1)
- CAN/ULC-61236-99, Saddles, Pole Clamps (Stick Clamps) and Accessories for Live Working, 799(1)
- CAN/ULC-S801-14, Standard on Electric Utility Workplace Electrical Safety for Generation, Transmission and Distribution, 803(a)

USA Federal Motor Vehicle Safety Standard
FMVSS 218 *Motorcycle Helmets* 1993 OCT,
236(1)

**starch, exposure limits, Schedule 1
Table 2**

**stearates, exposure limits, Schedule 1
Table 2**

stemming, defined, 1

**stibine(antimony hydride), exposure
limits, Schedule 1 Table 2**

**stoddard solvent, exposure limits,
Schedule 1 Table 2**

**strontium chromate, as Cr, exposure
limits, Schedule 1 Table 2**

stop use orders, Act 40

stop work orders, Act 39

**strychnine, exposure limits, Schedule 1
Table 2**

**styrene, monomer, exposure limits,
Schedule 1 Table 2**

substance, defined, 394.1

**substances and process requiring code of
practice, Schedule 1 Table 1**

**subtilisins, exposure limits, Schedule 1
Table 2**

**sucrose, exposure limits, Schedule 1
Table 2**

**sulfometuron methyl, exposure limits,
Schedule 1 Table 2**

**sulfotep(TEDP), exposure limits,
Schedule 1 Table 2**

**sulphur, exposure limits, Schedule 1
Table 2**

**sulphur dioxide, exposure limits,
Schedule 1 Table 2**

**sulphur hexafluoride, exposure limits, Sche-
dule 1 Table 2**

**sulphuric acid, exposure limits,
Schedule 1 Table 2**

**sulphur monochloride, exposure limits,
Schedule 1 Table 2**

**sulphur pentafluoride, exposure limits,
Schedule 1 Table 2**

**sulphur tetrafluoride, exposure limits, Sche-
dule 1 Table 2**

**sulphuryl fluoride, exposure limits,
Schedule 1 Table 2**

**sulprofos, exposure limits, Schedule 1
Table 2**

supervisor
defined, Act 1(nn)
obligations of, Act 4, Act 12

supplier
defined, Act 1(oo); 394.1
obligations of, Act 6, Act 12

supplier label, defined, 394.1

surface mine, defined, 1

surveillance programs, Reg 184/2021, 3

surveyor, defined, 1

suspended scaffold, 1, 341(1)—(7)
swingstage scaffolds
employer duties regarding, 345(4)—(5)
generally, 342(1)—(2)
requirements, 343(1)—(8)
safety, 344(1)—344(7)
worker duties regarding, 345(1)—(3)

swabbing unit, defined, 1

swing drop distance, defined, 1

**synthetic vitreous fibres, exposure
limits, Schedule 1 Table 2**

systox, exposure limits, Schedule 1 Table 2

T

**2,4,5-T(2,4,5-trichlorophenoxyacetic acid),
exposure limits, Schedule 1 Table 2**

**talc respirable particulate containing no
asbestos fibres, exposure limits,
Schedule 1 Table 2**

**tantalum metal and oxide dusts, as Ta,
exposure limits, Schedule 1 Table 2**

**TEDP(sulfotep), exposure limits,
Schedule 1 Table 2**

as Te, exposure limits, Schedule 1 Table 2

**tellurium hexafluoride, exposure limits,
Schedule 1 Table 2**

**temephos, exposure limits, Schedule 1
Table 2**

temporary, defined, 1

temporary protective structure, defined, 1

temporary staffing agency
defined, Act 1(pp)
obligations of, Act 11—12

**temporary supporting structures,
defined, 1**

**temporary work platforms. See scaffolds and
temporary work platforms**

tending worker, defined, 1

**TEPP(tetraethylpyrophosphate),
exposure limits, Schedule 1 Table 2**

**terbufos, exposure limits, Schedule 1
Table 2**

**terephthalic acid, exposure limits,
Schedule 1 Table 2**

**terphenyls, exposure limits, Schedule 1
Table 2**

**1,1,2,2-Tetrabromoethane
(acetylenetetrabromide), exposure
limits, Schedule 1 Table 2**

**1,1,1,2-Tetrachloro-2,2-difluoroethane,
exposure limits, Schedule 1 Table 2**

**1,1,2,2-Tetrachloro-1,2-difluoroethane,
exposure limits, Schedule 1 Table 2**

**1,1,2,2-Tetrachloroethane, exposure
limits, Schedule 1 Table 2**

**tetrachloroethyleneperchloroethylene,
exposure limits, Schedule 1 Table 2**

Index

- tetrachloromethane(carbon tetrachloride), exposure limits, Schedule 1 Table 2
- tetrachloronaphthalene, exposure limits, Schedule 1 Table 2
- tetraethyl lead, asPb, exposure limits, Schedule 1 Table 2
- tetraethylpyrophosphate(TEPP), exposure limits, Schedule 1 Table 2
- tetrafluoroethylene, exposure limits, Schedule 1 Table 2
- tetrahydrofuran, exposure limits, Schedule 1 Table 2
- tetrakis, exposure limits, Schedule 1 Table 2
- tetramethyl lead, as, exposure limits, Schedule 1 Table 2
- tetramethylsuccinonitrile, exposure limits, Schedule 1 Table 2
- tetranitromethane, exposure limits, Schedule 1 Table 2
- tetryl (2,4,6-trinitrophenylmethyl nitramine), exposure limits, Schedule 1 Table 2
- thallium, elemental, and soluble compounds, as Tl, exposure limits, Schedule 1 Table 2
- 4,4'-Thiobis(6-tert-butyl-m-cresol), exposure limits, Schedule 1 Table 2
- thioglycolic acid, exposure limits, Schedule 1 Table 2
- thionyl chloride, exposure limits, Schedule 1 Table 2
- thiram, exposure limits, Schedule 1 Table 2
- tin, as Sn, exposure limits, Schedule 1 Table 2
- titanium dioxide, exposure limits, Schedule 1 Table 2
- 3 decibel exchange rate, defined, 1
- toluene(toluol), exposure limits, Schedule 1 Table 2
- toilets and washing facilities**
drinking fluids, 355(1)—(4)
exceptions, 356
hand cleaning facilities, 359(1)—(3)
kept in good condition, 361(1)—(2)
restrictions by employer prohibited, 354
supplies and receptacle, 360
toilet facilities, 357(1)—(5)
water and drainage, 358(1)—(3)
- toilets at work site, number required, Schedule 7**
- toluene, exposure limits, Schedule 1 Table 2**
- o-toluidine, exposure limits, Schedule 1 Table 2**
- m-toluidine, exposure limits, Schedule 1 Table 2**
- p-toluidine, exposure limits, Schedule 1 Table 2**
- toluol(toluene), exposure limits, Schedule 1 Table 2**
- tools, equipment and machinery**
actuated fastening hooks, 374
band saw blades, 378
band saw wheels, 379(1)—(3)
chainsaws, 376
circular saw blades, 377(1)—(3)
close installation of machines, 363
contact by clothing, etc., 362(1)—(3)
continuous-feed machinery, 371
controls, 368
conveyor belts, crossing, 373(1)—(3)
conveyor belts, elevated, 372(1)—(3)
cut-off saws, 381(1)—(2)
designed to move workers, 364
drive belts, 370(1)—(2)
grinders, 375
power-fed saws, 380(1)—(2)
immobilizing machinery, 369
operator responsibilities, 367(1)—(2)
preventing machine activation, 366
robots, 384(1), 385
saw blade crack limits, Schedule 8
sawmill head rig, 382(1)—(3)
sawmill log carriage, 383(1)—(4)
starting machinery, 365(1)—(2)
- total fall distance, defined, 1**
- total particulate, defined, 1**
- tower cranes**
changing components, 103(1)—(2)
defined, 1
limit devices, 101(1)—(2)
multiple cranes, 107
operation, 102
safety code, 100
structural testing and examinations, 105(1)—(3)
test weights, 104(1)—(2)
wind and temperature limitations, 106(1)—(2)
- tower hoist, defined, 1**
- toxaphene(chlorinated camphene), exposure limits, Schedule 1 Table 2**
- travel restraint system, defined, 1**
- tree care operations**
application, 792
fall protection and work positioning, 794(1)—(2)
harness standards, 795(1)—(2)
knot exemption, 796
safe work practices, 793(1)—(2)

- tremolite(asbestos), exposure limits, Schedule 1 Table 2. *See also* asbestos.
- trench, defined, 1
- tribromomethane(bromofom), exposure limits, Schedule 1 Table 2
- tributyl phosphate, exposure limits, Schedule 1 Table 2
- trichloroacetic acid, exposure limits, Schedule 1 Table 2
- 1,2,4-trichlorobenzene, exposure limits, Schedule 1 Table 2
- 1,1,1-trichloroethane(methyl chloroform), exposure limits, Schedule 1 Table 2
- 1,1,2-trichloroethane, exposure limits, Schedule 1 Table 2
- trichloroethylene, exposure limits, Schedule 1 Table 2
- trichlorofluoromethane, exposure limits, Schedule 1 Table 2
- trichloromethane(chloroform), exposure limits, Schedule 1 Table 2
- trichloronaphthalene, exposure limits, Schedule 1 Table 2
- trichloronitromethane(chloropicrin), exposure limits, Schedule 1 Table 2
- 2,4,5-trichlorophenoxyacetic acid, exposure limits, Schedule 1 Table 2
- 1,2,3-trichloropropane, exposure limits, Schedule 1 Table 2
- 1,1,2-trichloro-1,2,2-trifluoroethane, exposure limits, Schedule 1 Table 2
- trichlorphon, exposure limits, Schedule 1 Table 2
- tricyclohexyltinhydroxide(cyhexatin), exposure limits, Schedule 1 Table 2
- triethanolamine, exposure limits, Schedule 1 Table 2
- triethylamine, exposure limits, Schedule 1 Table 2
- trifluorobromomethane(bromotri-fluoromethane), exposure limits, Schedule 1 Table 2
- 1,1,1-trifluoro-2,2-dichloroethane(HCFC-123), exposure limits, Schedule 1 Table 2
- 1,3,5-triglycidyl-striazinetrione, exposure limits, Schedule 1 Table 2
- trimellitic anhydride, exposure limits, Schedule 1 Table 2
- trimethylamine, exposure limits, Schedule 1 Table 2
- trimethyl benzene(mixed isomers), exposure limits, Schedule 1 Table 2
- trimethyl phosphite, exposure limits, Schedule 1 Table 2
- 2,4,6-trinitrophenol(picric acid), exposure limits, Schedule 1 Table 2
- 2,4,6-trinitrophenylmethylnitramine(tetryl), exposure limits, Schedule 1 Table 2
- 2,4,6-trinitrotoluene(TNT), exposure limits, Schedule 1 Table 2
- triorthocresylphosphate, exposure limits, Schedule 1 Table 2
- triphenyl amine, exposure limits, Schedule 1 Table 2
- triphenyl phosphate, exposure limits, Schedule 1 Table 2
- tungsten, as W, exposure limits, Schedule 1 Table 2
- tunnel, defined, 1
- turpentine, exposure limits, Schedule 1 Table 2
- ## U
- UIAA (Union Internationale des Associations d'Alpinisme), defined, 1
- ULC (Underwriters' Laboratories of Canada), defined, 1
- underground mine
- certificates, coal, 749.4
 - defined, 1
- underground mine blaster, defined, 1
- underground mine foreman, defined, 1
- underground mine manager, defined, 1
- underground shaft, defined, 1
- underground shaft hoist, defined, 1
- undue hazard, defined, Act 17(1)
- uranium (natural), exposure limits, Schedule 1 Table 2
- utility employee, defined, 1
- utility workers, electrical
- application of part, 797
 - communication lines, cables, 803
 - coordinated work, 802
 - energized electrical equipment or lines, work on, 804(1)—(3)
 - protective devices or equipment, 799(1)—(3)
 - protective equipment, 799(1)—(3)
 - safe work practices
 - electrical utilities associations, 800
 - industrial power producers, 801
 - rural electrification associations, 800
- ## V
- n-valeraldehyde, exposure limits, Schedule 1 Table 2
- vanadium pentoxide, as V2O5, exposure limits, Schedule 1 Table 2
- vehicle, defined, 1
- ventilation stopping, defined, 1
- ventilation systems
- air velocity, 712(1)—(4)
 - airlock doors, 714
 - application, 386

Index

- brattice, vent tubes, 724(1)—(2)
- chutes, 717
- design, 387(1)—(2)
- fans, 719
 - fans, auxiliary, 723(1)—(4)
 - fans, booster, 722
 - fans, surface, 721(1)—(3)
 - fans, ventilation, 725
- operating in split, 729
- return airway, 713
- reverse flows, 720
- safety, 388(1)—(2)
- seals, 716(1)—(4)
- splits, 718(1)—(2)
- stoppings, 715
- vinyl acetate, exposure limits, Schedule 1 Table 2**
- vinyl benzene(styrene, monomer), exposure limits, Schedule 1 Table 2**
- vinyl bromide, exposure limits, Schedule 1 Table 2**
- vinyl chloride(chloroethylene), exposure limits, Schedule 1 Table 2**
- vinyl cyanide(acrylonitrile), exposure limits, Schedule 1 Table 2**
- 4-vinyl cyclohexene, exposure limits, Schedule 1 Table 2**
- vinyl cyclohexenedioxide, exposure limits, Schedule 1 Table 2**
- vinyl fluoride, exposure limits, Schedule 1 Table 2**
- Vinyl toluene, exposure limits, Schedule 1 Table 2**
- vinylidene, exposure limits, Schedule 1 Table 2**
- N-vinyl-2-pyrrolidone, exposure limits, Schedule 1 Table 2**
- violence, Act 1(rr)**
- violence and harassment**
 - assessment of hazard, 389
 - domestic violence, 390.3
 - harassment
 - prevention plan, 390.4(1)—(2)
 - prevention policy, 390.5
 - prevention procedures, 390.6
 - investigating incidents, Act 33(5)—(6); 391.1
 - mandatory fuel prepayment, 392.6
 - reporting incidents, Act 33(1)—(4); 391.1
 - personal emergency transmitter, 392.5
 - retail fuel and convenience store worker safety, 392.1
 - review and revision of prevention plans, 390.7(1)—(4), 392.4
 - training, 391, 392.3
 - treatment or referral, employer to advise, 391.2
 - violence
 - prevention plan, 390(1)—(2), 392.2
 - prevention policy, 390.1
 - prevention procedures, 390.2
 - worker entitlement to pay, 392
- VM & P naphtha, exposure limits, Schedule 1 Table 2**
- W**
- walkways, runways and ramps, 121(1)—(2)**
- water danger, 157**
- warfarin, exposure limits, Schedule 1 Table 2**
- welding or allied process, defined, 1**
- welfare, Act 1(ss)**
- well servicing, defined, 1**
- well stimulation, defined, 1**
- well swabbing, defined, 1**
- WHMIS. See Workplace Hazardous Materials Information System (WHMIS)**
- wood dust, exposure limits, Schedule 1 Table 2**
- work area, defined, 1**
- work positioning system, defined, 1**
- work site, Act 1(uu)**
 - inspection of, Act 15
- work site illnesses and injuries, prevention of**
- work site label, defined, 394.1**
- work site parties, obligations of**
 - contracting employers, Act 8
 - employers, Act 3
 - multiple, Act 12
 - owners, Act 9
 - prime contractors, Act 10
 - self-employed persons, Act 12(4)
 - service providers, Act 7
 - supervisors, Act 4
 - suppliers, Act 6
 - temporary staffing agencies, Act 11
 - workers, Act 5
- worker**
 - defined, Act 1(tt)
 - obligations of, Act 5, Act 12
- worker exposure**
 - decontamination, 23
 - health assessment, 40(1)—(13)
 - lead exposure control plan, 41(1)—(3)
 - longer than 8 hours, 18(1)—(3)
 - multiple hazards, 17
 - noise levels, 218
 - overexposure, 22(1)—(3)
 - potential exposure, 21(1)—(3)
- working alone, 393—394**
- working face, defined, 1**
- workings, defined, 1**
- Workplace Hazardous Materials Information System (WHMIS)**
 - application, 395(1)—(5)
 - decanted products, 400(1)—(2)

definitions under, 394.1
hazardous waste, 394.1, 396
information
 confidential, 412(1)—(2)
 limits on disclosure, 414(1)—(2)
 medical professional, to, 413(1)—(3)
label required, 398(1)—(7)
laboratory samples, 394.1, 403(1)—(4)
placards, 401(1)—(2)
production or manufacture, 399
safety data sheet
 claim for disclosure exemption, 408
 disclosure exemption, 410(1)—(3)
 duty to disclose information, 411(1)—(2)
 employer to provide, 405(1)—(3)
 information current, 406(1)—(2)
 interim non-disclosure, 409(1)—(3)
 readily available, 407
 supplier label, 394.1, 404(1)—(2)
training, 397(1)—(2)
transfer of hazardous products, 402

X

x-ray equipment, defined, 1
xylene, exposure limits, Schedule 1
 Table 2
xylidine, exposure limits, Schedule 1
 Table 2

Y

yttrium metal & compounds, as Y,
 exposure limits, Schedule 1 Table 2

Z

zinc beryllium silicate, as Be, exposure limits,
 Schedule 1 Table 2
zinc chloride fume, exposure limits, Schedule
 1 Table 2
zinc chromates, as Cr, exposure limits,
 Schedule 1 Table 2
zinc oxide, respirable, exposure limits,
 Schedule 1 Table 2
zinc stearate, exposure limits, Schedule 1
 Table 2
zirconium and compounds, as Zr,
 exposure limits, Schedule 1 Table 2